



HELIX

AUTOSPORT
CLUTCH KITS & FLYWHEELS

"Driven to Succeed"

Performance Clutch Kits
& Flywheels

CATALOGUE



Part Number Legend

<u>Prefix Number</u>	<u>Description</u>
12-	Selected Standard Cover Assembly
20-	Selected Standard Drive Plate
30-	Performance Organic Clutch Kit
35-	Performance Organic Clutch Kit inc. Single
40-	Release Bearing
41-	Concentric Slave Cylinder / Release Bearing
60-	Performance Group 'N' Cover Assembly
70-	Upated Organic Sprung Drive Plate
71-	Upated Organic Rigid Drive Plate
76-	Cerametallic 4 or 5 Paddle Sprung Drive Plate
77-	Cerametallic 6 Paddle Sprung Drive Plate
78-	Cerametallic Paddle Rigid Drive Plate
80-	Performance Twin Plate Cover & Interplate Assembly
90-	Performance Cerametallic Paddle Sprung Clutch Kit
95-	Performance Cerametallic Paddle Sprung Clutch Kit inc. Single Mass Flywheel



HEAVY DUTY COVER ASSEMBLY - *Series Part No 60-0000*

The Helix clutch is intended for applications where the engine / vehicle performance has been increased above standard. All Helix clutches are manufactured from new components to the highest standards using the best materials available, these clutch cover applications can range from pressed steel shells to high grade aluminium; they are designed to give a higher torque capacity together with an increase engine rpm. The units can be fitted as a direct replacement for the standard unit without modification to the flywheel and retaining the standard clutch release mechanism. There are a few exceptions and these are identified in the catalogue.

DRIVE PLATE ORGANIC SPRUNG CENTRE - *Series Part No 70-0000*

This type of drive plate is suitable for road use and light competition work. The design features damper springs arranged radially around the hub centre which together with facing segments provides progressive engagement and greater degree of clutch control. The organic facing material used is the best high performance material available with facings over 200mm diameter being metal backed to give much higher burst strength.

DRIVE PLATE ORGANIC RIGID CENTRE - *Series Part No 71-0000*

The rigid type of drive plate is not fitted with any form of damper cushioning and is specifically designed for more arduous conditions where the degree of comfort / refinement is second to durability and strength. Again only the best high performance organic friction facing material is used.

DRIVE PLATE CERAMETALLIC SPRUNG CENTRE - *Series Part No 76/77-0000*

This type of drive plate is more suitable for high energy competition applications like rallying although it can be used for road use where the organic drive plate cannot withstand the higher operating temperatures. The design incorporates a sprung centre to provide some protection against drive line shock.

DRIVE PLATE CERAMETALLIC RIGID CENTRE - *Series Part No 78-0000*

The rigid cerametallic drive plate has no form of damper or segment cushioning and is designed primarily for the most arduous of working conditions where strength and durability are paramount with the heat resistant properties of the cerametallic friction pads.



Performance Twin Plate Cover & Interplate Assembly

Series Part No 80-0000

The 80 series is a bespoke road twin plate clutch application. This clutch has been designed to double the torque capacity compared to the 60 series, and additionally produces the same release pressure. This application can be used in performance road cars.

SPRUNG ORGANIC THREE PIECE CLUTCH KITS

Series Part No 30-0000

These kits include a cover, a sprung organic faced drive plate and a release bearing.

SPRUNG ORGANIC FOUR PIECE CLUTCH KIT

Series Part No 35-0000

These kits include a cover, a sprung organic faced drive plate, a release bearing and a steel flywheel.

SPRUNG CERAMETALLIC THREE PIECE CLUTCH KIT

Series Part No 90-0000

These kits include a cover, a cerametallic faced paddle drive plate and release bearing.

RIGID CERAMETALLIC THREE PIECE CLUTCH KIT

Series Part No 91-0000

These kits include a cover, a rigid organic faced drive plate and a release bearing.

SPRUNG CERAMETALLIC FOUR PIECE CLUTCH KIT

Series Part No 95-0000

These kits include a cover, a sprung cerametallic paddle drive plate, a release bearing and a steel flywheel.



HEAVY DUTY COVER ASSEMBLY

Series Part No 60-0000



DRIVE PLATE ORGANIC SPRUNG CENTRE

Series Part No 70-0000



DRIVE PLATE ORGANIC RIGID CENTRE

Series Part No 71-0000



DRIVE PLATE CERAMETALLIC SPRUNG CENTRE

Series Part No 76-0000



DRIVE PLATE CERAMETALLIC RIGID CENTRE

Series Part No 78-0000





**TWIN PLATE SPRUNG ORGANIC INTERPLATE
& COVER ASSEMBLY**
Series Part No 80-0000



**TWIN PLATE SPRUNG PADDLE INTERPLATE &
COVER ASSEMBLY**
Series Part No 80-0000



SPRUNG ORGANIC THREE PIECE CLUTCH KITS
Series Part No 30-0000



SPRUNG ORGANIC FOUR PIECE CLUTCH KIT
Series Part No 35-0000



**SPRUNG CERAMETALLIC THREE PIECE CLUTCH
KIT**
Series Part No 90-0000



**RIGID CERAMETALLIC THREE PIECE CLUTCH
KIT**
Series Part No 91-0000





SPRUNG CERAMETALLIC FOUR PIECE CLUTCH KIT

Series Part No 95-0000





Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
ALFA ROMEO										
Alfa Sud 1.3 & 1.5 - Performance 4 Paddle	1978-84	Road	N 200	60-2339	76-2340	7.60mm	40-2341	20.4 x 24T	HF 9432	265Nm
Alfa 33 1.3ltr - Performance Organic	1990-94	Road	N 200	60-2339	70-2340	7.60mm	40-2341	20.4 x 24T	HF 9432	220Nm
Alfa 33 1.3ltr - Performance 4 Paddle	1990-94	Race/Rally	N 200	60-2339	76-2340	7.60mm	40-2341	20.4 x 24T	HF 9432	264Nm
Alfa 33 1.7 QV - Performance Organic	1986-90	Road	N 200	60-2339	70-2340	7.60mm	40-2341	20.4 x 24T	HF 9432	220Nm
Alfa 33 1.7 QV - Performance 4 Paddle	1986-90	Race/Rally	N 200	60-2339	76-2340	7.60mm	40-2341	20.4 x 24T	HF 9432	265Nm
Alfa 33 1.7 16v - Performance 4 Paddle Rigid	1986-90	Race	N 200	60-2339	78-2340	7.60mm	40-2341	20.4 x 24T	HF 9432	265Nm
Alfa 75 1.8 Turbo - Performance Organic	1986-92	Road	N 215	60-3208	70-1870	8.80mm	40-3209	22 x 19T	HF 9558	355Nm
Alfa 75 1.8 Turbo - Performance 4 Paddle	1986-92	Race/Rally	N 215	60-3208	76-1870	8.80mm	40-3209	22 x 19T	HF 9558	475Nm
Alfa 75 1.8 Turbo - Performance 4 Paddle Rigid	1986-92	Race/Rally	N 215	60-3208	78-1870	8.80mm	40-3209	22 x 19T	HF 9558	475Nm
Alfa 75 2.5 QV - Performance Organic	1986-92	Road	N 215	60-3208	70-1870	8.80mm	40-3209	22 x 19T	HF 9558	355Nm
Alfa 75 2.5 QV - Performance 4 Paddle	1986-92	Race/Rally	N 215	60-3208	76-1870	8.80mm	40-3209	22 x 19T	HF 9558	475Nm
Alfa 75 2.5 QV - Performance 4 Paddle Rigid	1986-92	Race/Rally	N 215	60-3208	78-1870	8.80mm	40-3209	22 x 19T	HF 9558	475Nm
Alfa 75 3.0ltr V6 - Performance 4 Paddle Rigid	1987-92	Race/Rally	N 215	60-3208	78-1870	8.80mm	40-3209	22 x 19T	HF 9558	475Nm
Alfa 90 2.5ltr - Performance Organic	1985-87	Road	N 215	60-3208	70-1870	8.80mm	40-3209	22 x 19T	HF 9558	355Nm
Alfa 90 2.5ltr - Performance 4 Paddle	1985-87	Race/Rally	N 215	60-3208	76-1870	8.80mm	40-3209	22 x 19T	HF 9558	475Nm
Alfa 90 2.5ltr - Performance 4 Paddle Rigid	1985-87	Race/Rally	N 215	60-3208	78-1870	8.80mm	40-3209	22 x 19T	HF 9558	475Nm
Alfa 75 3.0ltr V6 - Performance 4 Paddle Rigid	1987-92	Race	N 184	63-120R	53-1049 x 2	7.20mm	40-1251	24.5 x 21T	HF 9433	650Nm
Alfa 145 1.7ltr 16v TS - Performance Organic	1996-01	Road	N 215	60-3214	70-3222	7.60mm	40-3219	22.5 x 20T	SMF	275Nm
Alfa 145 1.7ltr 16v TS - Performance 4 Paddle	1996-01	Race/Rally	N 215	60-3214	76-3222	7.60mm	40-3219	22.5 x 20T	SMF	350Nm
Alfa 145 2.0ltr 16v TS - Performance Organic	1995-01	Road	N 230	60-3216	70-3221	7.60mm	40-2107	22.5 x 20T	SMF	275Nm
Alfa 145 2.0ltr 16v TS - Performance 4 Paddle	1995-01	Race/Rally	N 230	60-3216	76-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 145 2.0ltr 16v TS - Performance 6 Paddle	1995-01	Race/Rally	N 230	60-3216	77-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 145 2.0ltr 16v TS - Performance 4 Paddle Rigid	1995-01	Race/Rally	N 230	60-3216	78-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 146 2.0i 16v - Performance Organic	1996-00	Road	N 230	60-3216	70-3221	7.60mm	40-2107	22.5 x 20T	SMF	275Nm
Alfa 146 2.0i 16v - Performance 4 Paddle	1996-00	Race/Rally	N 230	60-3216	76-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 146 2.0i 16v - Performance 6 Paddle	1996-00	Race/Rally	N 230	60-3216	77-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 146 2.0i 16v - Performance 4 Paddle Rigid	1996-00	Race/Rally	N 230	60-3216	78-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 147 1.6 TS - Performance Organic	2001 →	Road	N 215	60-3214	70-3222	7.60mm	40-3219	22.5 x 20T	SMF	275Nm
Alfa 147 1.6 TS - Performance 4 Paddle	2001 →	Race/Rally	N 215	60-3214	76-3222	7.60mm	40-3219	22.5 x 20T	SMF	350Nm
Alfa 147 2.0ltr TS - Performance Organic	2001 →	Road	N 230	60-3218	70-3221	7.60mm	40-3219	22.5 x 20T	SMF	290Nm
Alfa 147 2.0ltr TS - Performance 4 Paddle	2001 →	Race/Rally	N 230	60-3218	76-3221	7.60mm	40-3219	22.5 x 20T	SMF	360Nm
Alfa 147 2.0ltr TS - Performance 6 Paddle	2001 →	Race/Rally	N 230	60-3218	77-3221	7.60mm	40-3219	22.5 x 20T	SMF	360Nm
Alfa 147 2.0ltr TS - Performance 4 Paddle Rigid	2001 →	Race/Rally	N 230	60-3218	78-3221	7.60mm	40-3219	22.5 x 20T	SMF	360Nm
Alfa 155 2.0ltr TS 8v - Performance Organic	1992-97	Road	N 215	60-2182	70-1948	7.60mm	40-2107	22.5 x 20T	SMF	270Nm
Alfa 155 2.0ltr TS 8v - Performance Organic Rigid	1992-97	Road	N 215	60-2182	71-1948	7.60mm	40-2107	22.5 x 20T	SMF	270Nm
Alfa 155 2.0ltr TS 8v - Performance 4 Paddle	1992-97	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-2107	22.5 x 20T	SMF	370Nm
Alfa 155 2.0ltr TS 8v - Performance 6 Paddle	1992-97	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-2107	22.5 x 20T	SMF	370Nm
Alfa 155 2.0ltr TS 8v - Performance 4 Paddle Rigid	1992-97	Race/Rally	N 215	60-2182	78-1948	7.60mm	40-2107	22.5 x 20T	SMF	370Nm
Alfa 155 2.0ltr TS 16v - Performance Organic	1995-97	Road	N 230	60-3216	70-3221	7.60mm	40-2107	22.5 x 20T	SMF	275Nm
Alfa 155 2.0ltr TS 16v - Performance 4 Paddle	1995-97	Race/Rally	N 230	60-3216	76-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 155 2.0ltr TS 16v - Performance 6 Paddle	1995-97	Race/Rally	N 230	60-3216	77-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 155 2.0ltr TS 16v - Performance 4 Paddle Rigid	1995-97	Race/Rally	N 230	60-3216	78-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa 155 2.0ltr Turbo Q4 - Performance Organic	4/92-97	Road	N 235	60-4448	70-4451	7.60mm	40-Included	22.5 x 20T	SMF	380Nm
Alfa 155 2.0ltr Turbo Q4 - Performance 4 Paddle	4/92-97	Race/Rally	N 235	60-4450	76-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 155 2.0ltr Turbo Q4 - Performance 6 Paddle	4/92-97	Race/Rally	N 235	60-4450	77-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 155 2.0ltr Turbo Q4 - Performance 4 Paddle Rigid	4/92-97	Race/Rally	N 235	60-4450	78-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 156 2.0ltr TS - Performance Organic	1997 →	Road	N 230	60-3218	70-3221	7.60mm	40-3219	22.5 x 20T	SMF	290Nm
Alfa 156 2.0ltr TS - Performance 4 Paddle	1997 →	Race/Rally	N 230	60-3218	76-3221	7.60mm	40-3219	22.5 x 20T	SMF	360Nm
Alfa 156 2.0ltr TS - Performance 6 Paddle	1997 →	Race/Rally	N 230	60-3218	77-3221	7.60mm	40-3219	22.5 x 20T	SMF	360Nm
Alfa 156 2.0ltr TS - Performance 4 Paddle Rigid	1997 →	Race/Rally	N 230	60-3218	78-3221	7.60mm	40-3219	22.5 x 20T	SMF	360Nm
Alfa 156 2.0ltr Turbo 16v - Performance Organic	1995 →	Road	N 235	60-4448	70-4451	7.60mm	40-Included	22.5 x 20T	SMF	380Nm
Alfa 156 2.0ltr Turbo 16v - Performance 4 Paddle	1995 →	Race/Rally	N 235	60-4450	76-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 156 2.0ltr Turbo 16v - Performance 6 Paddle	1995 →	Race/Rally	N 235	60-4450	77-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 156 2.0ltr Turbo 16v - Performance 4 Paddle Rigid	1995 →	Race/Rally	N 235	60-4450	78-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 156 2.5ltr V6 - Performance Organic	1997	Road	N 235	60-4448	70-4451	7.60mm	40-Included	22.5 x 20T	SMF	380Nm
Alfa 156 2.5ltr V6 - Performance 4 Paddle	1997	Race/Rally	N 235	60-4450	76-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 156 2.5ltr V6 - Performance 6 Paddle	1997	Race/Rally	N 235	60-4450	77-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 156 2.5ltr V6 - Performance 4 Paddle Rigid	1997	Race/Rally	N 235	60-4450	78-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 156 3.2ltr GTA - Performance Organic	2002-06	Road	N 235	60-4453	70-4452	7.60mm	40-Included	22.5 x 20T	SMF	378Nm
Alfa 156 3.2ltr GTA - Performance 4 Paddle	2002-06	Race/Rally	N 235	60-4456	76-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa 156 3.2ltr GTA - Performance 6 Paddle	2002-06	Race/Rally	N 235	60-4456	77-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa 164 2.0ltr V6 Turbo - Performance Organic	1990-98	Road	N 235	60-4448	70-4451	7.60mm	40-Included	22.5 x 20T	SMF	380Nm
Alfa 164 2.0ltr V6 Turbo - Performance 4 Paddle	1990-98	Race/Rally	N 235	60-4450	76-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 164 2.0ltr V6 Turbo - Performance 6 Paddle	1990-98	Race/Rally	N 235	60-4450	77-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 164 2.0ltr V6 Turbo - Performance 4 Paddle Rigid	1990-98	Race/Rally	N 235	60-4450	78-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
ALFA ROMEO (cont)										
Alfa 164 3.0ltr 12v - Performance Organic	1987-92	Road	N 230	60-4285	70-4287	7.60mm	40-2404	22.5 x 20T	SMF	295Nm
Alfa 164 3.0ltr 12v - Performance 4 Paddle	1987-92	Race/Rally	N 230	60-4286	76-4287	7.60mm	40-2404	22.5 x 20T	SMF	395Nm
Alfa 164 3.0ltr 12v - Performance 6 Paddle	1987-92	Race/Rally	N 230	60-4286	77-4287	7.60mm	40-2404	22.5 x 20T	SMF	395Nm
Alfa 164 3.0ltr 12v - Performance 4 Paddle Rigid	1987-92	Race/Rally	N 230	60-4286	78-4287	7.60mm	40-2404	22.5 x 20T	SMF	395Nm
Alfa 164 3.0ltr 24v - Performance Organic	1990-98	Road	N 235	60-4448	70-4451	7.60mm	40-Included	22.5 x 20T	SMF	380Nm
Alfa 164 3.0ltr 24v - Performance 4 Paddle	1990-98	Race/Rally	N 235	60-4450	76-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 164 3.0ltr 24v - Performance 6 Paddle	1990-98	Race/Rally	N 235	60-4450	77-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 164 3.0ltr 24v - Performance 4 Paddle Rigid	1990-98	Race/Rally	N 235	60-4450	78-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa 166 3.0ltr 24v - Performance Organic	1998-03	Road	N 235	60-4453	70-4452	7.60mm	40-Included	22.5 x 20T	SMF	378Nm
Alfa 166 3.0ltr 24v - Performance 4 Paddle	1998-03	Race/Rally	N 235	60-4456	76-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa 166 3.0ltr 24v - Performance 6 Paddle	1998-03	Race/Rally	N 235	60-4456	77-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa 166 3.2ltr V6 24v - Performance Organic	2003-07	Road	N 235	60-4453	70-4452	7.60mm	40-Included	22.5 x 20T	SMF	378Nm
Alfa 166 3.2ltr V6 24v - Performance 4 Paddle	2003-07	Race/Rally	N 235	60-4456	76-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa 166 3.2ltr V6 24v - Performance 6 Paddle	2003-07	Race/Rally	N 235	60-4456	77-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa GTV 1.8ltr TS 16v - Performance Organic	1998-03	Road	N 215	60-2182	70-1948	7.60mm	40-2107	22.5 x 20T	SMF	270Nm
Alfa GTV 1.8ltr TS 16v - Performance Organic Rigid	1998-03	Road	N 215	60-2182	71-1948	7.60mm	40-2107	22.5 x 20T	SMF	270Nm
Alfa GTV 1.8ltr TS 16v - Performance 4 Paddle	1998-03	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa GTV 1.8ltr TS 16v - Performance 6 Paddle	1998-03	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa GTV 1.8ltr TS 16v - Performance 4 Paddle Rigid	1998-03	Race/Rally	N 215	60-2182	78-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa GTV 2.0ltr TS 16v - Performance Organic	1995-03	Road	N 230	60-3216	70-3221	7.60mm	40-2107	22.5 x 20T	SMF	275Nm
Alfa GTV 2.0ltr TS 16v - Performance 4 Paddle	1995-03	Race/Rally	N 230	60-3216	76-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa GTV 2.0ltr TS 16v - Performance 6 Paddle	1995-03	Race/Rally	N 230	60-3216	77-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa GTV 2.0ltr TS 16v - Performance 4 Paddle Rigid	1995-03	Race/Rally	N 230	60-3216	78-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa GTV 2.0ltr JTS 16v - Performance Organic	2003-06	Road	N 230	60-3216	70-3221	7.60mm	40-2107	22.5 x 20T	SMF	275Nm
Alfa GTV 2.0ltr JTS 16v - Performance 4 Paddle	2003-06	Race/Rally	N 230	60-3216	76-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa GTV 2.0ltr JTS 16v - Performance 6 Paddle	2003-06	Race/Rally	N 230	60-3216	77-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa GTV 2.0ltr JTS 16v - Performance 4 Paddle Rigid	2003-06	Race/Rally	N 230	60-3216	78-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa GTV 3.0ltr V6 - Performance Organic	1997-03	Road	N 235	60-4448	70-4451	7.60mm	40-Included	22.5 x 20T	SMF	380Nm
Alfa GTV 3.0ltr V6 - Performance 4 Paddle	1997-03	Race/Rally	N 235	60-4450	76-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa GTV 3.0ltr V6 - Performance 6 Paddle	1997-03	Race/Rally	N 235	60-4450	77-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa GTV 3.0ltr V6 - Performance 4 Paddle Rigid	1997-03	Race/Rally	N 235	60-4450	78-4451	7.60mm	40-Included	22.5 x 20T	SMF	510Nm
Alfa GTV 3.2ltr V6 24v - Performance Organic	2003-06	Road	N 235	60-4453	70-4452	7.60mm	40-Included	22.5 x 20T	SMF	378Nm
Alfa GTV 3.2ltr V6 24v - Performance 4 Paddle	2003-06	Race/Rally	N 235	60-4456	76-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa GTV 3.2ltr V6 24v - Performance 6 Paddle	2003-06	Race/Rally	N 235	60-4456	77-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa Mito 1.4ltr Turbo - Performance Organic	2008 →	Road	N 215	60-5300	70-5301	7.70mm	41-5303	22.5 x 20T	SMF	300Nm
Alfa Mito 1.4ltr Turbo - Performance Organic Rigid	2008 →	Road	N 215	60-5300	71-5301	7.70mm	41-5303	22.5 x 20T	SMF	300Nm
Alfa Mito 1.4ltr Turbo - Performance 4 Paddle	2008 →	Race/Rally	N 215	60-5300	76-5301	7.70mm	41-5303	22.5 x 20T	SMF	400Nm
Alfa Mito 1.4ltr Turbo - Performance 6 Paddle	2008 →	Race/Rally	N 215	60-5300	77-5301	7.70mm	41-5303	22.5 x 20T	SMF	400Nm
Alfa Mito 1.4ltr Turbo - Performance 4 Paddle Rigid	2008 →	Race/Rally	N 215	60-5300	78-5301	7.70mm	41-5303	22.5 x 20T	SMF	400Nm
Alfa GT 3.2 V6 24v - Performance Organic	2003-08	Road	N 235	60-4453	70-4452	7.60mm	40-Included	22.5 x 20T	SMF	378Nm
Alfa GT 3.2 V6 24v - Performance 4 Paddle	2003-08	Race/Rally	N 235	60-4456	76-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Alfa GT 3.2 V6 24v - Performance 6 Paddle	2003-08	Race/Rally	N 235	60-4456	77-4452	7.60mm	40-Included	22.5 x 20T	SMF	430Nm
Giulietta 1.4ltr Jet 16v - Performance Organic	2010 →	Road	N 215	60-5300	70-5301	7.70mm	41-5303	22.5 x 20T	SMF	300Nm
Giulietta 1.4ltr Jet 16v - Performance Organic Rigid	2010 →	Road	N 215	60-5300	71-5301	7.70mm	41-5303	22.5 x 20T	SMF	300Nm
Giulietta 1.4ltr Jet 16v - Performance 4 Paddle	2010 →	Race/Rally	N 215	60-5300	76-5301	7.70mm	41-5303	22.5 x 20T	SMF	400Nm
Giulietta 1.4ltr Jet 16v - Performance 6 Paddle	2010 →	Race/Rally	N 215	60-5300	77-5301	7.70mm	41-5303	22.5 x 20T	SMF	400Nm
Giulietta 1.4ltr Jet 16v - Performance 4 Paddle Rigid	2010 →	Race/Rally	N 215	60-5300	78-5301	7.70mm	41-5303	22.5 x 20T	SMF	400Nm
Alfa Spider 1.8ltr TS - Performance Organic	1995-03	Road	N 215	60-2182	70-1948	7.60mm	40-2107	22.5 x 20T	SMF	270Nm
Alfa Spider 1.8ltr TS - Performance Organic Rigid	1995-03	Road	N 215	60-2182	71-1948	7.60mm	40-2107	22.5 x 20T	SMF	270Nm
Alfa Spider 1.8ltr TS - Performance 4 Paddle	1995-03	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa Spider 1.8ltr TS - Performance 6 Paddle	1995-03	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa Spider 1.8ltr TS - Performance 4 Paddle Rigid	1995-03	Race/Rally	N 215	60-2182	78-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa Spider 2.0ltr TS - Performance Organic	1995-05	Road	N 230	60-3216	70-3221	7.60mm	40-2107	22.5 x 20T	SMF	275Nm
Alfa Spider 2.0ltr TS - Performance 4 Paddle	1995-05	Race/Rally	N 230	60-3216	76-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa Spider 2.0ltr TS - Performance 6 Paddle	1995-05	Race/Rally	N 230	60-3216	77-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa Spider 2.0ltr TS - Performance 4 Paddle Rigid	1995-05	Race/Rally	N 230	60-3216	78-3221	7.60mm	40-2107	22.5 x 20T	SMF	351Nm
Alfa Spider 2.0ltr JTS - Performance Organic	2003-05	Road	N 215	60-2182	70-1948	7.60mm	40-2107	22.5 x 20T	SMF	270Nm
Alfa Spider 2.0ltr JTS - Performance Organic Rigid	2003-05	Road	N 215	60-2182	71-1948	7.60mm	40-2107	22.5 x 20T	SMF	270Nm
Alfa Spider 2.0ltr JTS - Performance 4 Paddle	2003-05	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa Spider 2.0ltr JTS - Performance 6 Paddle	2003-05	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa Spider 2.0ltr JTS - Performance 4 Paddle Rigid	2003-05	Race/Rally	N 215	60-2182	78-1948	7.60mm	40-2107	22.5 x 20T	SMF	361Nm
Alfa Spider 3.2ltr 939 - Performance Organic	2006-11	Road	N 240	60-5090	70-4710	8.40mm	41-6013	25.4 x 23T	HF 9587	440Nm
Alfa Spider 3.2ltr 939 - Performance 4/5 Paddle	2006-11	Race/Rally	N 240	60-5090	76-4710	8.40mm	41-6013	25.4 x 23T	HF 9587	590Nm
Alfa Spider 3.2ltr 939 - Performance 6 Paddle	2006-11	Race/Rally	N 240	60-5090	77-4710	8.40mm	41-6013	25.4 x 23T	HF 9587	590Nm
1750 GTV - Performance Organic	1967-77	Road	N 215	60-1001	70-1006C	8.70mm	40-1003	1" x 10T	SMF	228Nm
1750 GTV - Performance 4/5 Paddle	1967-77	Race/Rally	N 215	60-1001	76-1006C	8.70mm	40-1003	1" x 10T	SMF	304Nm
Giulia 1300 & 1600 - Performance Organic	1965-69	Road	N 200	N/A	70-1004C	7.60mm	N/A	1" x 10T	SMF	N/A
Giulia 1300 & 1600 - Performance 4/5 Paddle (Diaphragm Conversion)	1965-69	Race/Rally	N 200	N/A	76-1004C	7.60mm	N/A	1" x 10T	SMF	N/A

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
ALFA ROMEO (cont)										
Giulia 1300 & 1600 - Performance Organic	1969-78	Road	N 215	60-1003	70-1006C	8.70mm	40-1003	1" x 10T	SMF	228Nm
Giulia 1300 & 1600 - Performance 4/5 Paddle	1969-78	Race/Rally	N 215	60-1003	76-1006C	8.70mm	40-1003	1" x 10T	SMF	304Nm
Giulietta II Berlina - Performance Organic	1954-64	Road	N 200	60-1101	70-1004C	7.60mm	N/A	1" x 10T	SMF	228Nm
Giulietta II Berlina - Performance 4/5 Paddle (Diaphragm Conversion)	1954-64	Race/Rally	N 200	60-1101	76-1004C	7.60mm	N/A	1" x 10T	SMF	304Nm
Giulietta Sprint 1.3ltr - Performance Organic	1954-64	Road	N 200	60-1101	70-1004C	7.60mm	N/A	1" x 10T	SMF	228Nm
Giulietta Sprint 1.3ltr - Performance 4/5 Paddle (Diaphragm Conversion)	1954-64	Race/Rally	N 200	60-1101	76-1004C	7.60mm	N/A	1" x 10T	SMF	304Nm
Giulietta Super 1.6ltr - Performance Organic	1954-64	Road	N 200	60-1101	70-1004C	7.60mm	N/A	1" x 10T	SMF	228Nm
Giulietta Super 1.6ltr - Performance 4/5 Paddle (Diaphragm Conversion)	1954-64	Race/Rally	N 200	60-1101	76-1004C	7.60mm	N/A	1" x 10T	SMF	304Nm
Giuletta 1300 & 1600 - Performance Organic	1978-86	Road	N 200	60-3759	70-3650	7.60mm	40-1004	22 x 19T	SMF	228Nm
Giuletta 1300 & 1600 - Performance 4/5 Paddle	1978-86	Race/Rally	N 200	60-3759	76-3650	7.60mm	40-1004	22 x 19T	SMF	304Nm
Giulietta 1800 & 2000 - Performance Organic	1979-86	Road	N 215	60-1186	70-1868	8.80mm	40-1004	22 x 19T	SMF	250Nm
Giulietta 1800 & 2000 - Performance 4/5 Paddle	1979-86	Race/Rally	N 215	60-1186	76-1868	8.80mm	40-1004	22 x 19T	SMF	345Nm
Giulietta 1800 & 2000 - Performance 6 Paddle	1979-86	Race/Rally	N 215	60-1186	77-1868	8.80mm	40-1004	22 x 19T	SMF	345Nm
Alfetta 1.8ltr & 2.0ltr - Performance Organic	1973-86	Road	N 215	60-1186	70-1868	8.80mm	40-1004	22 x 19T	SMF	250Nm
Alfetta 1.8ltr & 2.0ltr - Performance 4/5 Paddle	1973-86	Race/Rally	N 215	60-1186	76-1868	8.80mm	40-1004	22 x 19T	SMF	345Nm
Alfetta 1.8ltr & 2.0ltr - Performance 6 Paddle	1973-86	Race/Rally	N 215	60-1186	77-1868	8.80mm	40-1004	22 x 19T	SMF	345Nm
Alfetta GTV 2.0ltr - Performance Organic	1973-86	Road	N 215	60-1186	70-1868	8.80mm	40-1004	22 x 19T	SMF	250Nm
Alfetta GTV 2.0ltr - Performance 4/5 Paddle	1973-86	Race/Rally	N 215	60-1186	76-1868	8.80mm	40-1004	22 x 19T	SMF	345Nm
Alfetta GTV 2.0ltr - Performance 6 Paddle	1973-86	Race/Rally	N 215	60-1186	77-1868	8.80mm	40-1004	22 x 19T	SMF	345Nm
Montreal 2.6ltr - Performance Organic	1970-76	Road	N 228	60-1009	70-1008C	8.00mm	40-1003	25 x 14T	SMF	270Nm
Montreal 2.6ltr - Performance 4/5 Paddle	1970-76	Race/Rally	N 228	60-1009	76-1008C	8.00mm	40-1003	25 x 14T	SMF	361Nm
1900 - Performance Organic	1954-58	Road	N 235	N/A	70-7021	8.00mm	N/A	1 1/8" x 10T	HF 9352	N/A
1900 - Performance 4/5 Paddle	1954-58	Race/Rally	N 235	N/A	76-7021	8.00mm	N/A	1 1/8" x 10T	HF 9352	N/A
2000 - Performance Organic	1958-59	Road	N 235	N/A	70-7021	8.00mm	N/A	1 1/8" x 10T	HF 9352	N/A
2000 - Performance 4/5 Paddle	1958-59	Race/Rally	N 235	N/A	76-7021	8.00mm	N/A	1 1/8" x 10T	HF 9352	N/A
2000 & 2600 Sprint - Performance Organic	1962-67	Road	N 228	60-1005	70-1107C	7.20mm	N/A	1 1/8" x 10T	SMF	270Nm
2000 & 2600 Sprint - Performance 4/5 Paddle	1962-67	Race/Rally	N 228	60-1005	76-1107C	7.20mm	N/A	1 1/8" x 10T	SMF	361Nm
Alfa 6 - Performance Organic	1979 →	Road	N 240	60-3433	70-3341	8.40mm	40-1005	25 x 14T	SMF	460Nm
Alfa 6 - Performance 4/5 Paddle	1979 →	Race/Rally	N 240	60-3433	76-3341	8.40mm	40-1005	25 x 14T	SMF	615Nm
Alfetta GTV 6 2.5ltr - Performance Organic (Twin plate clutch)	1981-86	Road	N 190	80-1188 80-1288	70-1187 70-1189	7.20mm 7.20mm	40-3209	22 x 19T	HF 9491	340Nm
Alfetta GTV 6 2.5ltr - Performance 4 Paddle (Twin plate clutch)	1981-86	Race/Rally	N 190	80-1188 80-1288	76-1187 76-1189	7.20mm 7.20mm	40-3209	22 x 19T	HF 9491	450Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AC COBRA - Replica										
AC Cobra - Replica - Performance Organic	1963 →	Road	N 240	60-2503	70-4701	8.40mm	N/A	24 x 21T	SMF	536Nm
AC Cobra - Replica - Performance 4/5 Paddle	1963 →	Race/Rally	N 240	60-2503	76-4701	8.40mm	N/A	24 x 21T	SMF	715Nm
AC COBRA										
AC Cobra - Performance Organic	1963 →	Race/Rally	N 240	60-4709	76-5002	8.40mm	40-3156	11/16" x 10T	HF 9403	590Nm
AC Cobra - Performance 4/5 Paddle	1963 →	Race/Rally	N 240	60-4709	76-5001	8.40mm	40-3156	1.5/32 x 26T	HF 9403	590Nm
AC Cobra - Performance 6 Paddle (240mm Conversion - Eng; 289)	1963 →	Race/Rally	N 240	60-4709	77-5001	8.40mm	40-3156	1.5/32 x 26T	HF 9403	590Nm
ASTON MARTIN										
Ulster 1.5ltr - Performance Organic	1934-36	Road	N 240	60-3358	70-1637	8.40mm	N/A	1 1/4" x 10T	SMF	360Nm
Ulster 1.5ltr - Performance 4/5 Paddle	1934-36	Race/Rally	N 240	60-3358	76-1637	8.40mm	N/A	1 1/4" x 10T	SMF	475Nm
Ulster 1.5ltr - Performance 6 Paddle	1934-36	Race/Rally	N 240	60-3358	77-1637	8.40mm	N/A	1 1/4" x 10T	SMF	475Nm
DB2 (All Derivatives) - Performance Organic	1950-58	Road	N 240	60-3358	70-2347	8.40mm	40-3303	1 1/8" x 10T	SMF	360Nm
DB2 (All Derivatives) - Performance 4/5 Paddle	1950-58	Race/Rally	N 240	60-3358	76-2347	8.40mm	40-3303	1 1/8" x 10T	SMF	475Nm
DB2 (All Derivatives) - Performance 6 Paddle	1950-58	Race/Rally	N 240	60-3358	77-2347	8.40mm	40-3303	1 1/8" x 10T	SMF	475Nm
DB2 (All Derivatives) - Performance 4/5 Paddle Rigid (Diaphragm Conversion)	1950-58	Race/Rally	N 240	60-3358	78-2347	8.40mm	40-3303	1 1/8" x 10T	SMF	475Nm
DB3C 2.5ltr & 3.0ltr - Performance Organic	1951-59	Road	N 240	60-3358	70-2347	8.40mm	40-3302	1 1/8" x 10T	SMF	360Nm
DB3C 2.5ltr & 3.0ltr - Performance 4/5 Paddle	1951-59	Race/Rally	N 240	60-3358	76-2347	8.40mm	40-3302	1 1/8" x 10T	SMF	475Nm
DB3C 2.5ltr & 3.0ltr - Performance 6 Paddle	1951-59	Race/Rally	N 240	60-3358	77-2347	8.40mm	40-3302	1 1/8" x 10T	SMF	475Nm
DB3C 2.5ltr & 3.0ltr - Performance 4/5 Paddle Rigid (Diaphragm Conversion)	1951-59	Race/Rally	N 240	60-3358	78-2347	8.40mm	40-3302	1 1/8" x 10T	SMF	475Nm
DB3s - Performance Organic	1955-57	Road	N 240	60-3358	70-2347	8.40mm	40-3303	1 1/8" x 10T	SMF	360Nm
DB3s - Performance 4/5 Paddle	1955-57	Race/Rally	N 240	60-3358	76-2347	8.40mm	40-3303	1 1/8" x 10T	SMF	475Nm
DB3s - Performance 6 Paddle	1955-57	Race/Rally	N 240	60-3358	77-2347	8.40mm	40-3303	1 1/8" x 10T	SMF	475Nm
DB3s - Performance 4/5 Paddle Rigid (Diaphragm Conversion)	1955-57	Race/Rally	N 240	60-3358	78-2347	8.40mm	40-3303	1 1/8" x 10T	SMF	475Nm
DB4 - Performance Organic	1955-63	Road	N 254	60-2859	70-1371	8.00mm	40-3302	1 1/4" x10T	HF 9371	386Nm
DB4 - Performance 4/5 Paddle (→ Chassis No 765) (Diaphragm Conversion)	1955-63	Race/Rally	N 254	60-2859	76-1371	8.00mm	40-3302	1 1/4" x10T	HF 9371	510Nm
DB5 / DB6 / DBS 6 Cylinder - Performance Organic	1963-70	Road	N 240	60-3340	70-1637	8.40mm	40-3302	1 1/4" x10T	HF 9370	360Nm
DB5 / DB6 / DBS 6 Cylinder - Performance 4/5 Paddle	1963-70	Race/Rally	N 240	60-3358	76-1637	8.40mm	40-3302	1 1/4" x10T	HF 9370	475Nm
DB5 / DB6 / DBS 6 Cylinder - Performance 6 Paddle (→ Eng No; 400/4159)	1963-70	Race/Rally	N 240	60-3358	77-1637	8.40mm	40-3302	1 1/4" x10T	HF 9370	475Nm
DB5 / DB6 - Performance Organic	1965-70	Road	N 267	60-2868	70-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	456Nm
DB5 / DB6 - Performance 4/5 Paddle (from Eng No; 400/4160 →)	1965-70	Race/Rally	N 267	60-2868	76-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	610Nm
DBS V8 5.3ltr - Performance Organic	1969-89	Road	N 267	60-2868	70-1647	8.40mm	40-3321	1 1/4" x 10T	HF 9260	456Nm
DBS V8 5.3ltr - Performance 4/5 Paddle	1969-89	Race/Rally	N 267	60-2868	76-1647	8.40mm	40-3321	1 1/4" x 10T	HF 9260	610Nm
DBS V8 5.3ltr - Performance Organic Light Weight	1969-89	Road	N 267	60-2868 VE	70-1647	8.40mm	40-3321	1 1/4" x 10T	HF 9260 VE	456Nm
DBS V8 5.3ltr - Performance 4/5 Paddle Light Weight	1969-89	Race/Rally	N 267	60-2868 VE	76-1647	8.40mm	40-3321	1 1/4" x 10T	HF 9260 VE	610Nm
Vanquish - Performance Single Organic	2001-18	Road	N 267	60-2874	70-1647/27	8.40mm	41-2872 A	1.5/32" x 26T	HF 9494	N/A
Vanquish - Performance Twin Organic	2001-07	Road	N 240	80-3005V	70-3010 A	7.60mm	41-2872 A	1.5/32" x 26T	HF 9880	900Nm
				80-3105V	71-3010 M	7.60mm				
Vanquish - Performance Twin 5/6 Paddle	2001-07	Race/Rally	N 240	80-3005V	77-3010 A	7.60mm	41-2872 A	1.5/32" x 26T	HF 9880	1200Nm
				80-3105V	78-3010 M	7.60mm				
Vanquish - Performance Organic 6 Piece Clutch Kit	2001-07	Road	N 240	35-8013						
Vanquish - Performance 5/6 Paddle 6 Piece Clutch Kit	2001-07	Race/Rally	N 240	95-8013						
Vantage V8 4.3ltr - Performance Organic	2006 →	Road	N 267	60-2873	70-2871	8.40mm	41-2872	29.4 x 26T	HF 9585	524Nm
Vantage V8 4.3ltr - Performance 6 Paddle	2006 →	Race/Rally	N 267	60-2873	76-2871	8.40mm	41-2872	29.4 x 26T	HF 9585	700Nm
Vantage V8 4.7ltr - Performance Organic	2006 →	Road	N 267	60-2873	70-2871	8.40mm	41-2872	29.4 x 26T	HF 9585	524Nm
Vantage V8 4.7ltr - Performance 6 Paddle	2006 →	Race/Rally	N 267	60-2873	76-2871	8.40mm	41-2872	29.4 x 26T	HF 9585	700Nm
Vantage V8 4.3ltr - Performance Organic Light Weight	2006 →	Road	N 267	60-2873	70-2871	8.40mm	41-2872	29.4 x 26T	HF 9585 L	524Nm
Vantage V8 4.3ltr - Performance 6 Paddle Light Weight	2006 →	Race/Rally	N 267	60-2873	76-2871	8.40mm	41-2872	29.4 x 26T	HF 9585 L	700Nm
Vantage V8 4.7ltr - Performance Organic Light Weight	2006 →	Road	N 267	60-2873	70-2871	8.40mm	41-2872	29.4 x 26T	HF 9585 L	524Nm
Vantage V8 4.7ltr - Performance 6 Paddle Light Weight	2006 →	Race/Rally	N 267	60-2873	76-2871	8.40mm	41-2872	29.4 x 26T	HF 9585 L	700Nm
215mm Twin Plate DB7 Vantage, DB9, DBS, Vantage, Rapide - Performance Organic (OE Part Number - AD23-7540-AB) (Eng ; V12)		Road	N 215	80-4004 A	70-4027	7.20mm	41-2872	1.5/32" x 26T	HF 9873 A	700Nm
					71-4027	7.20mm				
215mm Twin Plate DB7 Vantage, DB9, DBS, Vantage, Rapide - Performance Paddle (OE Part Number - AD23-7540-AB) (Eng ; V12)		Road	N 215	80-4004 A	76-4027	7.20mm	41-2872	1.5/32" x 26T	HF 9873 A	950Nm
					78-4027	7.20mm				

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI										
Audi 80 Quattro 1.8ltr & 2.0ltr - Performance Organic	1986-95	Road	N 228	60-3308	70-3627	8.40mm	40-3210	24.2 x 23T	SMF	360Nm
Audi 80 Quattro 1.8ltr & 2.0ltr - Performance 4/5 Paddle	1986-95	Race/Rally	N 228	60-3308	76-3627	8.40mm	40-3210	24.2 x 23T	SMF	450Nm
Audi 80 Quattro 1.8ltr & 2.0ltr - Performance 6 Paddle	1986-95	Race/Rally	N 228	60-3308	77-3627	8.40mm	40-3210	24.2 x 23T	SMF	450Nm
Audi 80 Quattro 1.8ltr & 2.0ltr - Performance 4 Paddle Rigid	1986-95	Race/Rally	N 228	60-3308	78-3627	8.40mm	40-3210	24.2 x 23T	DMF	450Nm
Audi 80 S2 Quattro - Performance Organic	1990-92	Road	N 240	60-3433	70-1710	8.00mm	40-3210	24.2 x 23T	HF 9414	460Nm
Audi 80 S2 Quattro - Performance 4/5 Paddle	1990-92	Race/Rally	N 240	60-3433	76-1710	8.00mm	40-3210	24.2 x 23T	HF 9414	615Nm
Audi 80 S2 Quattro - Performance 6 Paddle (Eng ; 3B)	1990-92	Race/Rally	N 240	60-3433	77-1710	8.00mm	40-3210	24.2 x 23T	HF 9414	615Nm
Audi 80 S2 & RS2 Quattro - Performance Organic	1993-96	Road	N 240	60-3389	70-1710	8.00mm	40-3210	24.2 x 23T	SMF	475Nm
Audi 80 S2 & RS2 Quattro - Performance 4/5 Paddle	1993-96	Race/Rally	N 240	60-3389	76-1710	8.00mm	40-3210	24.2 x 23T	SMF	635Nm
Audi 80 S2 & RS2 Quattro - Performance 6 Paddle (Eng ; ABY & ADU)	1993-96	Race/Rally	N 240	60-3389	77-1710	8.00mm	40-3210	24.2 x 23T	SMF	635Nm
Audi Coupe S2 - Performance Organic	1990-92	Road	N 240	60-3433	70-1710	8.00mm	40-3210	24.2 x 23T	HF 9489	460Nm
Audi Coupe S2 - Performance 4/5 Paddle	1990-92	Race/Rally	N 240	60-3433	76-1710	8.00mm	40-3210	24.2 x 23T	HF 9489	615Nm
Audi Coupe S2 - Performance 6 Paddle (Eng ; 3B & ABY)	1990-92	Race/Rally	N 240	60-3433	77-1710	8.00mm	40-3210	24.2 x 23T	HF 9489	615Nm
Audi 100 S4 Quattro - Performance Organic	1991-94	Road	N 240	60-3387	70-3342	8.00mm	40-3210	24.2 x 23T	SMF	460Nm
Audi 100 S4 Quattro - Performance Organic Rigid	1991-94	Road	N 240	60-3387	71-3342	8.00mm	40-3210	24.2 x 23T	DMF	580Nm
Audi 100 S4 Quattro - Performance 4/5 Paddle	1991-94	Race/Rally	N 240	60-3387	76-3342	8.00mm	40-3210	24.2 x 23T	SMF	580Nm
Audi 100 S4 Quattro - Performance 6 Paddle Rigid (Eng ; AAN)	1991-94	Race/Rally	N 240	60-3387	78-3342	8.00mm	40-3210	24.2 x 23T	DMF	580Nm
Audi 100 S4 Quattro - Performance Organic	1992-94	Road	N 240	60-3389	70-3434	8.00mm	40-3210	24.2 x 23T	SMF	475Nm
Audi 100 S4 Quattro - Performance 4/5 Paddle (Eng ; ABH)	1992-94	Race/Rally	N 240	60-3389	76-3434	8.00mm	40-3210	24.2 x 23T	SMF	635Nm
Audi Quattro S1 (UR) - Performance Organic	1985-89	Road	N 240	60-2284	70-2219	8.40mm	40-2209	24.2 x 23T	SMF	535Nm
Audi Quattro S1 (UR) - Performance 4/5 Paddle	1985-89	Race/Rally	N 240	60-2284	76-2219	8.40mm	40-2209	24.2 x 23T	SMF	789Nm
Audi Quattro S1 (UR) - Performance 6 Paddle	1985-89	Race/Rally	N 240	60-2284	77-2219	8.40mm	40-2209	24.2 x 23T	SMF	789Nm
Audi Quattro 2.2ltr Turbo - Performance Organic	1980-87	Road	N 240	60-4341	70-4191	8.30mm	40-2209	20.4 x 24T	HF 9235	300Nm
Audi Quattro 2.2ltr Turbo - Performance 4/5 Paddle (Eng ; GV,WR Chassis No → 85J900336)	1980-87	Race/Rally	N 240	60-4341	76-4191	8.30mm	40-2209	20.4 x 24T	HF 9235	400Nm
Audi Quattro 2.2ltr Turbo - Performance Organic	1987-91	Road	N 240	60-3433	70-1709	8.00mm	40-3210	20.4 x 24T	SMF	460Nm
Audi Quattro 2.2ltr Turbo - Performance 4/5 Paddle	1987-91	Race/Rally	N 240	60-3433	76-1709	8.00mm	40-3210	20.4 x 24T	SMF	615Nm
Audi Quattro 2.2ltr Turbo - Performance 6 Paddle (Eng ; WX Chassis No → 85J900337)	1987-91	Race/Rally	N 240	60-3433	77-1709	8.00mm	40-3210	20.4 x 24T	SMF	615Nm
Audi Quattro 2.2ltr - Performance Organic	1989-91	Road	N 240	60-3433	70-1709	8.00mm	40-3210	20.4 x 24T	SMF	460Nm
Audi Quattro 2.2ltr - Performance 4/5 Paddle	1989-91	Race/Rally	N 240	60-3433	76-1709	8.00mm	40-3210	20.4 x 24T	SMF	615Nm
Audi Quattro 2.2ltr - Performance 6 Paddle (Eng ; RR,MB)	1989-91	Race/Rally	N 240	60-3433	77-1709	8.00mm	40-3210	20.4 x 24T	SMF	615Nm
Audi A3 1.8ltr Turbo - Performance Organic Rigid	1996-03	Road	N 220	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	DMF	277Nm
Audi A3 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AGU,AQA,ARZ,AUM,ARX) (150 & 180 BHP / 110 & 132kw) (Eng ; APP → 025197) (Chassis No → 8L-Y-175000) (All fitted 5 speed gearbox)	1996-03	Race/Rally	N 220	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	DMF	329Nm
Audi A3 1.8ltr Turbo - Performance Organic Rigid	1996-03	Road	N 228	60-3224	71-3217	8.40mm	40-4717	22.1 x 28T	DMF	324Nm
Audi A3 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AGU,AQA,ARZ,AUM,ARX) (150 & 180 BHP / 110 & 132kw) (Eng ; APP 025198 →) (Chassis No 8L-Y-175001 →) (All fitted 5 speed gearbox)	1996-03	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	DMF	384Nm
Audi A3 1.8ltr Turbo - Performance Organic	1996-03	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Audi A3 1.8ltr Turbo - Performance Organic Rigid	1996-03	Road	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Audi A3 1.8ltr Turbo - Performance 4/5 Paddle	1996-03	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi A3 1.8ltr Turbo - Performance 6 Paddle	1996-03	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi A3 1.8ltr Turbo - Performance 4/5 Paddle Rigid	1996-03	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi A3 1.8ltr Turbo - Performance 6 Paddle Rigid (Eng ; AGU,AQA,ARZ,AUM,ARX) (150 & 180 BHP / 110 & 132kw) (Eng ; APP 025198 →) (Chassis No 8L-Y-175001 →) (All fitted 5 speed gearbox)	1996-03	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi A3 1.8ltr Turbo - Performance Organic Rigid	1998-03	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Audi A3 1.8ltr Turbo - Performance 4/5 Paddle	1998-03	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi A3 1.8ltr Turbo - Performance 6 Paddle	1998-03	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi A3 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; APP) (180 BHP & 132kw) (Fitted 6 speed gearbox)	1998-03	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI (cont)										
Audi A3 1.8ltr Turbo - Performance Organic	1998-03	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Audi A3 1.8ltr Turbo - Performance 4/5 Paddle	1998-03	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi A3 1.8ltr Turbo - Performance 6 Paddle	1998-03	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi A3 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; APP) (180 BHP & 132kw) (Fitted 6 speed gearbox)	1998-03	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi A3 1.8ltr Turbo - Performance Twin Organic Rigid	1998-03	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	498Nm
Audi A3 1.8ltr Turbo - Performance Twin 3 Paddle Rigid	1998-03	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi A3 1.8ltr Turbo - Performance Twin 4 Paddle Rigid	1998-03	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi A3 1.8ltr Turbo - Performance Twin 6 Paddle Rigid (Eng ; APP) (180 BHP & 132kw) (Fitted 6 speed gearbox)	1998-03	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi A3 Quattro 1.8ltr Turbo - Performance Organic Rigid	1998-03	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Audi A3 Quattro 1.8ltr Turbo - Performance 4/5 Paddle	1998-03	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi A3 Quattro 1.8ltr Turbo - Performance 6 Paddle	1998-03	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi A3 Quattro 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AQA) (150 BHP & 110kw) (Eng ; AJQ,ARY,AUL) (180 BHP & 132kw) (Fitted 6 speed gearbox)	1998-03	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Audi A3 Quattro 1.8ltr Turbo - Performance Organic Rigid	1998-03	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Audi A3 Quattro 1.8ltr Turbo - Performance 4/5 Paddle	1998-03	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi A3 Quattro 1.8ltr Turbo - Performance 6 Paddle	1998-03	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi A3 Quattro 1.8ltr Turbo - Performance 5/6 Paddle Rigid (Eng ; AQA) (150 BHP & 110kw) (Eng ; AJQ,ARY,AUL) (180 BHP & 132kw) (Fitted 6 speed gearbox)	1998-03	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi A3 Quattro 1.8ltr Turbo - Performance Twin Organic Rigid	1998-03	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	498Nm
Audi A3 Quattro 1.8ltr Turbo - Performance Twin 3 Paddle Rigid	1998-03	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi A3 Quattro 1.8ltr Turbo - Performance 6 Paddle	1998-03	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi A3 Quattro 1.8ltr Turbo - Performance Twin 6 Paddle Rigid (Eng ; AQA) (150 BHP & 110kw) (Eng ; AJQ,ARY,AUL) (180 BHP & 132kw) (Fitted 6 speed gearbox)	1998-03	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi A3 1.8ltr TFSI - Performance Organic	2006-13	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 1.8ltr TFSI - Performance Organic Rigid	2006-13	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Audi A3 1.8ltr TFSI - Performance 4/5 Paddle	2006-13	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 1.8ltr TFSI - Performance 5/6 Paddle Rigid (Eng ; BYT,BZB)	2006-13	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
Audi A3 1.8ltr TFSI Quattro - Performance Organic	2008-13	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 1.8ltr TFSI Quattro - Performance Organic Rigid	2008-13	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Audi A3 1.8ltr TFSI Quattro - Performance 4/5 Paddle	2008-13	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 1.8ltr TFSI Quattro - Performance 5/6 Paddle Rigid (Eng ; CDAA)	2008-13	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Audi A3 2.0ltr TFSI - Performance Organic	2004 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 2.0ltr TFSI - Performance Organic Rigid	2004 →	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Audi A3 2.0ltr TFSI - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 2.0ltr TFSI - Performance 5/6 Paddle Rigid (Eng ; AXK,BWA,BPY) (Eng ; CAW)	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Audi A3 2.0ltr TFSI - Performance Organic	2004 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 2.0ltr TFSI - Performance Organic Rigid	2004 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Audi A3 2.0ltr TFSI - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 2.0ltr TFSI - Performance 5/6 Paddle Rigid (Eng ; AXK,BWA,BPY) (Eng ; CAWB, CCZA)	2004 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Audi S3 Quattro Turbo - Performance Organic Rigid	1999-04	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Audi S3 Quattro Turbo - Performance 4/5 Paddle	1999-04	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi S3 Quattro Turbo - Performance 6 Paddle	1999-04	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi S3 Quattro Turbo - Performance 6 Paddle Rigid (Eng ; BAM) (225 BHP / 165kw) (Eng ; AMK,APY,AUL) (210 BHP / 154kw)	1999-04	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI (cont)										
Audi S3 Quattro Turbo - Performance Organic	1999-04	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Audi S3 Quattro Turbo - Performance 4/5 Paddle	1999-04	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi S3 Quattro Turbo - Performance 6 Paddle	1999-04	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi S3 Quattro Turbo - Performance 6 Paddle Rigid (Eng ; BAM) (225 BHP/165kw) (Eng ; AMK,APY,AUL) (210 BHP/154kw)	1999-04	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi S3 Quattro Turbo - Performance Twin Organic Rigid	1999-04	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	498Nm
Audi S3 Quattro Turbo - Performance Twin 3 Paddle Rigid	1999-04	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi S3 Quattro Turbo - Performance Twin 4 Paddle Rigid	1999-04	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi S3 Quattro Turbo - Performance Twin 6 Paddle Rigid (Eng ; BAM) (225 BHP/165kw) (Eng ; AMK,APY,AUL) (210 BHP/154kw)	1999-04	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi S3 Quattro Turbo - Performance Organic	11/06 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi S3 Quattro Turbo - Performance Organic Rigid	11/06 →	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Audi S3 Quattro Turbo - Performance 4/5 Paddle	11/06 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi S3 Quattro Turbo - Performance 6 Paddle Rigid (Eng ; BHZ,BZC)	11/06 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Audi S3 Quattro Turbo - Performance Organic	11/06 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi S3 Quattro Turbo - Performance Organic Rigid	11/06 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Audi S3 Quattro Turbo - Performance 4/5 Paddle	11/06 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi S3 Quattro Turbo - Performance 6 Paddle Rigid (Eng ; BHZ,BZC,CDLA,CDLC)	11/06 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Audi S3 Quattro Turbo - Performance Organic	11/06 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	475Nm
Audi S3 Quattro Turbo - Performance 4/5 Paddle	11/06 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Audi S3 Quattro Turbo - Performance 6 Paddle	11/06 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Audi S3 Quattro Turbo - Performance 6 Paddle Rigid (Eng ; BHZ,BZC)	11/06 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Audi S3 Quattro Turbo - Performance Twin Organic Rigid	11/06 →	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	498Nm
Audi S3 Quattro Turbo - Performance Twin 3 Paddle Rigid	11/06 →	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Audi S3 Quattro Turbo - Performance Twin 4 Paddle Rigid	11/06 →	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Audi S3 Quattro Turbo - Performance Twin 6 Paddle Rigid (Eng ; BHZ,BZC)	11/06 →	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Audi A3 3.2ltr V6 Quattro - Performance Organic	2003-08	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 3.2ltr V6 Quattro - Performance Organic Rigid	2003-08	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Audi A3 3.2ltr V6 Quattro - Performance 4/5 Paddle	2003-08	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 3.2ltr V6 Quattro - Performance 6 Paddle Rigid (Eng ; BDM,BMJ,BUB)	2003-08	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Audi A3 1.9ltr TDI - Performance Organic	1996-01	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	SMF	422Nm
Audi A3 1.9ltr TDI - Performance Organic Rigid	1996-01	Road	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	LUK DMF	422Nm
Audi A3 1.9ltr TDI - Performance 4/5 Paddle	1996-01	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Audi A3 1.9ltr TDI - Performance 6 Paddle	1996-01	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Audi A3 1.9ltr TDI - Performance 4 Paddle Rigid	1996-01	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	LUK DMF	560Nm
Audi A3 1.9ltr TDI - Performance 6 Paddle Rigid (Eng ; AGR → 35000)	1996-01	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	LUK DMF	560Nm
Audi A3 1.9ltr TDI - Performance Organic Rigid	1996-01	Road	N 220	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	277Nm
Audi A3 1.9ltr TDI - Performance 5/6 Paddle Rigid (Eng ; AGR 35001 →) (Eng ; ALH) (90 BHP/66kw) (Eng ; 000001 → 143239) (Eng ; 150001 → 179646) (Eng ; 210001 → 220000)	1996-01	Race/Rally	N 220	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	329Nm
Audi A3 1.9ltr TDI - Performance Organic Rigid	1997-01	Road	N 220	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	277Nm
Audi A3 1.9ltr TDI - Performance 5/6 Paddle Rigid (Eng ; AHF,ASV) (110 BHP/81kw) (Chassis No → 8L-Y-200000)	1997-01	Race/Rally	N 220	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	329Nm
Audi A3 1.9ltr TDI - Performance Organic Rigid	1996-01	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	LUK DMF	326Nm
Audi A3 1.9ltr TDI - Performance 5/6 Paddle Rigid (Eng ; AGR → 35001) (Eng ; ALH) (90 BHP/66kw) (Eng ; 143240 → 150000) (Eng ; 179647 → 210000) (Eng ; 220001 →)	1996-01	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	LUK DMF	385Nm
Audi A3 1.9ltr TDI - Performance Organic Rigid	1997-01	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	LUK DMF	326Nm
Audi A3 1.9ltr TDI - Performance 5/6 Paddle Rigid (Eng ; AHF,ASV) (110 BHP/81kw) (Chassis No 8L-1-000001)	1997-01	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	LUK DMF	385Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI (cont)										
Audi A3 1.9ltr TDI - Performance Organic	1996-01	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Audi A3 1.9ltr TDI - Performance Organic Rigid	1996-01	Road	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Audi A3 1.9ltr TDI - Performance 4/5 Paddle	1996-01	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi A3 1.9ltr TDI - Performance 6 Paddle	1996-01	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi A3 1.9ltr TDI - Performance 4 Paddle Rigid	1996-01	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi A3 1.9ltr TDI - Performance 6 Paddle Rigid (Eng ; ALH,AGR) (90 BHP/66kw) (Eng ; ATD,AXR) (100 BHP/74kw) (Eng ; AHF,ASV) (115 BHP/81kw)	1996-01	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi A3 1.9ltr TDI & Quattro - Performance Organic Rigid	2000-03	Road	N 240	60-3312	71-3313	7.80mm	41-4621	22.1 x 28T	LUK DMF	415Nm
Audi A3 1.9ltr TDI & Quattro - Performance 4/5 Paddle	2000-03	Race/Rally	N 240	60-3312	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi A3 1.9ltr TDI & Quattro - Performance 6 Paddle	2000-03	Race/Rally	N 240	60-3312	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi A3 1.9ltr TDI & Quattro - Performance 5/6 Paddle Rigid (Eng ; ASV) (130 BHP/96kw)	2000-03	Race/Rally	N 240	60-3312	78-3313	7.80mm	41-4621	22.1 x 28T	LUK DMF	486Nm
Audi A3 2.0ltr TDI - Performance Organic	2003-08	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 2.0ltr TDI - Performance Organic Rigid	2003-08	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Audi A3 2.0ltr TDI - Performance 4/5 Paddle	2003-08	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 2.0ltr TDI - Performance 6 Paddle Rigid (Eng ; AZV,BKD,BMM) (136 BHP/100kw) (140 BHP/103kw)	2003-08	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Audi A3 2.0ltr TDI - Performance Organic	2003-08	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 2.0ltr TDI - Performance Organic Rigid	2003-08	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Audi A3 2.0ltr TDI - Performance 4/5 Paddle	2003-08	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 2.0ltr TDI - Performance 6 Paddle Rigid (Eng ; AZV,BKD,BMM) (136 BHP/100kw) (140 BHP/103kw)	2003-08	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Audi A3 2.0ltr TDI - Performance Organic	2008 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 2.0ltr TDI - Performance Organic Rigid	2008 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Audi A3 2.0ltr TDI - Performance 4/5 Paddle	2008 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 2.0ltr TDI - Performance 6 Paddle Rigid (Eng ; CBAA,CFFB,CFFA) (Eng ; CBAB,CBBB)	2008 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Audi A3 2.0ltr TDI - Performance Organic	2008 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi A3 2.0ltr TDI - Performance Organic Rigid	2008 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Audi A3 2.0ltr TDI - Performance 4/5 Paddle	2008 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi A3 2.0ltr TDI - Performance 6 Paddle Rigid (Eng ; CBAA,CFFB,CFFA) (Eng ; CBAB,CBBB)	2008 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2012 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2012 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2012 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXC)	2012 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2012 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2012 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2012 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXB)	2012 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2012 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2012 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2012 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXB, DJHA)	2012 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2013 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2013 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2013 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXB)	2013 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2013 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2013 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2013 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXI)	2013 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI (cont)										
Audi A3 S3 Quattro - Performance Organic	2014 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2014 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2014 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXF)	2014 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2014 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2014 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2014 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXC)	2014 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2014 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2014 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2014 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXC)	2014 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2016 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Audi A3 S3 Quattro - Performance Organic Rigid	2016 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2016 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle Rigid (Model ; 8V) (Eng ; CJXG, DJHA)	2016 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Audi A3 S3 Quattro - Performance Organic	2012 →	Road	N 240	60-4610	70-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	475Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle	2012 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Audi A3 S3 Quattro - Performance 6 Paddle	2012 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Audi A3 S3 Quattro - Performance 4/5 Paddle Rigid (Model ; 8V) (Eng ; CJXC, CJXB, DJHA, CJXJ, CJXF)	2012 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Audi A4 1.8ltr Turbo & Quattro - Performance Organic Rigid	1995-01	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 5/6 Paddle Rigid (Eng ; ADR,APT,ARG,ARK) (125 BHP/93kw) (Eng ; AEB,ANB,APU,AWT,AJL) (150 BHP/110kw) (Eng ; AJL) (180 BHP/132kw)	1995-01	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm
Audi A4 1.8ltr Turbo & Quattro - Performance Organic	1995-01	Road	N 228	60-3308	70-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	360Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 4/5 Paddle	1995-01	Race/Rally	N 228	60-3308	76-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 6 Paddle (Eng ; ADR,APT,ARG,ARK) (125 BHP/92kw) (Eng ; AEB,ANB,APU,AWT) (150 BHP/110kw) (Eng ; AJL 180 BHP/132kw)	1995-01	Race/Rally	N 228	60-3308	77-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 1.8ltr Turbo & Quattro - Performance Organic Rigid	2000-04	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 5/6 Paddle Rigid (Eng ; ALT,AMB,AVB,AVJ) (125 BHP/110kw) (Eng ; AWA,BFB) (170 BHP/170kw)	2000-04	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm
Audi A4 1.8ltr Turbo & Quattro - Performance Organic	2000-04	Road	N 228	60-3308	70-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	360Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 4/5 Paddle	2000-04	Race/Rally	N 228	60-3308	76-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 6 Paddle (Eng ; ALT,AMB,AVB,AVJ) (125 BHP/110kw) (Eng ; AWA,BFB) (170 BHP/170kw)	2000-04	Race/Rally	N 228	60-3308	77-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 1.8ltr Turbo & Quattro - Performance Organic Rigid	2004-08	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 5/6 Paddle Rigid (Eng ; ALT,BFB) (163 BHP/120kw)	2004-08	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm
Audi A4 1.8ltr Turbo & Quattro - Performance Organic	2004-08	Road	N 228	60-3308	70-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	360Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 4/5 Paddle	2004-08	Race/Rally	N 228	60-3308	76-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 1.8ltr Turbo & Quattro - Performance 6 Paddle (Eng ; ALT,BFB) (163 BHP/120kw)	2004-08	Race/Rally	N 228	60-3308	77-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 2.0ltr FSI - Performance Organic Rigid	2000-04	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 2.0ltr FSI - Performance 5/6 Paddle Rigid (Eng ; ALT,AWA) (150 BHP/110kw)	2000-04	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm
Audi A4 2.0ltr FSI - Performance Organic	2000-04	Road	N 228	60-3308	70-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	360Nm
Audi A4 2.0ltr FSI - Performance 4/5 Paddle	2000-04	Race/Rally	N 228	60-3308	76-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 2.0ltr FSI - Performance 6 Paddle (Eng ; ALT,AWA) (150 BHP/110kw)	2000-04	Race/Rally	N 228	60-3308	77-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 2.0ltr FSI - Performance Organic Rigid	2004-08	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 2.0ltr FSI - Performance 5/6 Paddle Rigid (Eng ; ALT,AWA) (148 BHP/110kw)	2004-08	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI (cont)										
Audi A4 2.0ltr FSI - Performance Organic	2004-08	Road	N 228	60-3308	70-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	360Nm
Audi A4 2.0ltr FSI - Performance 4/5 Paddle	2004-08	Race/Rally	N 228	60-3308	76-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 2.0ltr FSI - Performance 6 Paddle	2004-08	Race/Rally	N 228	60-3308	77-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
<i>(Eng ; ALT,AWA) (148 BHP/110kw)</i>										
Audi A4 2.0ltr FSI - Performance Organic	2004-08	Road	N 240	60-3318	70-3317	9.30mm	40-3210	24.2 x 23T	SMF	476Nm
Audi A4 2.0ltr FSI - Performance Organic Rigid	2004-08	Road	N 240	60-3318	71-3317	9.30mm	40-3210	24.2 x 23T	DMF	476Nm
Audi A4 2.0ltr FSI - Performance 5/6 Paddle	2004-08	Race/Rally	N 240	60-3318	76-3317	9.30mm	40-3210	24.2 x 23T	SMF	635Nm
Audi A4 2.0ltr FSI - Performance 6 Paddle Rigid	2004-08	Race/Rally	N 240	60-3318	78-3317	9.30mm	40-3210	24.2 x 23T	DMF	635Nm
<i>(Eng ; BGB,BWE,BUL) (220 BHP/162kw)</i>										
Audi A4 1.9ltr TDI - Performance Organic Rigid	1995-01	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 1.9ltr TDI - Performance 5/6 Paddle Rigid	1995-01	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm
<i>(Eng ; AFF)</i>										
Audi A4 S4 & RS4 - Performance Organic	2004-08	Road	N 240	60-3232	70-3233	8.40mm	40-3210	24.2 x 23T	HF 9588	446Nm
Audi A4 S4 & RS4 - Performance 4/5 Paddle	2004-08	Race/Rally	N 240	60-3232	76-3233	8.40mm	40-3210	24.2 x 23T	HF 9588	595Nm
Audi A4 S4 & RS4 - Performance 6 Paddle	2004-08	Race/Rally	N 240	60-3232	77-3233	8.40mm	40-3210	24.2 x 23T	HF 9588	595Nm
<i>(Eng ; B7 Type 8E/8H) (Eng : BNS, BHF, BBK)</i>										
Audi A4 S4 & RS4 - Performance Organic	2004-08	Race/Rally	A 215	69-120YC	71-3015 x 2	7.20mm	43-3210 A	24.2 x 23T	HF 9594	695Nm
Audi A4 S4 & RS4 - Performance 6 Paddle	2004-08	Race/Rally	A 215	69-120YC	78-3115 x 2	7.20mm	43-3210 A	24.2 x 23T	HF 9594	868Nm
<i>(Eng ; B7 Type 8E/8H) (Eng : BNS, BHF, BBK)</i>										
Audi A4 1.9ltr TDI Turbo & Quattro - Performance Organic Rigid	1995-01	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 1.9ltr TDI Turbo & Quattro - Performance 5/6 Paddle Rigid	1995-01	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm
<i>(Eng ; AHH,AHU) (90 BHP/66kw) (Eng ; AFN,AVG) (110 BHP/81kw)</i>										
Audi A4 1.9ltr TDI Quattro - Performance Organic	1995-01	Road	N 228	60-3308	70-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	360Nm
Audi A4 1.9ltr TDI Quattro - Performance 4/5 Paddle	1995-01	Race/Rally	N 228	60-3308	76-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 1.9ltr TDI Quattro - Performance 6 Paddle	1995-01	Race/Rally	N 228	60-3308	77-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
<i>(Eng ; AHH,AHU) (90 BHP/66kw) (Eng ; AFN,AVG) (110 BHP/81kw)</i>										
Audi A4 1.9ltr TDI Quattro - Performance Organic Rigid	2000-01	Road	N 240	60-3220	71-3215	8.40mm	40-3210	24.2 x 23T	DMF	545Nm
Audi A4 1.9ltr TDI Quattro - Performance 5/6 Paddle Rigid	2000-01	Race/Rally	N 240	60-3220	78-3215	8.40mm	40-3210	24.2 x 23T	DMF	640Nm
<i>(Eng ; ATJ) (115 BHP/85kw)</i>										
Audi A4 1.9ltr TDI Quattro - Performance Organic	2000-01	Road	N 240	60-4610	70-4611	7.60mm	40-3210	24.2 x 23T	HF 9282	475Nm
Audi A4 1.9ltr TDI Quattro - Performance 4/5 Paddle	2000-01	Race/Rally	N 240	60-4610	76-4611	7.60mm	40-3210	24.2 x 23T	HF 9282	635Nm
Audi A4 1.9ltr TDI Quattro - Performance 6 Paddle	2000-01	Race/Rally	N 240	60-4610	77-4611	7.60mm	40-3210	24.2 x 23T	HF 9282	635Nm
Audi A4 1.9ltr TDI Quattro - Performance 5/6 Paddle Rigid	2000-01	Race/Rally	N 240	60-4610	78-4611	7.60mm	40-3210	24.2 x 23T	HF 9282	635Nm
<i>(Eng ; ATJ) (115 BHP/85kw)</i>										
Audi A4 1.9ltr TDI Quattro - Performance Twin Organic Rigid	2000-01	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	498Nm
Audi A4 1.9ltr TDI Quattro - Performance Twin 3 Paddle Rigid	2000-01	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi A4 1.9ltr TDI Quattro - Performance Twin 4 Paddle Rigid	2000-01	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi A4 1.9ltr TDI Quattro - Performance Twin 6 Paddle Rigid	2000-01	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
<i>(Eng ; ATJ) (115 BHP/85kw)</i>										
Audi A4 1.9ltr TDI Quattro - Performance Organic Rigid	2000-04	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 1.9ltr TDI Quattro - Performance 5/6 Paddle Rigid	2000-04	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm
<i>(Eng ; AVB,AWX,BKE) (100 → 130 BHP/74 → 96kw)</i>										
Audi A4 1.9ltr TDI Quattro - Performance Organic	2000-04	Road	N 228	60-3308	70-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	360Nm
Audi A4 1.9ltr TDI Quattro - Performance 4/5 Paddle	2000-04	Race/Rally	N 228	60-3308	76-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 1.9ltr TDI Quattro - Performance 6 Paddle	2000-04	Race/Rally	N 228	60-3308	77-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
<i>(Eng ; AVB,AWX,BKE) (100 → 130 BHP/74 → 96kw)</i>										
Audi A4 1.9ltr TDI - Performance Organic Rigid	2004-08	Road	N 228	60-3212	71-3213	7.20mm	40-3210	24.2 x 23T	DMF	420Nm
Audi A4 1.9ltr TDI - Performance 5/6 Paddle Rigid	2004-08	Race/Rally	N 228	60-3212	78-3213	7.20mm	40-3210	24.2 x 23T	DMF	576Nm
<i>(Eng ; BKE,BRB) (116 BHP/85kw)</i>										
Audi A4 1.9ltr TDI - Performance Organic	2004-08	Road	N 228	60-3308	70-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	360Nm
Audi A4 1.9ltr TDI - Performance 4/5 Paddle	2004-08	Race/Rally	N 228	60-3308	76-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
Audi A4 1.9ltr TDI - Performance 6 Paddle	2004-08	Race/Rally	N 228	60-3308	77-4608	8.40mm	40-3210	24.2 x 23T	HF 9283	450Nm
<i>(Eng ; BKE,BRB) (116 BHP/85kw)</i>										
Audi A4 2.0ltr TDI - Performance Organic	2004-07	Road	N 240	60-3318	70-3317	9.30mm	40-3210	24.2 x 23T	SMF	476Nm
Audi A4 2.0ltr TDI - Performance Organic Rigid	2004-07	Road	N 240	60-3318	71-3317	9.30mm	40-3210	24.2 x 23T	DMF	476Nm
Audi A4 2.0ltr TDI - Performance 4/5 Paddle	2004-07	Race/Rally	N 240	60-3318	76-3317	9.30mm	40-3210	24.2 x 23T	SMF	635Nm
Audi A4 2.0ltr TDI - Performance 6 Paddle Rigid	2004-07	Race/Rally	N 240	60-3318	78-3317	9.30mm	40-3210	24.2 x 23T	DMF	635Nm
<i>(Eng ; BNA,BLB,BPW,BRE) (Eng ; BRF,BVF) (126 → 140 BHP) (93 → 103kw)</i>										

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI (cont)										
Audi A4 2.0ltr TDI - Performance Organic	2004-07	Road	N 240	60-3318	70-3317	9.30mm	40-3210	24.2 x 23T	SMF	476Nm
Audi A4 2.0ltr TDI - Performance Organic Rigid	2004-07	Road	N 240	60-3318	71-3317	9.30mm	40-3210	24.2 x 23T	DMF	476Nm
Audi A4 2.0ltr TDI - Performance 4/5 Paddle	2004-07	Race/Rally	N 240	60-3318	76-3317	9.30mm	40-3210	24.2 x 23T	SMF	635Nm
Audi A4 2.0ltr TDI - Performance 6 Paddle Rigid (Eng ; BRD,BVA) (120 → 170 BHP) (120 → 125kw)	2004-07	Race/Rally	N 240	60-3318	78-3317	9.30mm	40-3210	24.2 x 23T	DMF	635Nm
Audi S4 Quattro - Performance Organic	1997-01	Road	N 240	60-4612	70-4613	8.40mm	40-3210	24.2 x 23T	HF 9358	643Nm
Audi S4 Quattro - Performance 4/5 Paddle	1997-01	Race/Rally	N 240	60-4612	76-4613	8.40mm	40-3210	24.2 x 23T	HF 9358	849Nm
Audi S4 Quattro - Performance 6 Paddle (Eng ; AGB) (265 BHP/195kw)	1997-01	Race/Rally	N 240	60-4612	77-4613	8.40mm	40-3210	24.2 x 23T	HF 9358	849Nm
Audi RS4 Quattro 2.7ltr Twin Turbo - Performance Organic	2000-01	Road	N 240	60-4612	70-4613	8.40mm	40-3210	24.2 x 23T	HF 9358	643Nm
Audi RS4 Quattro 2.7ltr Twin Turbo - Performance 4/5 Paddle	2000-01	Race/Rally	N 240	60-4612	76-4613	8.40mm	40-3210	24.2 x 23T	HF 9358	849Nm
Audi RS4 Quattro 2.7ltr Twin Turbo - Performance 6 Paddle (Eng ; ASJ,AZR) (381 BHP/280kw)	2000-01	Race/Rally	N 240	60-4612	77-4613	8.40mm	40-3210	24.2 x 23T	HF 9358	849Nm
Audi A4 2.0ltr TDI Quattro - Performance Organic	2011-15	Road	N 240	60-3225	70-3234	8.00mm	40-3210 A	30.4 x 28T	HF 9592	446Nm
Audi A4 2.0ltr TDI Quattro - Performance 4/5 Paddle	2011-15	Race/Rally	N 240	60-3225	76-3234	8.00mm	40-3210 A	30.4 x 28T	HF 9592	595Nm
Audi A4 2.0ltr TDI Quattro - Performance 6 Paddle (Eng ; CGLC) (Trans ; NEK) (B8 Avant - 8K5)	2011-15	Race/Rally	N 240	60-3225	77-3234	8.00mm	40-3210 A	30.4 x 28T	HF 9592	595Nm
Audi A5 1.8ltr TFSI - Performance Organic	2007-08	Road	N 240	60-4612	70-4613	8.40mm	40-3210	24.2 x 23T	SMF	643Nm
Audi A5 1.8ltr TFSI - Performance 4/5 Paddle	2007-08	Race/Rally	N 240	60-4612	76-4613	8.40mm	40-3210	24.2 x 23T	SMF	849Nm
Audi A5 1.8ltr TFSI - Performance 6 Paddle (Eng ; CABA,CABB,CDHA) (Eng ; CDHB) (160 BHP/118kw)	2007-08	Race/Rally	N 240	60-4612	77-4613	8.40mm	40-3210	24.2 x 23T	SMF	849Nm
Audi TT 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AJQ,ARY,AUM,AUQ) (Chassis No 8N-1-006001 →) (Eng ; APP) (Chassis No 8N-1-006001 →)	1998-06	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	DMF	384Nm
Audi TT 1.8ltr Turbo - Performance Organic Rigid	1998-06	Road	N 220	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	DMF	277Nm
Audi TT 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AJQ,ARY,AUM,AUQ) (Chassis No → 8N-1-0006000) (Eng ; APP) (Chassis No → 025197)	1998-06	Race/Rally	N 220	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	DMF	329Nm
Audi TT 1.8ltr Turbo - Performance Organic	1998-06	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Audi TT 1.8ltr Turbo - Performance Organic Rigid	1998-06	Road	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Audi TT 1.8ltr Turbo - Performance 4/5 Paddle	1998-06	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi TT 1.8ltr Turbo - Performance 6 Paddle	1998-06	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi TT 1.8ltr Turbo - Performance 4 Paddle Rigid	1998-06	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi TT 1.8ltr Turbo - Performance 6 Paddle Rigid (All chassis No.) (Eng ; AJQ,APP,ARY,AUM,AUQ)	1998-06	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Audi TT 1.8ltr Turbo - Performance Organic Rigid	2005-06	Road	N 228	60-3224	71-3217	8.40mm	40-4717	22.1 x 28T	DMF	324Nm
Audi TT 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; BVP) (163 BHP/120kw)	2005-06	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	DMF	384Nm
Audi TT 1.8ltr Turbo Quattro - Performance Organic Rigid	1999-06	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Audi TT 1.8ltr Turbo Quattro - Performance 4/5 Paddle	1999-06	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance 6 Paddle	1999-06	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance 4/5 Paddle Rigid (Eng ; AJQ,AMU,ARY,ATC) (180 BHP/132kw) (Eng ; AWP)	1999-06	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance Organic	1999-06	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Audi TT 1.8ltr Turbo Quattro - Performance 4/5 Paddle	1999-06	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi TT 1.8ltr Turbo Quattro - Performance 6 Paddle	1999-06	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi TT 1.8ltr Turbo Quattro - Performance 4/5 Paddle Rigid (Eng ; AJQ,AMU,ARY,ATC) (180 BHP/132kw) (Eng ; AWP)	1999-06	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi TT 1.8ltr Turbo Quattro - Performance Twin Organic Rigid	1999-06	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	498Nm
Audi TT 1.8ltr Turbo Quattro - Performance Twin 3 Paddle Rigid	1999-06	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi TT 1.8ltr Turbo Quattro - Performance Twin 4 Paddle Rigid	1999-06	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi TT 1.8ltr Turbo Quattro - Performance Twin 6 Paddle Rigid (Eng ; AJQ,AMU,ARY,ATC) (180 BHP/132kw) (Eng ; AWP)	1999-06	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI (cont)										
Audi TT 1.8ltr Turbo Quattro - Performance Organic Rigid	2005-06	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Audi TT 1.8ltr Turbo Quattro - Performance 4/5 Paddle	2005-06	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance 6 Paddle	2005-06	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance 6 Paddle Rigid (Eng ; BVR) (190 BHP/140kw)	2005-06	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance Organic Rigid	1998-06	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Audi TT 1.8ltr Turbo Quattro - Performance 4/5 Paddle	1998-06	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance 6 Paddle	1998-06	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance 6 Paddle Rigid (Eng ; APX,BAM) (225 BHP/165kw)	1998-06	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Audi TT 1.8ltr Turbo Quattro - Performance Organic Rigid	2005-06	Road	N 240	60-3320	71-3321	8.40mm	41-4621	24.2 x 23T	DMF	481Nm
Audi TT 1.8ltr Turbo Quattro - Performance 6 Paddle Rigid (Eng ; BFV) (240 BHP/176kw)	2005-06	Race/Rally	N 240	60-3320	78-3321	8.40mm	41-4621	24.2 x 23T	DMF	572Nm
Audi TT 1.8ltr Turbo Quattro - Performance Organic	1999-06	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Audi TT 1.8ltr Turbo Quattro - Performance 4/5 Paddle	1999-06	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi TT 1.8ltr Turbo Quattro - Performance 6 Paddle	1999-06	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi TT 1.8ltr Turbo Quattro - Performance 4/5 Paddle Rigid (Finn ; APX,RAIM) (225 BHP/165kw)	1999-06	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Audi TT 1.8ltr Turbo Quattro - Performance Twin Organic Rigid	1999-06	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	498Nm
Audi TT 1.8ltr Turbo Quattro - Performance Twin 3 Paddle Rigid	1999-06	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi TT 1.8ltr Turbo Quattro - Performance Twin 4 Paddle Rigid	1999-06	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi TT 1.8ltr Turbo Quattro - Performance Twin 6 Paddle Rigid (Eng ; APX,BAM) (225 BHP/165kw)	1999-06	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi TT 2.0ltr TFSI - Performance Organic Rigid	2006 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Audi TT 2.0ltr TFSI - Performance Organic	2006 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi TT 2.0ltr TFSI - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi TT 2.0ltr TFSI - Performance 6 Paddle Rigid (Eng ; BWA,BPY) (Eng ; CCTA,CCZA) (200 BHP/147kw)	2006 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Audi TT 2.0ltr TFSI - Performance Organic Rigid	2006 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Audi TT 2.0ltr TFSI - Performance Organic	2006 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi TT 2.0ltr TFSI - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi TT 2.0ltr TFSI - Performance 6 Paddle Rigid (Eng ; BWA,BPY) (Eng ; CCTA, CCZA) (200 BHP/147kw)	2006 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Audi S1 - Performance Organic Rigid	2015 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Audi S1 - Performance Organic	2015 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Audi S1 - Performance 4/5 Paddle	2015 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Audi S1 - Performance 6 Paddle Rigid	2015 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
Audi TT 2.0ltr TFSI - Performance Organic	2006 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	475Nm
Audi TT 2.0ltr TFSI - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Audi TT 2.0ltr TFSI - Performance 6 Paddle	2006 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Audi TT 2.0ltr TFSI - Performance 6 Paddle Rigid (Eng ; BWA,BPY, CCTA, CCZA) (200 BHP/147kw)	2006 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Audi TT 2.0ltr TFSI - Performance Organic Rigid	2006 →	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	498Nm
Audi TT 2.0ltr TFSI - Performance 3 Paddle Rigid	2006 →	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9289	635Nm
Audi TT 2.0ltr TFSI - Performance 4 Paddle Rigid	2006 →	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi TT 2.0ltr TFSI - Performance 6 Paddle Rigid (Eng ; BWA,BPY, CCTA, CCZA) (200 BHP/147kw)	2006 →	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Audi TTRS 2.5ltr Quattro - Performance Organic Rigid	2009 →	Road	N 240	60-3316	71-3325/29	7.60mm	41-4621	28.7 x 26T	LUK DMF	476Nm
Audi TTRS 2.5ltr Quattro - Performance 6 Paddle Rigid (Eng ; CEPA) (335 BHP/246kw)	2009 →	Race/Rally	N 240	60-3316	78-3325/29	7.60mm	41-4621	28.7 x 26T	LUK DMF	635Nm
Audi TT 3.2ltr V6 Quattro - Performance Organic Rigid	2003-06	Road	N 240	60-3320	71-3321	8.40mm	41-4621	24.2 x 23T	DMF	481Nm
Audi TT 3.2ltr V6 Quattro - Performance 6 Paddle Rigid (Eng ; BHE) (250 BHP / 184kw)	2003-06	Race/Rally	N 240	60-3320	78-3321	8.40mm	41-4621	24.2 x 23T	DMF	572Nm
Audi TT 3.2ltr V6 Quattro - Performance Organic	2003-06	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	475Nm
Audi TT 3.2ltr V6 Quattro - Performance 4/5 Paddle	2003-06	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Audi TT 3.2ltr V6 Quattro - Performance 6 Paddle	2003-06	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Audi TT 3.2ltr V6 Quattro - Performance 6 Paddle Rigid (Eng ; BHE) (250 BHP/184kw)	2003-06	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUDI (cont)										
Audi TT 3.2ltr V6 Quattro - Performance Organic Rigid	2006 →	Road	N 240	60-3316	71-3325/29	7.60mm	41-4621	28.7 x 26T	DMF	476Nm
Audi TT 3.2ltr V6 Quattro - Performance 6 Paddle Rigid (Eng ; BUB) (250 BHP/184kw) (Chassis No → 7-19575)	2006 →	Race/Rally	N 240	60-3316	78-3325/29	7.60mm	41-4621	28.7 x 26T	DMF	635Nm
Audi TT 3.2ltr V6 Quattro - Performance Organic Rigid	2006 →	Road	N 240	60-3316	71-3325/29	7.60mm	41-4621	28.7 x 26T	DMF	476Nm
Audi TT 3.2ltr V6 Quattro - Performance 6 Paddle Rigid (Eng ; BUB) (250 BHP/184kw) (Chassis No 7-19576 →)	2006 →	Race/Rally	N 240	60-3316	78-3325/29	7.60mm	41-4621	28.7 x 26T	DMF	635Nm
Audi R8 - Performance Organic	2006-15	Road	N 215	80-4003	70-4104 71-4104	7.20mm 7.20mm	OE	28 x 25T	HF 9510 HF 9510 A	690Nm
Audi R8 - Performance 4/5 Paddle	2006-15	Road	N 215	80-4003	76-4104 78-4104	7.20mm 7.20mm	OE	28 x 25T	HF 9510 HF 9510 A	950Nm
Audi A4 TFSI B7 - Performance Organic	2006-08	Road	N 240	60-4614	70-4613	8.40mm	40-3210 A	24.2 x 23T	DMF	475Nm
Audi A4 TFSI B7 - Performance Organic Rigid	2006-08	Road	N 240	60-4614	71-4613	8.40mm	40-3210 A	24.2 x 23T	DMF	475Nm
Audi A4 TFSI B7- Performance 6 Paddle	2006-08	Race/Rally	N 240	60-4614	77-4613	8.40mm	40-3210 A	24.2 x 23T	DMF	635Nm
Audi A4 TFSI B7- Performance 6 Paddle Rigid (Eng ; BUL)	2006-08	Race/Rally	N 240	60-4614	78-4614	8.40mm	40-3210 A	24.2 x 23T	DMF	635Nm
Audi A4 TFSI B7 - Performance Organic	2006-08	Road	N 240	60-4614	70-4613	8.40mm	40-3210 A	24.2 x 23T	HF 9271	475Nm
Audi A4 TFSI B7- Performance 6 Paddle	2006-08	Race/Rally	N 240	60-4614	77-4613	8.40mm	40-3210 A	24.2 x 23T	HF 9271	635Nm
Audi A4 TFSI B7- Performance 6 Paddle Rigid (Eng ; BUL)	2006-08	Race/Rally	N 240	60-4614	78-4614	8.40mm	40-3210 A	24.2 x 23T	HF 9271	635Nm
Audi A4 TFSI B7 - Performance Organic (Eng ; BUL)	2006-08	Road	N 200	68-120GC	71-1015 A&B	7.20mm	40-3210 A	24.2 x 23T	HF 9465	611Nm
Audi A4 TFSI B7- Performance 6 Paddle Rigid (Eng ; BUL)	2006-08	Race/Rally	N 200	68-120GC	78-1115 A&B	7.20mm	40-3210 A	24.2 x 23T	HF 9465	740Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
AUSTIN HEALEY										
100/4 & 100/6 - Performance Organic	1955-59	Road	N 240	60-3350	70-1358	8.40mm	40-3303	1 1/8" x 10T	OE	360Nm
100/4 & 100/6 - Performance 4/5 Paddle <i>(Diaphragm Conversion)</i>	1955-59	Race/Rally	N 240	60-3350	76-1358	8.40mm	40-3303	1 1/8" x 10T	OE	475Nm
3000/3000 Mrk1 & Mrk2 - Performance Organic	1959-63	Road	N 240	60-3350	70-2347	8.40mm	40-3302	1 1/8" x 10T	OE	360Nm
3000/3000 Mrk1 & Mrk2 - Performance 4/5 Paddle	1959-63	Race/Rally	N 240	60-3350	76-2347	8.40mm	40-3302	1 1/8" x 10T	OE	475Nm
3000/3000 Mrk1 & Mrk2 - Performance 6 Paddle <i>(→ Eng No; 4878) (Diaphragm Conversion)</i>	1959-63	Race/Rally	N 240	60-3350	77-2347	8.40mm	40-3302	1 1/8" x 10T	OE	475Nm
3000 Mrk2 & Mrk3 - Performance Organic	1963-68	Road	N 240	60-3350	70-2347	8.40mm	40-3316	1 1/8" x 10T	OE	360Nm
3000 Mrk2 & Mrk3 - Performance 4/5 Paddle	1963-68	Race/Rally	N 240	60-3350	76-2347	8.40mm	40-3316	1 1/8" x 10T	OE	475Nm
3000 Mrk2 & Mrk3 - Performance 6 Paddle <i>(Eng; 4879 →)</i>	1963-68	Race/Rally	N 240	60-3350	77-2347	8.40mm	40-3316	1 1/8" x 10T	OE	475Nm
Sprite Mrk 1 & Mrk 3 - Performance Organic	1958-62	Road	N 180	60-2835	70-1313	7.20mm	40-3310	7/8" x 10T	OE	180Nm
Sprite Mrk 1 & Mrk 3 - Performance 4/5 Paddle <i>(948cc)</i>	1958-62	Race/Rally	N 180	60-2835	76-1313	7.20mm	40-3310	7/8" x 10T	OE	250Nm
<i>Flywheel requires re-drilling & re-dowelling when converting from either a 184mm coil spring clutch or a 159mm & 165mm diaphragm spring clutch. Installation drawing No 2835 is available.</i>										
Sprite Mrk 2 & Mrk 3 - Performance Organic	1962-65	Road	N 180	60-2835	70-1313	7.20mm	40-3310	7/8" x 10T	OE	180Nm
Sprite Mrk 2 & Mrk 3 - Performance 4/5 Paddle <i>(1098cc)</i>	1962-65	Race/Rally	N 180	60-2835	76-1313	7.20mm	40-3310	7/8" x 10T	OE	250Nm
<i>Flywheel requires re-drilling & re-dowelling when converting from either a 184mm coil spring clutch or a 159mm & 165mm diaphragm spring clutch. Installation drawing No 2835 is available.</i>										
Sprite Mrk 4 - Performance Organic	1966-71	Road	N 180	60-2835	70-1313	7.20mm	40-3310	7/8" x 10T	OE	180Nm
Sprite Mrk 4 - Performance 4/5 Paddle <i>(948cc, 1098cc, 1275cc)</i>	1966-71	Race/Rally	N 180	60-2835	76-1313	7.20mm	40-3310	7/8" x 10T	OE	250Nm
<i>Flywheel requires re-drilling & re-dowelling when converting from either a 184mm coil spring clutch or a 159mm & 165mm diaphragm spring clutch. Installation drawing No 2835 is available.</i>										
AUSTIN MORRIS										
Mini 850cc - Performance Organic Rigid	1965-82	Road	N 180	60-2838	71-1645	7.20mm	40-3255	52.4 x 32T	OE	104Nm
Mini 850cc - Performance 3/4 Paddle Rigid <i>('A' Series Eng)</i>	1965-82	Race/Rally	N 180	60-2838	78-1645	7.20mm	40-3255	52.4 x 32T	OE	129Nm
Mini 998cc - Performance Organic Rigid	1965-00	Road	N 180	60-2839	71-1645	7.20mm	40-3255	52.4 x 32T	OE	129Nm
Mini 998cc - Performance 3/4 Paddle Rigid <i>('A' Series Eng)</i>	1965-00	Race/Rally	N 180	60-2839	78-1645	7.20mm	40-3255	52.4 x 32T	OE	163Nm
Mini 1275cc - Performance Organic Rigid	1965-00	Road	N 180	60-2839	71-1645	7.20mm	40-3255	52.4 x 32T	OE	129Nm
Mini 1275cc - Performance 3/4 Paddle Rigid <i>('A' Series Eng)</i>	1965-00	Race/Rally	N 180	60-2839	78-1645	7.20mm	40-3255	52.4 x 32T	OE	163Nm
Mini 998 & 1275 - Performance Organic Rigid	1982-00	Road	N 190	60-1644	71-3947	7.20mm	40-3866	52.4 x 32T	OE	168Nm
Mini 998 & 1275 - Performance 3/4 Paddle Rigid <i>(Verto Type Clutch)</i>	1982-00	Race/Rally	N 190	60-1644	78-3947	7.20mm	40-3866	52.4 x 32T	OE	225Nm
BENTLEY										
Derby - Performance Organic <i>(Diaphragm Spring Conversion)</i>	1930	Road	N 240	60-2855	70-2856	8.40mm	40-9859	Bespoke	HF 9859	362Nm
3.0ltr - Performance Organic <i>(Diaphragm Spring Conversion)</i>	1919-29	Road	N 240	60-2864	70-1637	8.40mm	40-5005	1 1/4" x 10T	OE	357Nm
4.5ltr - Performance Organic	1927-31	Road	N 240	60-2864	70-1637	8.40mm	40-5005	1 1/4" x 10T	HF 9408	357Nm
4.5ltr - Performance Organic <i>(Diaphragm Spring Conversion)</i>	1927-31	Road	N 267	60-2869	70-1647	8.40mm	40-5005	1 1/4" x 10T	HF 9375	456Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
BMW										
328 - Performance Organic	1936-39	Road	N 200	60-2360 A	70-2367	7.20mm	40-6100	1 1/8" x 10T	HF 9366	230Nm
328 - Performance 4/5 Paddle	1936-39	Race/Rally	N 200	60-2360 A	76-2367	7.20mm	40-6100	1 1/8" x 10T	HF 9366	310Nm
328 - Performance 6 Paddle (6 Cylinder / 1971cc) (Diaphragm Spring Conversion)	1936-39	Race/Rally	N 200	60-2360 A	77-2367	7.20mm	40-6100	1 1/8" x 10T	HF 9366	310Nm
1802 & 2002 - Performance Organic	1971-73	Road	N 228	60-1213	70-1218	8.40mm	40-1011	29 x 10T	SMF	381Nm
1802 & 2002 - Performance 4/5 Paddle	1971-73	Race/Rally	N 228	60-1213	76-1218	8.40mm	40-1011	29 x 10T	SMF	458Nm
1802 & 2002 - Performance 6 Paddle	1971-73	Race/Rally	N 228	60-1213	77-1218	8.40mm	40-1011	29 x 10T	SMF	458Nm
1802 & 2002 - Performance Organic	9/73-75	Road	N 215	60-1246	70-1967	8.80mm	40-1226	29 x 10T	SMF	251Nm
1802 & 2002 - Performance 4/5 Paddle	9/73-75	Race/Rally	N 215	60-1246	76-1967	8.80mm	40-1226	29 x 10T	SMF	328Nm
1802 & 2002 - Performance 6 Paddle	9/73-75	Race/Rally	N 215	60-1246	77-1967	8.80mm	40-1226	29 x 10T	SMF	328Nm
1802 & 2002 - Performance Organic	9/73-75	Race/Rally	A 184	63-210R	57-1009	7.20mm	40-3002	29 x 10T	HF 9234	216Nm
1802 & 2002 - Performance 3 Paddle	9/73-75	Race/Rally	A 184	63-210R	56-1009	7.20mm	40-3002	29 x 10T	HF 9234	299Nm
1802 & 2002 - Performance 4 Paddle	9/73-75	Race/Rally	A 184	63-210R	56-2009	7.20mm	40-3002	29 x 10T	HF 9234	299Nm
1802 & 2002 - Performance 6 Paddle Rigid (Eng; N47)	9/73-75	Race/Rally	A 184	63-210R	49-1009	7.20mm	40-3002	29 x 10T	HF 9234	299Nm
2002 Turbo - Performance Organic	1974-76	Road	N 228	N/A	70-1217	8.40mm	40-1011	29 x 10T	SMF	N/A
2002 Turbo - Performance 4/5 Paddle	1974-76	Race/Rally	N 228	N/A	76-1217	8.40mm	40-1011	29 x 10T	SMF	N/A
2002 Turbo - Performance 6 Paddle	1974-76	Race/Rally	N 228	N/A	77-1217	8.40mm	40-1011	29 x 10T	SMF	N/A
3.0ltr CSL - Performance Organic	1971-73	Road	N 240	60-1214	70-1215	8.40mm	40-1225	29 x 10T	SMF	381Nm
3.0ltr CSL - Performance 4/5 Paddle	1971-73	Race/Rally	N 240	60-1214	76-1215	8.40mm	40-1225	29 x 10T	SMF	509Nm
3.0ltr CSL - Performance 6 Paddle	1971-73	Race/Rally	N 240	60-1214	77-1215	8.40mm	40-1225	29 x 10T	SMF	509Nm
3.0ltr CSL - Performance Organic	9/73 →	Road	N 240	60-1214	70-1215	8.40mm	40-1225	29 x 10T	SMF	381Nm
3.0ltr CSL - Performance 4/5 Paddle	9/73 →	Race/Rally	N 240	60-1214	76-1215	8.40mm	40-1225	29 x 10T	SMF	509Nm
3.0ltr CSL - Performance 6 Paddle	9/73 →	Race/Rally	N 240	60-1214	77-1215	8.40mm	40-1225	29 x 10T	SMF	509Nm
318i (E30) - Performance Organic	1982-90	Road	N 215	60-1246	70-1967	8.80mm	40-1225	29 x 10T	SMF	251Nm
318i (E30) - Performance 4/5 Paddle	1982-90	Race/Rally	N 215	60-1246	76-1967	8.80mm	40-1225	29 x 10T	SMF	328Nm
318i (E30) - Performance 4/5 Paddle Rigid (Eng; M10B18)	1982-90	Race/Rally	N 215	60-1246	78-1967	8.80mm	40-1225	29 x 10T	SMF	328Nm
318iS (E30 & E36) - Performance Organic	1987-00	Road	N 215	60-2924	70-1967	8.80mm	40-1225	29 x 10T	SMF	270Nm
318iS (E30 & E36) - Performance 4/5 Paddle	1987-00	Race/Rally	N 215	60-2924	76-1967	8.80mm	40-1225	29 x 10T	SMF	360Nm
318iS (E30 & E36) - Performance 4/5 Paddle Rigid (Eng; M40B18 & M42B18)	1987-00	Race/Rally	N 215	60-2924	78-1967	8.80mm	40-1225	29 x 10T	SMF	360Nm
318iS (E30 & E36) - Performance Organic Rigid	1989-00	Road	N 215	60-2926	71-2927	8.80mm	40-1225	29 x 10T	DMF	285Nm
318iS (E30 & E36) - Performance 4/5 Paddle Rigid (Eng; M44B19)(Eng; M42B18 w/ A/C)	1989-00	Race/Rally	N 215	60-2926	78-2927	8.80mm	40-1225	29 x 10T	DMF	380Nm
320i & 325i (E30) - Performance Organic	1985-91	Road	N 228	60-4740	70-4738	9.20mm	40-1225	29 x 10T	HF 9296	306Nm
320i & 325i (E30) - Performance Organic Rigid	1985-91	Road	N 228	60-4740	71-4738	9.20mm	40-1225	29 x 10T	HF 9296	306Nm
320i & 325i (E30) - Performance 4/5 Paddle	1985-91	Race/Rally	N 228	60-4740	76-4738	9.20mm	40-1255	29 x 10T	HF 9296	410Nm
320i & 325i (E30) - Performance 6 Paddle	1985-91	Race/Rally	N 228	60-4740	77-4738	9.20mm	40-1255	29 x 10T	HF 9296	410Nm
320i & 325i (E30) - Performance 5/6 Paddle Rigid	1985-91	Race/Rally	N 228	60-4740	78-4738	9.20mm	40-1255	29 x 10T	HF 9296	410Nm
320i (E36) - Performance Organic	1992-99	Road	N 228	60-2412	70-2413	9.00mm	40-1225	29 x 10T	SMF	380Nm
320i (E36) - Performance Organic Rigid	1992-99	Road	N 228	60-2412	71-2413	9.00mm	40-1225	29 x 10T	DMF	460Nm
320i (E36) - Performance 5/6 Paddle Rigid (Eng; M50,M52)	1992-99	Race/Rally	N 228	60-2412	78-2413	9.00mm	40-1225	29 x 10T	DMF	460Nm
325i (E36) - Performance Organic	1989-95	Road	N 228	60-2412	70-2413	9.00mm	40-1225	29 x 10T	SMF	380Nm
325i (E36) - Performance Organic Rigid	1989-95	Road	N 228	60-2412	71-2413	9.00mm	40-1225	29 x 10T	DMF	460Nm
325i (E36) - Performance 5/6 Paddle Rigid	1989-95	Race/Rally	N 228	60-2412	78-2413	9.00mm	40-1225	29 x 10T	DMF	460Nm
328i (E36) - Performance Organic	1995-99	Road	N 240	60-2414	70-4739	8.40mm	40-1225	29 x 10T	SMF	462nm
328i (E36) - Performance Organic Rigid	1995-99	Road	N 240	60-2414	71-4739	8.40mm	40-1225	29 x 10T	DMF	462Nm
328i (E36) - Performance 4/5 Paddle	1995-99	Race/Rally	N 240	60-2414	76-4739	8.40mm	40-1225	29 x 10T	SMF	508Nm
328i (E36) - Performance 6 Paddle	1995-99	Race/Rally	N 240	60-2414	77-4739	8.40mm	40-1225	29 x 10T	SMF	508Nm
328i (E36) - Performance 5/6 Paddle Rigid	1995-99	Race/Rally	N 240	60-2414	78-4739	8.40mm	40-1225	29 x 10T	DMF	508Nm
328i & 330i (E46) - Performance Organic	1998-03	Road	N 240	60-4750	70-2419	8.40mm	40-1226	29 x 10T	SMF	500Nm
328i & 330i (E46) - Performance Organic Rigid	1998-03	Race/Rally	N 240	60-4750	71-2419	8.40mm	40-1226	29 x 10T	DMF	500Nm
328i & 330i (E46) - Performance 5/6 Paddle	1998-03	Race/Rally	N 240	60-4750	76-2419	8.40mm	40-1226	29 x 10T	SMF	700Nm
328i & 330i (E46) - Performance 5/6 Paddle Rigid (02/2003)	1998-03	Race/Rally	N 240	60-4750	78-2419	8.40mm	40-1226	29 x 10T	DMF	700Nm
330i (E46) - Performance Organic	2003-05	Road	N 240	60-4750	70-4751	8.00mm	40-1226	29 x 22T	HF 9359	500Nm
330i (E46) - Performance Organic Rigid	2003-05	Road	N 240	60-4750	71-4751	8.00mm	40-1226	29 x 22T	HF 9359	500Nm
330i (E46) - Performance 4/5 Paddle	2003-05	Race/Rally	N 240	60-4750	76-4751	8.00mm	40-1226	29 x 22T	HF 9359	700Nm
330i (E46) - Performance 6 Paddle	2003-05	Race/Rally	N 240	60-4750	77-4751	8.00mm	40-1226	29 x 22T	HF 9359	700Nm
330i (E46) - Performance 5/6 Paddle Rigid (03/2003)	2003-05	Race/Rally	N 240	60-4750	78-4751	8.00mm	40-1226	29 x 22T	HF 9359	700Nm
330i (E90/92) - Performance Organic	2005 →	Road	N 240	60-4750	70-4751	8.00mm	40-1225	29 x 22T	SMF	500Nm
330i (E90/92) - Performance Organic Rigid	2005 →	Road	N 240	60-4750	71-4751	8.00mm	40-1225	29 x 22T	DMF	500Nm
330i (E90/92) - Performance 4/5 Paddle	2005 →	Race/Rally	N 240	60-4750	76-4751	8.00mm	40-1225	29 x 22T	SMF	700Nm
330i (E90/92) - Performance 6 Paddle	2005 →	Race/Rally	N 240	60-4750	77-4751	8.00mm	40-1225	29 x 22T	SMF	700Nm
330i (E90/92) - Performance 5/6 Paddle Rigid	2005 →	Race/Rally	N 240	60-4750	78-4751	8.00mm	40-1225	29 x 22T	DMF	700Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
BMW (cont)										
320D (E46) - Performance Organic	2001-03	Road	N 240	60-4750	71-4749	8.00mm	40-1226	35 x 10T	SMF	500Nm
320D (E46) - Performance Organic Rigid	2001-03	Road	N 240	60-4750	70-4749	8.00mm	40-1226	35 x 10T	DMF	500Nm
320D (E46) - Performance 4/5 Paddle	2001-03	Race/Rally	N 240	60-4750	76-4749	8.00mm	40-1226	35 x 10T	SMF	700Nm
320D (E46) - Performance 6 Paddle	2001-03	Race/Rally	N 240	60-4750	77-4749	8.00mm	40-1226	35 x 10T	SMF	700Nm
320D (E46) - Performance 5/6 Paddle Rigid (5 speed gearbox) (03/2003)	2001-03	Race/Rally	N 240	60-4750	78-4749	8.00mm	40-1226	35 x 10T	DMF	700Nm
320D (E46) - Performance Organic	2003-05	Road	N 240	60-4750	70-4751	8.00mm	40-1225	29 x 22T	SMF	500Nm
320D (E46) - Performance Organic Rigid	2003-05	Road	N 240	60-4750	71-4751	8.00mm	40-1225	29 x 22T	DMF	500Nm
320D (E46) - Performance 4/5 Paddle	2003-05	Race/Rally	N 240	60-4750	76-4751	8.00mm	40-1225	29 x 22T	SMF	700Nm
320D (E46) - Performance 6 Paddle	2003-05	Race/Rally	N 240	60-4750	77-4751	8.00mm	40-1225	29 x 22T	SMF	700Nm
320D (E46) - Performance 5/6 Paddle Rigid (6 speed gearbox) (04/2003-02/2005)	2003-05	Race/Rally	N 240	60-4750	78-4751	8.00mm	40-1225	29 x 22T	DMF	700Nm
330D (E46) - Performance Organic	1999-02	Road	N 240	60-4750	70-4749	8.00mm	40-1226	35 x 10T	HF 9294 A	500Nm
330D (E46) - Performance Organic Rigid	1999-02	Road	N 240	60-4750	71-4749	8.00mm	40-1226	35 x 10T	HF 9294 A	500Nm
330D (E46) - Performance 4/5 Paddle	1999-02	Race/Rally	N 240	60-4750	76-4749	8.00mm	40-1226	35 x 10T	HF 9294 A	700Nm
330D (E46) - Performance 6 Paddle	1999-02	Race/Rally	N 240	60-4750	77-4749	8.00mm	40-1226	35 x 10T	HF 9294 A	700Nm
330D (E46) - Performance 5/6 Paddle Rigid (09/2002)	1999-02	Race/Rally	N 240	60-4750	78-4749	8.00mm	40-1226	35 x 10T	HF 9294 A	700Nm
330D (E46) - Performance Organic	2002-05	Road	N 240	60-4750	70-4755	8.20mm	40-1227	35 x 26T	HF 9294 A	500Nm
330D (E46) - Performance Organic Rigid	2002-05	Road	N 240	60-4750	71-4755	8.20mm	40-1227	35 x 26T	HF 9294 A	500Nm
330D (E46) - Performance 4/5 Paddle	2002-05	Race/Rally	N 240	60-4750	76-4755	8.20mm	40-1227	35 x 26T	HF 9294 A	700Nm
330D (E46) - Performance 6 Paddle	2002-05	Race/Rally	N 240	60-4750	77-4755	8.20mm	40-1227	35 x 26T	HF 9294 A	700Nm
330D (E46) - Performance 5/6 Paddle Rigid (10/2002)	2002-05	Race/Rally	N 240	60-4750	78-4755	8.20mm	40-1227	35 x 26T	HF 9294 A	700Nm
330D (E90/92) - Performance Organic	9/2006→	Road	N 240	60-4750	70-4755	8.20mm	40-1227	35 x 26T	HF 9416	500Nm
330D (E90/92) - Performance Organic Rigid	9/2006→	Road	N 240	60-4750	71-4755	8.20mm	40-1227	35 x 26T	HF 9416	500Nm
330D (E90/92) - Performance 4/5 Paddle	9/2006→	Race/Rally	N 240	60-4750	76-4755	8.20mm	40-1227	35 x 26T	HF 9416	700Nm
330D (E90/92) - Performance 6 Paddle	9/2006→	Race/Rally	N 240	60-4750	77-4755	8.20mm	40-1227	35 x 26T	HF 9416	700Nm
330D (E90/92) - Performance 5/6 Paddle Rigid	9/2006→	Race/Rally	N 240	60-4750	78-4755	8.20mm	40-1227	35 x 26T	HF 9416	700Nm
M3 (E30) - Performance Organic	1986-90	Road	N 228	60-4740	70-4738	9.20mm	40-1225	29 x 10T	HF 9212	306Nm
M3 (E30) - Performance Organic Rigid	1986-90	Road	N 228	60-4740	71-4738	9.20mm	40-1225	29 x 10T	HF 9212	306Nm
M3 (E30) - Performance 4/5 Paddle	1986-90	Race/Rally	N 228	60-4740	76-4738	9.20mm	40-1225	29 x 10T	HF 9212	410Nm
M3 (E30) - Performance 6 Paddle	1986-90	Race/Rally	N 228	60-4740	77-4738	9.20mm	40-1225	29 x 10T	HF 9212	410Nm
M3 (E30) - Performance 5/6 Paddle Rigid (Eng; N47)	1986-90	Race/Rally	N 228	60-4740	78-4738	9.20mm	40-1225	29 x 10T	HF 9212	410Nm
M3 (E30) - Performance Organic	1986-90	Race/Rally	A 184	63-210R	57-1009	7.20mm	40-3002	29 x 10T	HF 9234	216Nm
M3 (E30) - Performance 3 Paddle	1986-90	Race/Rally	A 184	63-210R	56-1009	7.20mm	40-3002	29 x 10T	HF 9234	299Nm
M3 (E30) - Performance 4 Paddle	1986-90	Race/Rally	A 184	63-210R	56-2009	7.20mm	40-3002	29 x 10T	HF 9234	299Nm
M3 (E30) - Performance 6 Paddle Rigid (Eng; N47)	1986-90	Race/Rally	A 184	63-210R	49-1009	7.20mm	40-3002	29 x 10T	HF 9234	299Nm
M3 3.0ltr (E36) - Performance Organic	1991-96	Road	N 240	60-4745	70-4739	8.40mm	40-1225	29 x 10T	HF 9255	410Nm
M3 3.0ltr (E36) - Performance Organic Rigid	1991-96	Road	N 240	60-4745	71-4739	8.40mm	40-1225	29 x 10T	HF 9255	410Nm
M3 3.0ltr (E36) - Performance 4/5 Paddle	1991-96	Race/Rally	N 240	60-4745	76-4739	8.40mm	40-1225	29 x 10T	HF 9255	550Nm
M3 3.0ltr (E36) - Performance 6 Paddle	1991-96	Race/Rally	N 240	60-4745	77-4739	8.40mm	40-1225	29 x 10T	HF 9255	550Nm
M3 3.0ltr (E36) - Performance 4 Paddle Rigid	1991-96	Race/Rally	N 240	60-4745	78-4739	8.40mm	40-1225	29 x 10T	HF 9255	550Nm
M3 3.0ltr (E36) - Performance 6 Paddle Rigid	1991-96	Race/Rally	N 240	60-4745	78-4741	8.40mm	40-1225	29 x 10T	HF 9255	550Nm
M3 3.2ltr (E36) - Performance Organic	1996-00	Road	N 240	60-4747	70-4739	8.40mm	40-1225	29 x 10T	HF 9255	500Nm
M3 3.2ltr (E36) - Performance Organic Rigid	1996-00	Road	N 240	60-4747	71-4739	8.40mm	40-1225	29 x 10T	HF 9255	500Nm
M3 3.2ltr (E36) - Performance 4/5 Paddle	1996-00	Race/Rally	N 240	60-4747	76-4739	8.40mm	40-1225	29 x 10T	HF 9255	700Nm
M3 3.2ltr (E36) - Performance 6 Paddle	1996-00	Race/Rally	N 240	60-4747	77-4739	8.40mm	40-1225	29 x 10T	HF 9255	700Nm
M3 3.2ltr (E36) - Performance 4 Paddle Rigid	1996-00	Race/Rally	N 240	60-4747	78-4739	8.40mm	40-1225	29 x 10T	HF 9255	700Nm
M3 3.2ltr (E36) - Performance 6 Paddle Rigid	1996-00	Race/Rally	N 240	60-4747	78-4741	8.40mm	40-1225	29 x 10T	HF 9255	700Nm
M3 3.0ltr & 3.2ltr (E36) - Performance Twin Organic Rigid	1991-00	Race/Rally	A 184	63-220G	55-2009 A&B	7.20mm	40-3002	29 x 10T	HF 9240	453Nm
M3 3.0ltr & 3.2ltr (E36) - Performance Twin 4 Paddle Rigid	1991-00	Race/Rally	A 184	63-220G	52-2009 A&B	7.20mm	40-3002	29 x 10T	HF 9240	626Nm
M3 3.0ltr & 3.2ltr (E36) - Performance Twin 6 Paddle Rigid (Eng; S50B)	1991-00	Race/Rally	A 184	63-220G	49-2009 A&B	7.20mm	40-3002	29 x 10T	HF 9240	626Nm
M3 3.0ltr & 3.2ltr (E36) - Performance 4 Paddle	1996-00	Race/Rally	A 215	69-110Y	77-2009	8.40mm	40-3002	29 x 10T	HF 9241	606Nm
M3 3.0ltr & 3.2ltr (E36) - Performance 6 Paddle (Eng; S50B)	1996-00	Race/Rally	A 215	69-110Y	77-2109	8.40mm	40-3002	29 x 10T	HF 9241	606Nm
M3 3.0ltr & 3.2ltr (E36) - Performance Twin 4 Paddle Rigid	1996-00	Race/Rally	A 215	69-120Y	78-3009 x 2	7.20mm	40-3002	29 x 10T	HF 9501	868Nm
M3 3.0ltr & 3.2ltr (E36) - Performance Twin 6 Paddle Rigid (Eng; S50B)	1996-00	Race/Rally	A 215	69-120Y	78-3109 x 2	7.20mm	40-3002	29 x 10T	HF 9501	868Nm
M3 3.2ltr (E46) - Performance Organic	2001 →	Road	N 240	60-4750	70-4749	8.00mm	40-1226	35 x 10T	HF 9265 A	500Nm
M3 3.2ltr (E46) - Performance Organic Rigid	2001 →	Road	N 240	60-4750	71-4749	8.00mm	40-1226	35 x 10T	HF 9265 A	500Nm
M3 3.2ltr (E46) - Performance 4/5 Paddle	2001 →	Race/Rally	N 240	60-4750	76-4749	8.00mm	40-1226	35 x 10T	HF 9265 A	700Nm
M3 3.2ltr (E46) - Performance 6 Paddle	2001 →	Race/Rally	N 240	60-4750	77-4749	8.00mm	40-1226	35 x 10T	HF 9265 A	700Nm
M3 3.2ltr (E46) - Performance 5/6 Paddle Rigid	2001 →	Race/Rally	N 240	60-4750	78-4749	8.00mm	40-1226	35 x 10T	HF 9265 A	700Nm
M3 3.2ltr (E46) - Performance Twin Sintered	2001 →	Race/Rally	A 184	63-120Y109	53-1035 x 2	2.66mm	40-3002	35 x 10T	HF 9263	700Nm
M3 3.2ltr (E46) - Performance 4 Paddle	2001 →	Race/Rally	A 184	63-210Y	56-2035	7.20mm	40-3002	35 x 10T	HF 9263	490Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
BMW (cont)										
M5 3.8ltr (E34) - Performance Organic	1992-95	Road	N 240	60-4754	70-4739	8.40mm	40-1225	29 x 10T	SMF	500Nm
M5 3.8ltr (E34) - Performance Organic Rigid	1992-95	Road	N 240	60-4754	71-4739	8.40mm	40-1225	29 x 10T	DMF	500Nm
M5 3.8ltr (E34) - Performance 4/5 Paddle	1992-95	Race/Rally	N 240	60-4754	76-4739	8.40mm	40-1225	29 x 10T	SMF	700Nm
M5 3.8ltr (E34) - Performance 6 Paddle	1992-95	Race/Rally	N 240	60-4754	77-4739	8.40mm	40-1225	29 x 10T	SMF	700Nm
M5 3.8ltr (E34) - Performance 5/6 Paddle Rigid	1992-95	Race/Rally	N 240	60-4754	78-4739	8.40mm	40-1225	29 x 10T	DMF	700Nm
M5 3.5ltr (E28) & 3.6ltr (E34) - Performance Organic	1984-92	Road	N 240	60-4752	70-4753	9.20mm	40-1225	29 x 10T	SMF	500Nm
M5 3.5ltr (E28) & 3.6ltr (E34) - Performance Organic Rigid	1984-92	Road	N 240	60-4752	71-4753	9.20mm	40-1225	29 x 10T	DMF	500Nm
M5 3.5ltr (E28) & 3.6ltr (E34) - Performance 4/5 Paddle	1984-92	Race/Rally	N 240	60-4752	76-4753	9.20mm	40-1225	29 x 10T	SMF	700Nm
M5 3.5ltr (E28) & 3.6ltr (E34) - Performance 6 Paddle	1984-92	Race/Rally	N 240	60-4752	77-4753	9.20mm	40-1225	29 x 10T	SMF	700Nm
M5 3.5ltr (E28) & 3.6ltr (E34) - Performance 5/6 Paddle Rigid	1984-92	Race/Rally	N 240	60-4752	78-4753	9.20mm	40-1225	29 x 10T	DMF	700Nm
M3 3.0ltr & 3.2ltr (E36) - Performance Organic	1991-00	Road	N 240	60-4750	70-4739FWS	8.40mm	40-1225	29 x 10T	HF 9554	500Nm
M3 3.0ltr & 3.2ltr (E36) - Performance 4 Paddle	1991-00	Race/Rally	N 240	60-4750	76-4739FWS	8.40mm	40-1225	29 x 10T	HF 9554	500Nm
M3 3.0ltr & 3.2ltr (E36) - Performance 6 Paddle	1991-00	Race/Rally	N 240	60-4750	77-4739FWS	8.40mm	40-1225	29 x 10T	HF 9554	700Nm
M5 4.9ltr (E39) - Performance Organic	1998-03	Road	N 240	60-4750	70-4749	8.00mm	40-1226	35 x 10T	HF 9482	500Nm
M5 4.9ltr (E39) - Performance Organic Rigid	1998-03	Road	N 240	60-4750	71-4749	8.00mm	40-1226	35 x 10T	HF 9482	500Nm
M5 4.9ltr (E39) - Performance 4/5 Paddle	1998-03	Race/Rally	N 240	60-4750	76-4749	8.00mm	40-1226	35 x 10T	HF 9482	700Nm
M5 4.9ltr (E39) - Performance 6 Paddle	1998-03	Race/Rally	N 240	60-4750	77-4749	8.00mm	40-1226	35 x 10T	HF 9482	700Nm
M5 4.9ltr (E39) - Performance 5/6 Paddle Rigid	1998-03	Race/Rally	N 240	60-4750	78-4749	8.00mm	40-1226	35 x 10T	HF 9482	700Nm
M3 /M4 (F80 S55) - Performance Twin Organic	2014-19	Drift	N 228	66-220YC	70-4048A 70-4048B	7.20mm 7.20mm	40-3002A	35 x 26T	HF 9876	460Nm
M3 /M4 (F80 S55) - Performance Twin 6 Paddle	2014-19	Drift	N 228	66-220YC	77-4048A 77-4048B	7.20mm 7.20mm	40-3002A	35 x 26T	HF 9876	620Nm
M3 (E90, E92, E93) - Performance Twin Organic Rigid	2007-13	Race/Rally	A 215	69-120YC	71-3048 71-3048	7.20mm 7.20mm	40-1226	35 x 26T	HF 9579	460Nm
M3 (E90, E92, E93) - Performance Twin Organic	2007-13	Race/Rally	A 215	69-120YC	71-3048 70-3048A	7.20mm 7.20mm	40-1226	35 x 26T	HF 9579	460Nm
M3 (E90, E92, E93) - Performance Twin 6 Paddle Rigid	2007-13	Race/Rally	A 215	69-120YC	78-3148 78-3148	7.20mm 7.20mm	40-1226	35 x 26T	HF 9579	620Nm
M3 (E90, E92, E93) - Performance Twin 6 Paddle (Eng ; S64 B40)	2007-13	Race/Rally	A 215	69-120YC	78-3148 77-3138A	7.20mm 7.20mm	40-1226	35 x 26T	HF 9579	620Nm
116i (F20) - Performance Organic	2011-2015	Road	N 240	60-4750	70-4751	8.00mm	40-1227	29 x 22T	SMF	500Nm
116i (F20) - Performance Organic Rigid	2011-2015	Road	N 240	60-4750	71-4751	8.00mm	40-1227	29 x 22T	DMF	500Nm
116i (F20) - Performance 4/5 Paddle	2011-2015	Race/Rally	N 240	60-4750	76-4751	8.00mm	40-1227	29 x 22T	SMF	700Nm
116i (F20) - Performance 6 Paddle	2011-2015	Race/Rally	N 240	60-4750	77-4751	8.00mm	40-1227	29 x 22T	SMF	700Nm
116i (F20) - Performance 5/6 Paddle Rigid (Eng ; N13 B16 A)	2011-2015	Race/Rally	N 240	60-4750	78-4751	8.00mm	40-1227	29 x 22T	DMF	700Nm
M 140i (F20) - Performance Organic	2016-2019	Road	N 240	60-4750	70-4755	8.20mm	40-1227	35 x 26T	HF 9406	500Nm
M 140i (F20) - Performance Organic Rigid	2016-2019	Road	N 240	60-4750	71-4755	8.20mm	40-1227	35 x 26T	DMF	500Nm
M 140i (F20) - Performance 4/5 Paddle	2016-2019	Race/Rally	N 240	60-4750	76-4755	8.20mm	40-1227	35 x 26T	HF 9406	700Nm
M 140i (F20) - Performance 6 Paddle	2016-2019	Race/Rally	N 240	60-4750	77-4755	8.20mm	40-1227	35 x 26T	HF 9406	700Nm
M 140i (F20) - Performance 5/6 Paddle Rigid (Eng ; B58 B30 A)	2016-2019	Race/Rally	N 240	60-4750	78-4755	8.20mm	40-1227	35 x 26T	DMF	700Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
BMW → MINI										
Mini Cooper 1.6ltr - Performance Organic	2001-04	Road	N 200	60-2420	70-2421	7.00mm	40-5096	21 x 18T	DMF	209Nm
Mini Cooper 1.6ltr - Performance 4/5 Paddle	2001-04	Race/Rally	N 200	60-2420	76-2421	7.00mm	40-5096	21 x 18T	DMF	270Nm
Mini Cooper 1.6ltr - Performance 6 Paddle (R50)	2001-04	Race/Rally	N 200	60-2420	77-2421	7.00mm	40-5096	21 x 18T	DMF	270Nm
Mini Cooper S 1.6ltr - Performance Organic Rigid	2002-06	Road	N 215	60-2424	71-2426	7.60mm	40-3821	25 x 14T	DMF	265Nm
Mini Cooper S 1.6ltr - Performance Organic	2002-06	Road	N 215	60-2424	70-2426	7.60mm	40-3821	25 x 14T	HF 9382	265Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle	2002-06	Race/Rally	N 215	60-2424	76-2426	7.60mm	40-3821	25 x 14T	HF 9382	350Nm
Mini Cooper S 1.6ltr - Performance 6 Paddle	2002-06	Race/Rally	N 215	60-2424	77-2426	7.60mm	40-3821	25 x 14T	HF 9382	350Nm
Mini Cooper S 1.6ltr - Performance Organic Heavy Duty	2002-06	Road	N 215	60-2428	70-2426	7.60mm	40-3821	25 x 14T	HF 9860	350Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle Heavy Duty	2002-06	Race/Rally	N 215	60-2428	76-2426	7.60mm	40-3821	25 x 14T	HF 9860	450Nm
Mini Cooper S 1.6ltr - Performance 6 Paddle Heavy Duty	2002-06	Race/Rally	N 215	60-2428	77-2426	7.60mm	40-3821	25 x 14T	HF 9860	450Nm
Mini Cooper 1.6ltr - Performance Organic	2004-06	Road	N 200	60-2420	70-2423	7.00mm	40-3821	21 x 18T	DMF	209Nm
Mini Cooper 1.6ltr - Performance 4/5 Paddle	2004-06	Race/Rally	N 200	60-2420	76-2423	7.00mm	40-3821	21 x 18T	DMF	270Nm
Mini Cooper 1.6ltr - Performance Organic	2006 →	Road	N 201	60-2438	70-2439	7.60mm	40-2441	20 x 17T	DMF	215Nm
Mini Cooper 1.6ltr - Performance 4/5 Paddle (Eng ; N12B16A)	2006 →	Race/Rally	N 201	60-2438	76-2439	7.60mm	40-2441	20 x 17T	DMF	264Nm
Mini Cooper S 1.6ltr - Performance Organic	2006 →	Road	N 228	60-2432	70-2433	7.60mm	40-2434	22.1 x 28T	HF 9230	343Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle	2006 →	Race/Rally	N 228	60-2432	76-2433	7.60mm	40-2434	22.1 x 28T	HF 9230	401Nm
Mini Cooper S 1.6ltr - Performance 6 Paddle (Eng ; N14B16)	2006 →	Race/Rally	N 228	60-2432	77-2433	7.60mm	40-2434	22.1 x 28T	HF 9230	401Nm
Mini Cooper S 1.6ltr - Performance Organic 4 Piece Clutch Kit	2006 →	Road	N 228	35-7008						
Mini Cooper S 1.6ltr - Performance 5 Paddle 4 Piece Clutch Kit	2006 →	Race/Rally	N 228	95-7008						
Mini Cooper S 1.6ltr - Performance 6 Paddle 4 Piece Clutch Kit	2006 →	Race/Rally	N 228	95-7010						
Mini Cooper S 1.6ltr - Performance Organic	2006 →	Road	A 184	63-210Y	57-1017	7.20mm	43-2434	22.1 x 28T	HF 9309	356Nm
Mini Cooper S 1.6ltr - Performance 4 Paddle	2006 →	Race/Rally	A 184	63-210Y	56-2017	7.20mm	43-2434	22.1 x 28T	HF 9309	500Nm
Mini Cooper S 1.6ltr - Performance 6 Paddle Rigid (Eng ; N14B16A)	2006 →	Race/Rally	A 184	63-210Y	49-1017	7.20mm	43-2434	22.1 x 28T	HF 9309	500Nm
Mini Cooper S 1.6ltr - Performance Organic 4 Piece Clutch Kit (R56)	2006 →	Race/Rally	N 228	95-7010						
Mini Cooper 2.0ltr - Performance Organic	2013 →	Road	N 240	60-4756	70-2440	7.60mm	40-2441	22.1 x 28T	HF 9490	500Nm
Mini Cooper 2.0ltr - Performance 4/5 Paddle	2013 →	Race/Rally	N 240	60-4756	76-2440	7.60mm	40-2441	22.1 x 28T	HF 9490	670Nm
Mini Cooper 2.0ltr - Performance 6 Paddle (Eng ; B48)	2013 →	Race/Rally	N 240	60-4756	77-2440	7.60mm	40-2441	22.1 x 28T	HF 9490	670Nm
Mini Cooper 2.0ltr - Performance Organic 4 Piece Clutch Kit (F56)	2013 →	Race/Rally	N 240	95-7009						
Mini Cooper 2.0ltr - Performance 5 Paddle 4 Piece Clutch Kit	2013 →	Race/Rally	N 240	95-7009						
Mini Cooper S 1.6ltr - Performance Organic	2009 →	Road	N 240	60-2436	70-2435	7.60mm	40-2437	22.1 x 28T	HF 9292	402Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle (4wd)	2009 →	Race/Rally	N 240	60-2436	76-2435	7.60mm	40-2437	22.1 x 28T	HF 9292	456Nm
Mini Cooper S 1.6ltr - Performance Organic	2002-06	Road	N 215	60-2442	70-2443	7.25mm	40-3821	25 x 14T	HF 9307	270Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle	2002-06	Race/Rally	N 215	60-2442	76-2443	7.25mm	40-3821	25 x 14T	HF 9307	360Nm
Mini Cooper S 1.6ltr - Performance 6 Paddle	2002-06	Race/Rally	N 215	60-2442	77-2443	7.25mm	40-3821	25 x 14T	HF 9307	360Nm
Mini Cooper S 1.6ltr - Performance Organic 4 Piece Clutch Kit	2002-06	Road	N 215	35-7007						
Mini Cooper S 1.6ltr - Performance 5 Paddle 4 Piece Clutch Kit	2002-06	Race/Rally	N 215	95-7007						
BRISTOL										
401, 402, 403, 404, 405 & 406 - Performance Organic	1952-61	Road	N 215	60-2515	70-3552	7.20mm	40-3301	1" x 10T	HF 9365	280Nm
401, 402, 403, 404, 405 & 406 - Performance 4/5 Paddle	1952-61	Race/Rally	N 215	60-2515	76-3552	7.20mm	40-3301	1" x 10T	HF 9365	380Nm
401, 402, 403, 404, 405 & 406 - Performance 6 Paddle	1952-61	Race/Rally	N 215	60-2515	77-3552	7.20mm	40-3301	1" x 10T	HF 9365	380Nm
401, 402, 403, 404, 405 & 406 - Performance 4/5 Paddle Rigid (215mm Diaphragm Spring Conversion)	1952-61	Race/Rally	N 215	60-2515	78-3552	7.20mm	40-3301	1" x 10T	HF 9365	380Nm
CATERHAM										
Sigma - Performance Organic	2007 →	Road	N 228	60-4591	70-2619/03	7.20mm	N/A	24.3 x 22T	HF 9504	255Nm
Sigma - Performance Organic Rigid	2007 →	Road	N 228	60-4591	71-2619/03	7.20mm	N/A	24.3 x 22T	HF 9504	255Nm
Sigma - Performance 4/5 Paddle	2007 →	Race/Rally	N 228	60-4591	76-2619/03	7.20mm	N/A	24.3 x 22T	HF 9504	340Nm
Sigma - Performance 6 Paddle	2007 →	Race/Rally	N 228	60-4591	77-2619/03	7.20mm	N/A	24.3 x 22T	HF 9504	340Nm
Sigma - Performance 4/5 Paddle Rigid (Mazda Gearbox)	2007 →	Race/Rally	N 228	60-4591	78-2619/03	7.20mm	N/A	24.3 x 22T	HF 9504	340Nm
Sigma - Performance Organic	2007 →	Road	N 228	60-4591	70-2619	7.20mm	N/A	25.4 x 23T	HF 9504	255Nm
Sigma - Performance Organic Rigid	2007 →	Road	N 228	60-4591	71-2619	7.20mm	N/A	25.4 x 23T	HF 9504	255Nm
Sigma - Performance 4/5 Paddle	2007 →	Race/Rally	N 228	60-4591	76-2619	7.20mm	N/A	25.4 x 23T	HF 9504	340Nm
Sigma - Performance 6 Paddle	2007 →	Race/Rally	N 228	60-4591	77-2619	7.20mm	N/A	25.4 x 23T	HF 9504	340Nm
Sigma - Performance 4/5 Paddle Rigid (Ford Gearbox)	2007 →	Race/Rally	N 228	60-4591	78-2619	7.20mm	N/A	25.4 x 23T	HF 9504	340Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
CATERHAM										
1.6ltr Ford - Performance Organic		Road	N 190	60-3329	70-1605	7.20mm	40-2483	25.4 x 23T	SMF	200Nm
1.6ltr Ford - Performance Organic Rigid		Road	N 190	60-3329	71-1605	7.20mm	40-2483	25.4 x 23T	DMF	200Nm
1.6ltr Ford - Performance 4/5 Paddle		Race/Rally	N 190	60-3329	76-1605	7.20mm	40-2483	25.4 x 23T	SMF	270Nm
1.6ltr Ford - Performance 4/5 Paddle Rigid		Race/Rally	N 190	60-3329	78-1605	7.20mm	40-2483	25.4 x 23T	DMF	270Nm
<i>(Eng ; OHC)</i>										
1.4ltr 'K' Series & 1.6ltr 'K' Series - Performance Organic		Road	N 190	60-3329	70-1605	7.20mm	40-2483	25.4 x 23T	SMF	200Nm
1.4ltr 'K' Series & 1.6ltr 'K' Series - Performance Organic Rigid		Road	N 190	60-3329	71-1605	7.20mm	40-2483	25.4 x 23T	DMF	200Nm
1.4ltr 'K' Series & 1.6ltr 'K' Series - Performance 4/5 Paddle		Race/Rally	N 190	60-3329	76-1605	7.20mm	40-2483	25.4 x 23T	SMF	270Nm
1.4ltr 'K' Series & 1.6ltr 'K' Series - Performance 4/5 Paddle Rigid		Race/Rally	N 190	60-3329	78-1605	7.20mm	40-2483	25.4 x 23T	DMF	270Nm
2.0ltr 16v Vauxhall - Performance Organic		Road	N 228	60-4626	70-4628	7.60mm	40-2482	25.4 x 23T	SMF	310Nm
2.0ltr 16v Vauxhall - Performance Organic Rigid		Road	N 228	60-4626	71-4628	7.60mm	40-2482	25.4 x 23T	DMF	310Nm
2.0ltr 16v Vauxhall - Performance 4/5 Paddle		Race/Rally	N 228	60-4626	76-4628	7.60mm	40-2482	25.4 x 23T	SMF	410Nm
2.0ltr 16v Vauxhall - Performance 6 Paddle		Race/Rally	N 228	60-4626	77-4628	7.60mm	40-2482	25.4 x 23T	SMF	410Nm
2.0ltr 16v Vauxhall - Performance 4/5 Paddle Rigid		Race/Rally	N 228	60-4626	78-4628	7.60mm	40-2482	25.4 x 23T	DMF	410Nm
<i>(Eng ; C20XE → No. 14128448)</i>										
2.0ltr 16v Vauxhall - Performance Organic		Road	N 228	60-4990	70-4628	7.60mm	40-2482	25.4 x 23T	HF 9396	300Nm
2.0ltr 16v Vauxhall - Performance Organic Rigid		Road	N 228	60-4990	71-4628	7.60mm	40-2482	25.4 x 23T	HF 9396	300Nm
2.0ltr 16v Vauxhall - Performance 4/5 Paddle		Race/Rally	N 228	60-4990	76-4628	7.60mm	40-2482	25.4 x 23T	HF 9396	410Nm
2.0ltr 16v Vauxhall - Performance 6 Paddle		Race/Rally	N 228	60-4990	77-4628	7.60mm	40-2482	25.4 x 23T	HF 9396	410Nm
2.0ltr 16v Vauxhall - Performance 4/5 Paddle Rigid		Race/Rally	N 228	60-4990	78-4628	7.60mm	40-2482	25.4 x 23T	HF 9396	410Nm
<i>(Eng ; C20XE No. 14128449 →)</i>										
1.8ltr 'K' Series - Performance Organic		Road	N 215	60-4584	70-2619	7.20mm	40-0116	25.4 x 23T	HF 9202	245Nm
1.8ltr 'K' Series - Performance Organic Rigid		Road	N 215	60-4584	71-2619	7.20mm	40-0116	25.4 x 23T	HF 9202	245Nm
1.8ltr 'K' Series - Performance 4/5 Paddle		Race/Rally	N 215	60-4584	76-2619	7.20mm	40-0116	25.4 x 23T	HF 9202	320Nm
1.8ltr 'K' Series - Performance 6 Paddle		Race/Rally	N 215	60-4584	77-2619	7.20mm	40-0116	25.4 x 23T	HF 9202	320Nm
1.8ltr 'K' Series - Performance 4/5 Paddle Rigid		Race/Rally	N 215	60-4584	78-2619	7.20mm	40-0116	25.4 x 23T	HF 9202	320Nm
<i>(Duratec)</i>										
CITROEN										
AX Sport 1.3ltr - Performance Organic Rigid	1987-95	Road	N 180	60-3703	71-4789	7.60mm	40-1748	21 x 18T	DMF	220Nm
AX Sport 1.3ltr - Performance Organic	1987-95	Road	N 180	60-3703	70-4789	7.60mm	40-1748	21 x 18T	SMF	220Nm
AX Sport 1.3ltr - Performance 4/5 Paddle	1987-95	Race/Rally	N 180	60-3703	76-4789	7.60mm	40-1748	21 x 18T	SMF	300Nm
AX Sport 1.3ltr - Performance 4/5 Paddle Rigid	1987-95	Race/Rally	N 180	60-3703	78-4789	7.60mm	40-1748	21 x 18T	DMF	300Nm
BX 1.9ltr GTI - Performance Organic	1984-89	Road	N 200	60-3867	70-3868	7.60mm	40-3869	21 x 18T	HF 9395	280Nm
BX 1.9ltr GTI - Performance 4/5 Paddle	1984-89	Race/Rally	N 200	60-3867	76-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
BX 1.9ltr GTI - Performance 6 Paddle	1984-89	Race/Rally	N 200	60-3867	77-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
BX 1.9ltr GTI - Performance 4/5 Paddle Rigid	1984-89	Race/Rally	N 200	60-3867	78-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
<i>Note; Vehicles fitted with ball pin release fork gearbox</i>										
BX 1.9ltr GTI - Performance Organic	1989-93	Road	N 200	60-3867	70-3868	7.60mm	40-1748	21 x 18T	HF 9395	280Nm
BX 1.9ltr GTI - Performance 4/5 Paddle	1989-93	Race/Rally	N 200	60-3867	76-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
BX 1.9ltr GTI - Performance 6 Paddle	1989-93	Race/Rally	N 200	60-3867	77-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
BX 1.9ltr GTI - Performance 4/5 Paddle Rigid	1989-93	Race/Rally	N 200	60-3867	78-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
<i>Note; Vehicles fitted with ball pin release fork gearbox</i>										
BX 1.9ltr 16v GTI - Performance Organic	1987-92	Road	N 215	60-4800	70-4801	7.60mm	40-3869	21 x 18T	HF 9418	290Nm
BX 1.9ltr 16v GTI - Performance 4/5 Paddle	1987-92	Race/Rally	N 215	60-4802	76-4801	7.60mm	40-3869	21 x 18T	HF 9418	386Nm
BX 1.9ltr 16v GTI - Performance 6 Paddle	1987-92	Race/Rally	N 215	60-4802	77-4801	7.60mm	40-3869	21 x 18T	HF 9418	386Nm
BX 1.9ltr 16v GTI - Performance 4/5 Paddle Rigid	1987-92	Race/Rally	N 215	60-4802	78-4801	7.60mm	40-3869	21 x 18T	HF 9418	386Nm
C1 1.0ltr - Performance Organic	2005 →	Road	N 190	60-4051	70-3831	7.60mm	N/A	22.5 x 19T	SMF	195Nm
C1 1.0ltr - Performance 4/5 Paddle	2005 →	Race/Rally	N 190	60-4052	76-3831	7.60mm	N/A	22.5 x 19T	SMF	260Nm
<i>(Eng ; 1KR-FE)</i>										
C2 1.6ltr 16v VTS - Performance Organic	2004 →	Road	N 200	60-3861	70-3873	7.00mm	40-4937	21 x 18T	HF 9469	220Nm
C2 1.6ltr 16v VTS - Performance 4/5 Paddle	2004 →	Race/Rally	N 200	60-3862	76-3873	7.00mm	40-4937	21 x 18T	HF 9469	280Nm
C2 1.6ltr 16v VTS - Performance 6 Paddle	2004 →	Race/Rally	N 200	60-3862	77-3873	7.00mm	40-4937	21 x 18T	HF 9469	280Nm
C2 1.6ltr 16v VTS - Performance 4 Paddle Rigid	2004 →	Race/Rally	N 200	60-3862	78-3873	7.00mm	40-4937	21 x 18T	HF 9469	280Nm
C2 1.6ltr 16v VTS - Performance Organic	2004 →	Race/Rally	A 184	63-210G	57-1010	7.20mm	43-4937	21 x 18T	HF 9228	324Nm
C2 1.6ltr 16v VTS - Performance 4 Paddle	2004 →	Race/Rally	A 184	63-210G	56-1010	7.20mm	43-4937	21 x 18T	HF 9228	445Nm
C2 1.6ltr 16v VTS - Performance 6 Paddle Rigid	2004 →	Race/Rally	A 184	63-210G	49-1010	7.20mm	43-4937	21 x 18T	HF 9228	445Nm
C3 II 1.6ltr HDI - Performance Organic	2009 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	SMF	340Nm
C3 II 1.6ltr HDI - Performance 4/5 Paddle	2009 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	SMF	454Nm
<i>(Eng; 9HJ, 9HP)</i>										
C4 I 2.0ltr HDI - Performance Organic	2007-09	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	SMF	340Nm
C4 I 2.0ltr HDI - Performance 4/5 Paddle	2007-09	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	SMF	454Nm
<i>(Eng; RHZ) RPO Number from 12048</i>										
C4 II 1.6ltr HDI 90 - Performance Organic	2009 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	SMF	340Nm
C4 II 1.6ltr HDI 90 - Performance 4/5 Paddle	2009 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	SMF	454Nm
<i>(Eng; 9HJ, 9HP)</i>										
C4 II 1.2ltr THP 130 - Performance Organic	2014 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
C4 II 1.2ltr THP 130 - Performance Organic Rigid	2014 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
C4 II 1.2ltr THP 130 - Performance 4/5 Paddle	2014 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
C4 II 1.2ltr THP 130 - Performance 4/5 Paddle Rigid	2014 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng; HNY)</i>										



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
CITROEN (cont)										
C5 III 1.6ltr THP 150 - Performance Organic	2010 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
C5 III 1.6ltr THP 150 - Performance Organic Rigid	2010 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
C5 III 1.6ltr THP 150 - Performance 4/5 Paddle	2010 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
C5 III 1.6ltr THP 150 - Performance 4/5 Paddle Rigid (Eng; 5FN)	2010 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
C5 III 1.6ltr THP 155 - Performance Organic	2009 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
C5 III 1.6ltr THP 155 - Performance Organic rigid	2009 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
C5 III 1.6ltr THP 155 - Performance 4/5 Paddle	2009 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
C5 III 1.6ltr THP 155 - Performance 4/5 Paddle Rigid (Eng; 5FV)	2009 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr HDI 90 - Performance Organic	2009 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	SMF	340Nm
DS3 1.6ltr HDI 90 - Performance 4/5 Paddle (Eng; 9HP) Manual 5 Speed Transmission	2009 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	SMF	454Nm
DS3 Convertible 1.6ltr HDI 90 - Performance Organic	2013 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	SMF	340Nm
DS3 Convertible 1.6ltr HDI 90 - Performance 4/5 Paddle (Eng; 9HP) Transmission Type; BE4R	2013 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	SMF	454Nm
DS3 1.6ltr THP 155 - Performance Organic	2010 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr THP 155 - Performance Organic Rigid	2010 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr THP 155 - Performance 4/5 Paddle	2010 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr THP 155 - Performance 4/5 Paddle Rigid (Eng; 5FR, 5FV)	2010 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr - Performance Organic	2012 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr - Performance Organic Rigid	2012 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr - Performance 4/5 Paddle	2012 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr - Performance 4/5 Paddle Rigid (Eng; 5FM)	2012 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr Racing - Performance Organic	2011 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr Racing - Performance Organic Rigid	2011 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr Racing - Performance 4/5 Paddle	2011 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr Racing - Performance 4/5 Paddle Rigid (Eng; 5FU, 5FD)	2011 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr Racing - Performance Organic	2011 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr Racing - Performance Organic Rigid	2011 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr Racing - Performance 4/5 Paddle	2011 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr Racing - Performance 4/5 Paddle Rigid (Eng; 5FU, 5FD)	2011 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr Convertible THP 155 - Performance Organic	2013 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr Convertible THP 155 - Performance Organic Rigid	2013 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr Convertible THP 155 - Performance 4/5 Paddle	2013 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr Convertible THP 155 - Performance 4/5 Paddle Rigid (Eng; 5FV)	2013 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr Convertible Racing - Performance Organic	2014 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr Convertible Racing - Performance Organic Rigid	2014 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr Convertible Racing - Performance 4/5 Paddle	2014 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr Convertible Racing - Performance 4/5 Paddle Rigid (Eng; 5FD)	2014 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 - Performance Organic	2010-15	Road	N 235	60-3810	70-3812	7.20mm	N/A	20 x 17T	HF 9535	370Nm
DS3 - Performance 4/5 Paddle	2010-15	Race/Rally	N 235	60-3810	76-3812	7.20mm	N/A	20 x 17T	HF 9535	370Nm
DS3 - Performance Organic	2010-15	Road	N 235	60-3810	70-3811	7.20mm	N/A	21 x 18T	HF 9535	500Nm
DS3 - Performance 4/5 Paddle (Eng; EP6DT & EP6CDT)	2010-15	Race/Rally	N 235	60-3810	76-3811	7.20mm	N/A	21 x 18T	HF 9535	500Nm
DS4 1.2ltr THP 130 - Performance Organic	2014 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS4 1.2ltr THP 130 - Performance Organic Rigid	2014 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS4 1.2ltr THP 130 - Performance 4/5 Paddle	2014 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS4 1.2ltr THP 130 - Performance 4/5 Paddle Rigid (Eng; HNV)	2014 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS4 1.6ltr THP 200 - Performance Organic	2011 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS4 1.6ltr THP 200 - Performance Organic Rigid	2011 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS4 1.6ltr THP 200 - Performance 4/5 Paddle	2011 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS4 1.6ltr THP 200 - Performance 4/5 Paddle Rigid (Eng; 5FU)	2011 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS4 1.6ltr HDI - Performance Organic	2011 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	SMF	340Nm
DS4 1.6ltr HDI - Performance 4/5 Paddle (Eng; 9HP) Transmission Type; BE4R	2011 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	SMF	454Nm
DS5 1.6ltr THP 200 - Performance Organic	2011 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS5 1.6ltr THP 200 - Performance Organic Rigid	2011 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS5 1.6ltr THP 200 - Performance 4/5 Paddle	2011 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS5 1.6ltr THP 200 - Performance 4/5 Paddle Rigid (Eng; 5FU)	2011 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
CITROEN (cont)										
DS5 1.6ltr THP 210 - Performance Organic	2014 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS5 1.6ltr THP 210 - Performance Organic Rigid	2014 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS5 1.6ltr THP 210 - Performance 4/5 Paddle	2014 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS5 1.6ltr THP 210 - Performance 4/5 Paddle Rigid	2014 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr THP 208 - Performance Organic	2015 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr THP 208 - Performance Organic Rigid	2015 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 1.6ltr THP 208 - Performance 4/5 Paddle	2015 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 1.6ltr THP 208 - Performance 4/5 Paddle Rigid	2015 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng; 5GR)</i>										
DS3 Convertible 1.6ltr THP 208 - Performance Organic	2015 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 Convertible 1.6ltr THP 208 - Performance Organic Rigid	2015 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS3 Convertible 1.6ltr THP 208 - Performance 4/5 Paddle	2015 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS3 Convertible 1.6ltr THP 208 - Performance 4/5 Paddle Rigid	2015 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng; 5GR)</i>										
DS4 Crossback 1.2ltr THP 130 - Performance Organic	2015 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS4 Crossback 1.2ltr THP 130 - Performance Organic Rigid	2015 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS4 Crossback 1.2ltr THP 130 - Performance 4/5 Paddle	2015 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS4 Crossback 1.2ltr THP 130 - Performance 4/5 Paddle Rigid	2015 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng; HNY)</i>										
DS4 Crossback 1.6ltr THP 210 - Performance Organic	2015 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS4 Crossback 1.6ltr THP 210 - Performance Organic Rigid	2015 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS4 Crossback 1.6ltr THP 210 - Performance 4/5 Paddle	2015 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS4 Crossback 1.6ltr THP 210 - Performance 4/5 Paddle Rigid	2015 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng; 5GM)</i>										
DS5 1.6ltr THP 210 - Performance Organic	2015 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS5 1.6ltr THP 210 - Performance Organic Rigid	2015 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
DS5 1.6ltr THP 210 - Performance 4/5 Paddle	2015 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
DS5 1.6ltr THP 210 - Performance 4/5 Paddle Rigid	2015 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng; 5GM)</i>										
2 CV Dyane 6 - Performance 3/4 Paddle Rigid	1982-90	Race	N 160	12-3772	78-3830	7.40mm	40-3831	20 x 18T	OEM	340Nm
C-Elysee 1.6ltr HDI 92 - Performance Organic	2012 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	SMF	340Nm
C-Elysee 1.6ltr HDI 92 - Performance 4/5 Paddle	2012 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	SMF	454Nm
<i>(Eng; 9HJ, 9HP)</i>										
Saxo 1.4ltr - Performance Organic	1996 →	Road	N 180	60-3703	70-4790	7.00mm	40-1748	21 x 18T	SMF	220Nm
Saxo 1.4ltr - Performance 4/5 Paddle	1996 →	Race/Rally	N 180	60-3703	76-4790	7.00mm	40-1748	21 x 18T	SMF	300Nm
Saxo 1.6ltr 16v VTS - Performance Organic	1996-99	Road	N 200	60-3874	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
Saxo 1.6ltr 16v VTS - Performance 4/5 Paddle	1996-99	Race/Rally	N 200	60-3872	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
Saxo 1.6ltr 16v VTS - Performance 6 Paddle	1996-99	Race/Rally	N 200	60-3872	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
Saxo 1.6ltr 16v VTS - Performance 4 Paddle Rigid	1996-99	Race/Rally	N 200	60-3872	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
<i>(Eng ; TUSJ4/L3, TUSJP/K)</i>										
Saxo 1.6ltr 16v VTS - Performance Organic	1996-99	Race/Rally	A 184	63-210G	57-1010	7.20mm	43-5967	21 x 18T	HF 9228	324Nm
Saxo 1.6ltr 16v VTS - Performance 4 Paddle	1996-99	Race/Rally	A 184	63-210G	56-1010	7.20mm	43-5967	21 x 18T	HF 9228	445Nm
Saxo 1.6ltr 16v VTS - Performance 6 Paddle Rigid	1996-99	Race/Rally	A 184	63-210G	49-1010	7.20mm	43-5967	21 x 18T	HF 9228	445Nm
<i>(Eng ; TUSJ4/L3, TUSJP/K)</i>										
Saxo 1.6ltr 16v VTS - Performance Organic	2000 →	Road	N 200	60-3861	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
Saxo 1.6ltr 16v VTS - Performance 4/5 Paddle	2000 →	Race/Rally	N 200	60-3862	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
Saxo 1.6ltr 16v VTS - Performance 6 Paddle	2000 →	Race/Rally	N 200	60-3862	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
Saxo 1.6ltr 16v VTS - Performance 4 Paddle Rigid	2000 →	Race/Rally	N 200	60-3862	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
<i>(Eng ; TUSJ4D3/L3, TUJP/L3)</i>										
<i>(Org No 8831 →)</i>										
Saxo 1.6ltr 16v VTS - Performance Organic	2000 →	Race/Rally	A 184	63-210G	57-1010	7.20mm	43-5967	21 x 18T	HF 9228	324Nm
Saxo 1.6ltr 16v VTS - Performance 4 Paddle	2000 →	Race/Rally	A 184	63-210G	56-1010	7.20mm	43-5967	21 x 18T	HF 9228	445Nm
Saxo 1.6ltr 16v VTS - Performance 6 Paddle Rigid	2000 →	Race/Rally	A 184	63-210G	49-1010	7.20mm	43-5967	21 x 18T	HF 9228	445Nm
<i>(Eng ; TUSJ4D3/L3, TUJP/L3)</i>										
<i>(Org No 8831 →)</i>										
Visa 1.6ltr GTI - Performance Organic	1984-88	Road	N 200	60-3867	70-3868	7.60mm	40-3869	21 x 18T	HF 9395	280Nm
Visa 1.6ltr GTI - Performance 4/5 Paddle	1984-88	Race/Rally	N 200	60-3867	76-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
Visa 1.6ltr GTI - Performance 5/6 Paddle	1984-88	Race/Rally	N 200	60-3867	77-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
Visa 1.6ltr GTI - Performance 4/5 Paddle Rigid	1984-88	Race/Rally	N 200	60-3867	78-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
ZX 2.0ltr 16v - Performance Organic	1992-97	Road	N 215	60-5104	70-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
ZX 2.0ltr 16v - Performance Organic Rigid	1992-97	Road	N 215	60-5104	71-5106	7.60mm	40-3215	21 x 18T	DMF	270Nm
ZX 2.0ltr 16v - Performance 4/5 Paddle	1992-97	Race/Rally	N 215	60-5105	76-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
ZX 2.0ltr 16v - Performance 6 Paddle	1992-97	Race/Rally	N 215	60-5105	77-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
ZX 2.0ltr 16v - Performance 4/5 Paddle Rigid	1992-97	Race/Rally	N 215	60-5105	78-5106	7.60mm	40-3215	21 x 18T	DMF	430Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
DACIA										
Duster 1.5ltr DCI 4x4 - Performance Organic	2010 →	Road	N 225	60-4100	70-4149	8.00mm	41-6011	24.5 x 21T	SMF	335Nm
Duster 1.5ltr DCI 4x4 - Performance Organic Rigid	2010 →	Road	N 225	60-4100	71-4149	8.00mm	41-6011	24.5 x 21T	DMF	335Nm
Duster 1.5ltr DCI 4x4 - Performance 4/5 Paddle	2010 →	Race/Rally	N 225	60-4100	76-4149	8.00mm	41-6011	24.5 x 21T	SMF	445Nm
Duster 1.5ltr DCI 4x4 - Performance 4/5 Paddle Rigid <i>(110BHP)</i>	2010 →	Race/Rally	N 225	60-4100	78-4149	8.00mm	41-6011	24.5 x 21T	DMF	445Nm
Duster 1.5ltr DCI 4x4 - Performance Organic Heavy Duty	2010 →	Road	N 225	60-4101	70-4149	8.00mm	41-6011	24.5 x 21T	SMF	375Nm
Duster 1.5ltr DCI 4x4 - Performance Organic Rigid Heavy Duty	2010 →	Road	N 225	60-4101	71-4149	8.00mm	41-6011	24.5 x 21T	DMF	375Nm
Duster 1.5ltr DCI 4x4 - Performance 4/5 Paddle Heavy Duty	2010 →	Race/Rally	N 225	60-4101	76-4149	8.00mm	41-6011	24.5 x 21T	SMF	485Nm
Duster 1.5ltr DCI 4x4 - Performance 4/5 Paddle Rigid Heavy Duty <i>(110BHP)</i>	2010 →	Race/Rally	N 225	60-4101	78-4149	8.00mm	41-6011	24.5 x 21T	DMF	485Nm
DAEWOO										
Lanos 1.6ltr - Performance Organic	1997 →	Road	N 215	60-3554	70-3555	7.60mm	N/A	20.4 x 24T	SMF	270Nm
Lanos 1.6ltr - Performance 4/5 Paddle	1997 →	Race/Rally	N 215	60-3554	76-3555	7.60mm	N/A	20.4 x 24T	SMF	360Nm
Lanos 1.6ltr - Performance Organic	1997 →	Road	N 215	60-3554	70-3556	7.60mm	N/A	22.5 x 20T	SMF	270Nm
Lanos 1.6ltr - Performance 4/5 Paddle <i>(Fitted with close ratio gearbox)</i>	1997 →	Race/Rally	N 215	60-3554	76-3556	7.60mm	N/A	22.5 x 20T	SMF	360Nm
DAIMLER										
SP 250 & Dart - Performance Organic	1959-64	Road	N 240	60-2854	70-2638	8.40mm	40-3301	1 1/4" x 10T	HF 9454	360Nm
SP 250 & Dart - Performance 4/5 Paddle	1959-64	Race/Rally	N 240	60-2854	76-2638	8.40mm	40-3301	1 1/4" x 10T	HF 9454	475Nm
SP 250 & Dart - Performance 6 Paddle	1959-64	Race/Rally	N 240	60-2854	77-2638	8.40mm	40-3301	1 1/4" x 10T	HF 9454	475Nm
SP 250 & Dart - Performance 4/5 Paddle Rigid	1959-64	Race/Rally	N 240	60-2854	78-2638	8.40mm	40-3301	1 1/4" x 10T	HF 9454	475Nm
DELAHAYE										
135 - Performance Organic Light Weight <i>(240mm Diaphragm Spring Conversion)</i>	1936-52	Road	N 240	60-2854	70-3378	8.40mm	40-3319	29 x 10T	HF 9237	475Nm
135 - Performance Organic Heavy <i>(240mm Diaphragm Spring Conversion)</i>	1936-52	Road	N 240	60-2854	70-3378	8.40mm	40-3302	29 x 10T	HF 9237 A	475Nm
135 - Performance Organic <i>(250mm Diaphragm Spring Conversion)</i>	1936-52	Road	N 250	N/A	70-3362	8.40mm	40-3302	29 x 10T	HF 9354	N/A



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
FERRARI										
166 Inter - Performance Organic	1949-51	Road	N 215	60-3331	70-1524	7.20mm	N/A	1" x 6T	OE	280Nm
166 Inter - Performance 4/5 Paddle <i>(2.0ltr V12)</i> <i>(Diaphragm Spring Conversion)</i>	1949-51	Race/Rally	N 215	60-3331	76-1524	7.20mm	N/A	1" x 6T	OE	380Nm
208 GT4 - Performance Organic	1973-80	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	OE	360Nm
208 GT4 - Performance 4/5 Paddle	1973-80	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
208 GT4 - Performance 6 Paddle	1973-80	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
208 GT4 - Performance 4/5 Paddle Rigid	1973-80	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
208 GTB/GTS - Performance Organic	1983	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	OE	360Nm
208 GTB/GTS - Performance 4/5 Paddle	1983	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
208 GTB/GTS - Performance 6 Paddle	1983	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
208 GTB/GTS - Performance 4/5 Paddle Rigid	1983	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
246 GT - Performance Organic	1969-74	Road	N 230	60-2183	70-2184	7.60mm	40-2185	25" x 22T	HF 9327	381Nm
246 GT - Performance 4/5 Paddle	1969-74	Race/Rally	N 230	60-2183	76-2184	7.60mm	40-2185	25" x 22T	HF 9327	509Nm
250 GT - Performance Organic	1959-62	Road	N 228	60-2762	70-1526	9.20mm	40-3297	1" x 6T	HF 9327	330Nm
250 GT - Performance 4/5 Paddle <i>(Diaphragm Spring Conversion)</i>	1959-62	Race/Rally	N 228	60-2762	76-1526	9.20mm	40-3297	1" x 6T	HF 9327	440Nm
250 GT - Performance Organic	1959-62	Road	N 228	60-2762	70-1528	9.20mm	40-3297	29 x 10T	HF 9327	330Nm
250 GT - Performance 4/5 Paddle <i>(Diaphragm Spring conversion)</i>	1959-62	Race/Rally	N 228	60-2762	76-1528	9.20mm	40-3297	29 x 10T	HF 9327	440Nm
250 GTO - Performance Organic	1959-62	Road	N 228	60-2762	70-1528GTO	9.20mm	40-3297	29 x 10T	HF 9327	330Nm
250 GTO - Performance 4/5 Paddle <i>(Diaphragm Spring conversion)</i>	1959-62	Race/Rally	N 228	60-2762	76-1528GTO	9.20mm	40-3297	29 x 10T	HF 9327	440Nm
275 GTB4 - Performance Organic	1967-68	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	OE	360Nm
275 GTB4 - Performance 4/5 Paddle	1967-68	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
275 GTB4 - Performance 6 Paddle	1967-68	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
275 GTB4 - Performance 6 Paddle Rigid	1967-68	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
308 GT4 - Performance Organic	1973-80	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	360Nm
308 GT4 - Performance 4/5 Paddle	1973-80	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
308 GT4 - Performance 6 Paddle	1973-80	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
308 GT4 - Performance 4/5 Paddle Rigid	1973-80	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
308 GT Spider - Performance Organic	1977-85	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	360Nm
308 GT Spider - Performance 4/5 Paddle	1977-85	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
308 GT Spider - Performance 6 Paddle	1977-85	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
308 GT Spider - Performance 4/5 Paddle Rigid	1977-85	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
365 GTC/GTS - Performance Organic	1973-85	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	OE	360Nm
365 GTC/GTS - Performance 4/5 Paddle	1973-85	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTC/GTS - Performance 6 Paddle	1973-85	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTC/GTS - Performance 4/5 Paddle Rigid	1973-85	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
308 GTB/GTS - Performance Organic	1983-85	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	360Nm
308 GTB/GTS - Performance 4/5 Paddle	1983-85	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
308 GTB/GTS - Performance 6 Paddle	1983-85	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
308 GTB/GTS - Performance 4/5 Paddle Rigid	1983-85	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9328	470Nm
328 GTB/SI Turbo - Performance Organic	1986-89	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	OE	360Nm
328 GTB/SI Turbo - Performance 4/5 Paddle	1986-89	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
328 GTB/SI Turbo - Performance 6 Paddle	1986-89	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
328 GTB/SI Turbo - Performance 4/5 Paddle Rigid	1986-89	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
330 GT - Performance Organic <i>(4 Speed + Overdrive)</i> <i>(Diaphragm Spring Conversion)</i>	1963-64	Road	N 254	60-2859	70-2763	8.40mm	N/A	29 x 10T	HF 9336	386Nm
330 GT & 2+2 - Performance Organic	1965-69	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9336	360Nm
330 GT & 2+2 - Performance 4/5 Paddle	1965-69	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9336	470Nm
330 GT & 2+2 - Performance 6 Paddle	1965-69	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9336	470Nm
330 GT & 2+2 - Performance 4/5 Paddle Rigid	1965-69	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9336	470Nm
330 GTC/GTS - Performance Organic	1965-69	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9336	360Nm
330 GTC/GTS - Performance 4/5 Paddle	1965-69	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9336	470Nm
330 GTC/GTS - Performance 6 Paddle	1965-69	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9336	470Nm
330 GTC/GTS - Performance 4/5 Paddle Rigid	1965-69	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	HF 9336	470Nm
365 GTB - Performance Organic	1968-71	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	OE	360Nm
365 GTB - Performance 4/5 Paddle	1968-71	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTB - Performance 6 Paddle	1968-71	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTB - Performance 4/5 Paddle Rigid	1968-71	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTC4 - Performance Organic	1971-78	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	OE	360Nm
365 GTC4 - Performance 4/5 Paddle	1971-78	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTC4 - Performance 6 Paddle	1971-78	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTC4 - Performance 4/5 Paddle Rigid	1971-78	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
FERRARI (cont)										
365 GTC/GTS - Performance Organic	1971-78	Road	N 240	60-2759	70-2638	8.40mm	40-5000	1 1/4" x 10T	OE	360Nm
365 GTC/GTS - Performance 4/5 Paddle	1971-78	Race/Rally	N 240	60-2759	76-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTC/GTS - Performance 6 Paddle	1971-78	Race/Rally	N 240	60-2759	77-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
365 GTC/GTS - Performance 4/5 Paddle Rigid	1971-78	Race/Rally	N 240	60-2759	78-2638	8.40mm	40-5000	1 1/4" x 10T	OE	470Nm
348 - Performance Twin Organic Rigid <i>(Eng ; → 24980) (Use bearing guide tube fom 355) (Ø215mm Twin Plate Clutch)</i>	1989-95	Road	A 215	60-5010	71-5011 71-5012	7.20mm 7.20mm	40-5013	1 3/8" x10T	OE	685Nm
348 - Performance Twin 4/5 Paddle Rigid <i>(Eng ; → 24980) (Use bearing guide tube fom 355) (Ø215mm Twin Plate Clutch)</i>	1989-95	Race/Rally	A 215	60-5010	78-5011 78-5012	7.20mm 7.20mm	40-5013	1 3/8" x10T	OE	913Nm
348 - Standard Organic Rigid	1989-95	Road	N 240	12-7003	71-3522	7.60mm	40-5013	1 3/8" x 10T	OE	350Nm
348 - Performance Organic Rigid	1989-95	Road	N 240	60-7003	71-3522	7.60mm	40-5013	1 3/8" x 10T	OE	450Nm
348 - Performance 4/5 Paddle Rigid <i>(Eng ; 24981 →) (Use bearing guide tube from 355) (Ø240mm Single Plate Clutch)</i>	1989-95	Race/Rally	N 240	60-7003	78-3522	7.60mm	40-5013	1 3/8" x 10T	OE	600Nm
355 - Standard Organic Rigid	1994-99	Road	N 247	12-7001	71-3523	8.40mm	40-5013	1 3/8" x 10T	OE	360Nm
355 - Performance Organic Rigid	1994-99	Road	N 247	60-7001	71-3523	8.40mm	40-5013	1 3/8" x 10T	OE	454Nm
355 - Performance 4/5 Paddle Rigid <i>(6 bolt ring gear fixing)</i>	1994-99	Race/Rally	N 247	60-7001	78-3523	8.40mm	40-5013	1 3/8" x 10T	OE	600Nm
355 Challenge - Performance 4/5 Paddle Rigid	1997-99	Race	N 247	60-7001	78-3523	8.40mm	40-5013	1 3/8" x10T	OE	600Nm
360 Challenge - Standard Organic	2000-05	Road	N 247	12-7002	70-3524	8.40mm	40-5014	28 x 25T	HF 9318	360Nm
360 Challenge - Performance Organic	2000-05	Road	N 247	60-7002	70-3524	8.40mm	40-5014	28 x 25T	HF 9318	454Nm
360 Challenge - Performance 4/5 Paddle	2000-05	Race/Rally	N 247	60-7002	76-3524	8.40mm	40-5014	28 x 25T	HF 9318	600Nm
360 Challenge - Performance 4/5 Paddle Rigid	2000-05	Race/Rally	N 247	60-7002	78-3524	8.40mm	40-5014	28 x 25T	HF 9318	600Nm
512 BB / 512 BBI - Performance Twin Organic <i>(Interplate HF 9302)</i>	1976-82	Road	N 215	60-2634	70-2635 71-2635	7.20mm 7.20mm	40-2639	1 1/4" x 10T	OE	280Nm
512 BB / 512 BBI - Performance Twin 4/5 Paddle <i>(Interplate HF 9302)</i>	1976-82	Race	N 215	60-2634	76-2635 78-2635	7.20mm 7.20mm	40-2639	1 1/4" x 10T	OE	380Nm
Testarossa - Performance Twin Organic <i>(Interplate HF 9301)</i>	1984-91	Road	N 240	60-2644	70-2640 71-2641	8.20mm 8.20mm	40-2643	1 1/8" x 10T	OE	357Nm
Testarossa - Performance Twin 4/5 Paddle <i>(Interplate HF 9301)</i>	1984-91	Race	N 240	60-2644	76-2640 78-2641	8.20mm 8.20mm	40-2643	1 1/8" x 10T	OE	475Nm
Testarossa - Performance Twin Organic <i>(Interplate HF 9301)</i>	1990-92	Road	N 240	60-2644	70-2645 71-2646	8.20mm 8.20mm	40-2643	1 3/8" x 10T	OE	357Nm
Testarossa - Performance Twin 4/5 Paddle <i>(Interplate HF 9301)</i>	1990-92	Race	N 240	60-2644	76-2645 78-2646	8.20mm 8.20mm	40-2643	1 3/8" x 10T	OE	475Nm
121 LM - Performance Twin Organic	1955	Road	N 215	69-120R	71-3063 71-3063	7.20mm 7.20mm	N/A	30.1 x 6T	HF 9357	700Nm
121 LM - Performance Twin 6 Paddle	1955	Race	N 215	69-120R	78-3163 78-3163	7.20mm 7.20mm	N/A	30.1 x 6T	HF 9357	950Nm
750 - Performance Twin Organic	1954-55	Road	N 215	69-120R	71-3051 71-3051	7.20mm 7.20mm	N/A	1" x 6T	HF 9268	700Nm
750 - Performance Twin 6 Paddle	1954-55	Race	N 215	69-120R	78-3151 78-3151	7.20mm 7.20mm	N/A	1" x 6T	HF 9268	950Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
FIAT										
Strada 1.1ltr & 1.3ltr - Performance Organic	1982-88	Road	N 180	60-2402	70-3950	7.60mm	40-2404	20 x 17T	SMF	180Nm
Strada 1.1ltr & 1.3ltr - Performance 4 Paddle	1982-88	Race/Rally	N 180	60-2402	76-3950	7.60mm	40-2404	20 x 17T	SMF	250Nm
Strada 1.1ltr & 1.3ltr - Performance 4 Paddle Rigid	1982-88	Race/Rally	N 180	60-2402	78-3950	7.60mm	40-2404	20 x 17T	SMF	250Nm
Strada 1.5ltr - Performance Organic	1983-88	Road	N 190	60-4894	70-2406	7.60mm	40-2404	20 x 17T	SMF	190Nm
Strada 1.5ltr - Performance 4/5 Paddle	1983-88	Race/Rally	N 190	60-4894	76-2406	7.60mm	40-2404	20 x 17T	SMF	250Nm
Strada 125 & 130 TC - Performance Organic	1981-88	Road	N 215	60-2182	70-1948	7.60mm	40-1036	22.5 x 20T	SMF	270Nm
Strada 125 & 130 TC - Performance Organic Rigid	1981-88	Road	N 215	60-2182	71-1948	7.60mm	40-1036	22.5 x 20T	SMF	270Nm
Strada 125 & 130 TC - Performance 4/5 Paddle	1981-88	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-1036	22.5 x 20T	SMF	361Nm
Strada 125 & 130 TC - Performance 6 Paddle	1981-88	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1036	22.5 x 20T	SMF	361Nm
Strada 125 & 130 TC - Performance 5/6 Paddle Rigid	1981-88	Race/Rally	N 215	60-2182	78-1948	7.60mm	40-1036	22.5 x 20T	SMF	361Nm
UNO 70 1.3ltr Turbo - Performance Organic	1985-90	Road	N 190	60-4894	70-4895	7.60mm	40-2404	20 x 17T	SMF	190Nm
UNO 70 1.3ltr Turbo - Performance 4/5 Paddle	1985-90	Race/Rally	N 190	60-4894	76-4895	7.60mm	40-2404	20 x 17T	SMF	250Nm
Note; (Chassis No → 7130388)										
UNO 70 1.3ltr Turbo - Performance Organic	1985-90	Road	N 190	60-4894	70-3238	7.40mm	40-2107	22.5 x 20T	SMF	190Nm
UNO 70 1.3ltr Turbo - Performance 4/5 Paddle	1985-90	Race/Rally	N 190	60-4894	76-3238	7.40mm	40-2107	22.5 x 20T	SMF	250Nm
UNO 70 1.3ltr Turbo - Performance 4/5 Paddle Rigid	1985-90	Race/Rally	N 190	60-4894	78-3238	7.40mm	40-2107	22.5 x 20T	SMF	250Nm
Note; (Chassis No 7130389 →)										
UNO 1.4ltr Turbo - Performance Organic	1990-94	Road	N 200	60-1207	70-1947	7.20mm	40-2107	22.5 x 20T	SMF	218Nm
UNO 1.4ltr Turbo - Performance 4/5 Paddle	1990-94	Race/Rally	N 200	60-1207	76-1947	7.20mm	40-2107	22.5 x 20T	SMF	270Nm
UNO 1.4ltr Turbo - Performance 4/5 Paddle Rigid	1990-94	Race/Rally	N 200	60-1207	78-1947	7.20mm	40-2107	22.5 x 20T	SMF	270Nm
124 Coupe & Spider - Performance Organic	1969-72	Road	N 200	60-1207	70-1947	7.20mm	40-1036	22.5 x 20T	SMF	218Nm
124 Coupe & Spider - Performance 4/5 Paddle	1969-72	Race/Rally	N 200	60-1207	76-1947	7.20mm	40-1036	22.5 x 20T	SMF	270Nm
124 Coupe & Spider - Performance 4/5 Paddle Rigid	1969-72	Race/Rally	N 200	60-1207	78-1947	7.20mm	40-1036	22.5 x 20T	SMF	270Nm
124BC Sport - Performance Organic	1970-72	Road	N 215	60-2182	70-1948	7.60mm	40-1052	22.5 x 20T	SMF	270Nm
124BC Sport - Performance Organic Rigid	1970-72	Road	N 215	60-2182	71-1948	7.60mm	40-1052	22.5 x 20T	SMF	270Nm
124BC Sport - Performance 4/5 Paddle	1970-72	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
124BC Sport - Performance 6 Paddle	1970-72	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
124BC Sport - Performance 4/5 Paddle Rigid (1608cc)	1970-72	Race/Rally	N 215	60-2182	78-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
128 1.3ltr - Performance Organic	1971-76	Road	N 180	60-2402	70-3950	7.60mm	40-2404	20 x 17T	SMF	180Nm
128 1.3ltr - Performance 4/5 Paddle	1971-76	Race/Rally	N 180	60-2402	76-3950	7.60mm	40-2404	20 x 17T	SMF	250Nm
128 1.3ltr - Performance 4/5 Paddle Rigid	1971-76	Race/Rally	N 180	60-2402	78-3950	7.60mm	40-2404	20 x 17T	SMF	250Nm
131 Mirafiori 1.3ltr - Performance Organic	1974-83	Road	N 180	60-2402	70-1949	7.60mm	40-1036	22.5 x 20T	SMF	180Nm
131 Mirafiori 1.3ltr - Performance 4/5 Paddle	1974-83	Race/Rally	N 180	60-2402	76-1949	7.60mm	40-1036	22.5 x 20T	SMF	250Nm
131 Mirafiori 1.6ltr - Performance Organic	1974-83	Road	N 215	60-1207	70-1947	7.20mm	40-1036	22.5 x 20T	SMF	218Nm
131 Mirafiori 1.6ltr - Performance 4/5 Paddle	1974-83	Race/Rally	N 215	60-1207	76-1947	7.20mm	40-1036	22.5 x 20T	SMF	270Nm
131 Sport 2.0ltr - Performance Organic	1978-83	Road	N 215	60-2182	70-1948	7.60mm	40-1036	22.5 x 20T	HF 9273	270Nm
131 Sport 2.0ltr - Performance Organic Rigid	1978-83	Road	N 215	60-2182	71-1948	7.60mm	40-1036	22.5 x 20T	HF 9273	270Nm
131 Sport 2.0ltr - Performance 4/5 Paddle	1978-83	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-1036	22.5 x 20T	HF 9273	361Nm
131 Sport 2.0ltr - Performance 6 Paddle	1978-83	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1036	22.5 x 20T	HF 9273	361Nm
131 Sport 2.0ltr - Performance 5/6 Paddle Rigid (10.25mm Crank Holes)	1978-83	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1036	22.5 x 20T	HF 9273	361Nm
131 Sport 2.0ltr - Performance Organic	1978-83	Road	N 215	60-2182	70-1948	7.60mm	40-1036	22.5 x 20T	HF 9273 A	270Nm
131 Sport 2.0ltr - Performance Organic Rigid	1978-83	Road	N 215	60-2182	71-1948	7.60mm	40-1036	22.5 x 20T	HF 9273 A	270Nm
131 Sport 2.0ltr - Performance 4/5 Paddle	1978-83	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-1036	22.5 x 20T	HF 9273 A	361Nm
131 Sport 2.0ltr - Performance 6 Paddle	1978-83	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1036	22.5 x 20T	HF 9273 A	361Nm
131 Sport 2.0ltr - Performance 5/6 Paddle Rigid (12.25mm Crank Holes)	1978-83	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1036	22.5 x 20T	HF 9273 A	361Nm
131 Sport 2.0ltr - Performance Organic	1974-83	Road	N 215	60-2182	70-1948	7.60mm	40-1052	22.5 x 20T	SMF	270Nm
131 Sport 2.0ltr - Performance Organic Rigid	1974-83	Road	N 215	60-2182	71-1948	7.60mm	40-1052	22.5 x 20T	SMF	270Nm
131 Sport 2.0ltr - Performance 4/5 Paddle	1974-83	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
131 Sport 2.0ltr - Performance 6 Paddle	1974-83	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
131 Sport 2.0ltr - Performance 5/6 Paddle Rigid	1974-83	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
131 Mirafiori - Performance Organic	1974-83	Road	N 215	60-2182	70-1948	7.60mm	40-1052	22.5 x 20T	SMF	270Nm
131 Mirafiori - Performance Organic Rigid	1974-83	Road	N 215	60-2182	71-1948	7.60mm	40-1052	22.5 x 20T	SMF	270Nm
131 Mirafiori - Performance 4/5 Paddle	1974-83	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
131 Mirafiori - Performance 6 Paddle	1974-83	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
131 Mirafiori - Performance 5/6 Paddle Rigid	1974-83	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-1052	22.5 x 20T	SMF	361Nm
500 - Performance Organic Rigid	1965-76	Road	N 160	60-2881	71-1203	7.20mm	40-1212	17.3 x 20T	OE	218Nm
500 - Performance 4/5 Paddle Rigid	1965-76	Race/Rally	N 160	60-2881	78-1203	7.20mm	40-1212	17.3 x 20T	OE	265Nm
850 - Performance Organic Rigid	1965-84	Road	N 160	60-2881	71-1203	7.20mm	40-1033	17.3 x 20T	OE	218Nm
850 - Performance 4/5 Paddle Rigid	1965-84	Race/Rally	N 160	60-2881	78-1203	7.20mm	40-1033	17.3 x 20T	OE	265Nm
Abarth 1000 GT Bialbero - Performance Organic Rigid		Road	N 160	60-2881	71-1203	7.20mm	40-1033	17.3 x 20T	OE	218Nm
Abarth 1000 GT Bialbero - Performance 4/5 Paddle Rigid		Race/Rally	N 160	60-2881	78-1203	7.20mm	40-1033	17.3 x 20T	OE	265Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
FIAT										
Brava 1.8ltr GT 16v - Performance Organic	1995-01	Road	N 215	60-6089	70-6085	7.60mm	40-2107	22.5 x 20T	OE	254Nm
Brava 1.8ltr GT 16v - Performance 4/5 Paddle	1995-01	Race/Rally	N 215	60-6089	76-6085	7.60mm	40-2107	22.5 x 20T	OE	317Nm
Brava 1.8ltr GT 16v - Performance 6 Paddle	1995-01	Race/Rally	N 215	60-6089	77-6085	7.60mm	40-2107	22.5 x 20T	OE	317Nm
Brava 1.8ltr GT 16v - Performance 5/6 Paddle Rigid	1995-01	Race/Rally	N 215	60-6089	78-6085	7.60mm	40-2107	22.5 x 20T	OE	317Nm
Brava 1.9ltr JTD 105 - Performance Organic (Eng ; 182B4)	1999-01	Road	N 230	60-3225	70-3223	8.00mm	40-2404	22.5 x 20T	OE	324Nm
Bravo 2.0ltr HGT 20v - Performance Organic	1995-01	Road	N 230	60-3216	70-3221	7.60mm	40-2107	22.5 x 20T	OE	275Nm
Bravo 2.0ltr HGT 20v - Performance 4/5 Paddle	1995-01	Race/Rally	N 230	60-3216	76-3221	7.60mm	40-2107	22.5 x 20T	OE	351Nm
Bravo 2.0ltr HGT 20v - Performance 6 Paddle	1995-01	Race/Rally	N 230	60-3216	77-3221	7.60mm	40-2107	22.5 x 20T	OE	351Nm
Bravo 2.0ltr HGT 20v - Performance 5/6 Paddle Rigid	1995-01	Race/Rally	N 230	60-3216	78-3221	7.60mm	40-2107	22.5 x 20T	OE	351Nm
Punto 1.4ltr GT Turbo - Performance Organic	1993-99	Road	N 215	60-6083	70-6085	7.60mm	40-2107	22.5 x 20T	HF 9215	280Nm
Punto 1.4ltr GT Turbo - Performance 4/5 Paddle	1993-99	Race/Rally	N 215	60-6084	76-6085	7.60mm	40-2107	22.5 x 20T	HF 9215	380Nm
Punto 1.4ltr GT Turbo - Performance 6 Paddle	1993-99	Race/Rally	N 215	60-6084	77-6085	7.60mm	40-2107	22.5 x 20T	HF 9215	380Nm
Punto 1.4ltr GT Turbo - Performance 5/6 Paddle Rigid	1993-99	Race/Rally	N 215	60-6084	78-6085	7.60mm	40-2107	22.5 x 20T	HF 9215	380Nm
Punto 1.8ltr HGT 16v - Performance Organic	1999 →	Road	N 215	60-6087	70-6085	7.60mm	40-2107	22.5 x 20T	OE	254Nm
Punto 1.8ltr HGT 16v - Performance 4/5 Paddle	1999 →	Race/Rally	N 215	60-6087	76-6085	7.60mm	40-2107	22.5 x 20T	OE	317Nm
Punto 1.8ltr HGT 16v - Performance 6 Paddle	1999 →	Race/Rally	N 215	60-6087	77-6085	7.60mm	40-2107	22.5 x 20T	OE	317Nm
Punto 1.8ltr HGT 16v - Performance 5/6 Paddle Rigid	1999 →	Race/Rally	N 215	60-6087	78-6085	7.60mm	40-2107	22.5 x 20T	OE	317Nm
Punto Abarth 1.4ltr Turbo - Performance Organic	2007 →	Road	N 215	60-5300	70-5301	7.70mm	41-5303	22.5 x 20T	OE	300Nm
Punto Abarth 1.4ltr Turbo - Performance Organic Rigid	2007 →	Road	N 215	60-5300	71-5301	7.70mm	41-5303	22.5 x 20T	OE	300Nm
Punto Abarth 1.4ltr Turbo - Performance 4/5 Paddle	2007 →	Race/Rally	N 215	60-5300	76-5301	7.70mm	41-5303	22.5 x 20T	OE	400Nm
Punto Abarth 1.4ltr Turbo - Performance 6 Paddle	2007 →	Race/Rally	N 215	60-5300	77-5301	7.70mm	41-5303	22.5 x 20T	OE	400Nm
Punto Abarth 1.4ltr Turbo - Performance 5/6 Paddle Rigid (Gearbox ; 6M)	2007 →	Race/Rally	N 215	60-5300	78-5301	7.70mm	41-5303	22.5 x 20T	OE	400Nm
Coupe 2.0ltr 16v Turbo - Performance Organic	1993-96	Road	N 235	60-4448	70-4451	7.60mm	40-Included	22.5 x 20T	OE	380Nm
Coupe 2.0ltr 20v Turbo - Performance 4/5 Paddle	1996-00	Race/Rally	N 235	60-4450	76-4451	7.60mm	40-Included	22.5 x 20T	OE	510Nm
Seicento Sporting 1.1ltr - Performance Organic	1998 →	Road	N 180	60-3952	70-3953	7.60mm	40-3954	17.3 x 20T	OE	171Nm
Seicento Sporting 1.1ltr - Performance 4/5 Paddle	1998 →	Race/Rally	N 180	60-3952	76-3953	7.60mm	40-3954	17.3 x 20T	OE	220Nm
Seicento Sporting 1.1ltr - Performance 4/5 Paddle Rigid (Gearbox ; 514)	1998 →	Race/Rally	N 180	60-3952	78-3953	7.60mm	40-3954	17.3 x 20T	OE	220Nm
Seicento Sporting 1.1ltr - Performance Organic	1998 →	Road	N 180	60-3956	70-3953	7.60mm	40-2303	17.3 x 20T	OE	160Nm
Seicento Sporting 1.1ltr - Performance 4/5 Paddle	1998 →	Race/Rally	N 180	60-3956	76-3953	7.60mm	40-2303	17.3 x 20T	OE	213Nm
Seicento Sporting 1.1ltr - Performance 4/5 Paddle Rigid (Gearbox ; 526)	1998 →	Race/Rally	N 180	60-3956	78-3953	7.60mm	40-2303	17.3 x 20T	OE	213Nm
Stilo 1.4ltr 16v - Performance Organic	2001 →	Road	N 200	60-1206	70-6093	8.00mm	40-6094	17.3 x 20T	OE	242Nm
Stilo 1.4ltr 16v - Performance 4/5 Paddle	2001 →	Race/Rally	N 200	60-1206	76-6093	8.00mm	40-6094	17.3 x 20T	OE	333Nm
Stilo 1.8ltr 16v - Performance Organic	2001 →	Road	N 230	60-6090	70-6091	8.00mm	40-6092	22.5 x 20T	OE	254Nm
Stilo 1.8ltr 16v - Performance 4/5 Paddle	2001 →	Race/Rally	N 230	60-6090	76-6091	8.00mm	40-6092	22.5 x 20T	OE	317Nm
500 Abarth 1.4ltr 16v - Performance Organic	2009 →	Road	N 215	60-5300	70-5301	7.70mm	41-5303	22.5 x 20T	HF 9262	300Nm
500 Abarth 1.4ltr 16v - Performance Organic Rigid	2009 →	Road	N 215	60-5300	71-5301	7.70mm	41-5303	22.5 x 20T	HF 9262	300Nm
500 Abarth 1.4ltr 16v - Performance 4/5 Paddle	2009 →	Race/Rally	N 215	60-5300	76-5301	7.70mm	41-5303	22.5 x 20T	HF 9262	400Nm
500 Abarth 1.4ltr 16v - Performance 6 Paddle	2009 →	Race/Rally	N 215	60-5300	77-5301	7.70mm	41-5303	22.5 x 20T	HF 9262	400Nm
500 Abarth 1.4ltr 16v - Performance 5/6 Paddle Rigid	2009 →	Race/Rally	N 215	60-5300	78-5301	7.70mm	41-5303	22.5 x 20T	HF 9262	400Nm
500 Abarth 1.4ltr 16v - Performance 4/5 Paddle (Race series → 032GM gearbox)	2009 →	Race/Rally	N 215	60-5300	76-5301 A	7.70mm	41-5304	22 x 20T	HF 9262	400Nm
X19 1.5Ltr - Performance Organic	1978-82	Road	N 190	60-4894	70-4895	7.60mm	40-2404	20 x 17T	HF 9275	190Nm
X19 1.5Ltr - Performance 4/5 Paddle	1978-82	Race/Rally	N 190	60-4894	76-4895	7.60mm	40-2404	20 x 17T	HF 9275	250Nm
124 Spider 1.4Ltr - Performance Organic	2016 →	Road	N 215	60-5300 A	70-5301/01	7.70mm	40-5302	25.4 x 23T	SMF	300Nm
124 Spider 1.4Ltr - Performance Organic Rigid	2016 →	Road	N 215	60-5300 A	71-5301/01	7.70mm	40-5302	25.4 x 23T	DMF	300Nm
124 Spider 1.4Ltr - Performance 4/5 Paddle	2016 →	Race/Rally	N 215	60-5300 A	76-5301/01	7.70mm	40-5302	25.4 x 23T	SMF	400Nm
124 Spider 1.4Ltr - Performance 6 Paddle	2016 →	Race/Rally	N 215	60-5300 A	77-5301/01	7.70mm	40-5302	25.4 x 23T	SMF	400Nm
124 Spider 1.4Ltr - Performance 5/6 Paddle Rigid	2016 →	Race/Rally	N 215	60-5300 A	78-5301/01	7.70mm	40-5302	25.4 x 23T	DMF	400Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
FORD										
Mustang V8 - Performance 4/5 Paddle	1963 →	Race/Rally	N 240	60-4709	76-5002	8.40mm	40-3156	11/16" x 10T	HF 9403	590Nm
Mustang V8 - Performance 4/5 Paddle	1963 →	Race/Rally	N 240	60-4709	76-5001	8.40mm	40-3156	1 5/32 x 26T	HF 9403	590Nm
Mustang V8 - Performance 5/6 Paddle (240mm Conversion - Eng; 289)	1963 →	Race/Rally	N 240	60-4709	77-5001	8.40mm	40-3156	1 5/32 x 26T	HF 9403	590Nm
Mustang V8 - Performance Organic	1965-73	Road	N 240	60-4708	70-5002	8.40mm	40-3297	11/16" x 10T	OE	445Nm
Mustang V8 - Performance 4/5 Paddle (9 1/2" / 240mm Diaphragm Spring Conversion For 10" Coil Spring Clutch) (Flywheel Needs Redrilling)	1965-73	Race/Rally	N 240	60-4709	76-5002	8.40mm	40-3297	11/16" x 10T	OE	590Nm
Mustang V8 - Performance 4/5 Paddle (9 1/2" / 240mm Diaphragm Spring Conversion For 10" Coil Spring Clutch) (Flywheel Needs Redrilling)	1966-84	Race/Rally	N 240	60-4709	76-5002	8.40mm	40-3297	11/16" x 10T	OE	590Nm
Capri 3.0ltr V6 - Performance Organic	1971-81	Road	N 240	60-2861	70-3494	8.40mm	40-2482	25.4 x 23T	SMF	446Nm
Capri 3.0ltr V6 - Performance 4/5 Paddle	1971-81	Race/Rally	N 240	60-2861	76-3494	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
Escort Mexico Mk1 1.6ltr - Performance Organic	1970-73	Road	N 190	60-2490	70-1606	7.20mm	40-3257	22.5 x 20T	SMF	190Nm
Escort Mexico Mk1 1.6ltr - Performance 4/5 Paddle (Chassis No → NJ80364)	1970-73	Race/Rally	N 190	60-2490	76-1606	7.20mm	40-3257	22.5 x 20T	SMF	250Nm
Escort Mexico Mk1 1.6ltr - Performance Organic	1973-75	Road	N 190	60-1012	70-1606	7.20mm	40-3259	22.5 x 20T	SMF	177Nm
Escort Mexico Mk1 1.6ltr - Performance 4/5 Paddle (Chassis No NJ80365 →)	1973-75	Race/Rally	N 190	60-1012	76-1606	7.20mm	40-3259	22.5 x 20T	SMF	215Nm
Escort Twin Cam 1558 - Performance Organic	1968-71	Road	N 215	60-2842	70-1340	7.20mm	40-3259	22.5 x 20T	SMF	270Nm
Escort Twin Cam 1558 - Performance Organic Rigid	1968-71	Road	N 215	60-2842	71-1340	7.20mm	40-3259	22.5 x 20T	SMF	270Nm
Escort Twin Cam 1558 - Performance 4/5 Paddle	1968-71	Race/Rally	N 215	60-2842	76-1340	7.20mm	40-3259	22.5 x 20T	SMF	360Nm
Escort Twin Cam 1558 - Performance 4/5 Paddle Rigid	1968-71	Race/Rally	N 215	60-2842	78-1340	7.20mm	40-3259	22.5 x 20T	SMF	360Nm
Escort RS 1600 Mk1 - Performance Organic	1970-73	Road	N 215	60-2846	70-1340	7.20mm	40-3257	22.5 x 20T	SMF	270Nm
Escort RS 1600 Mk1 - Performance Organic Rigid	1970-73	Road	N 215	60-2846	71-1340	7.20mm	40-3257	22.5 x 20T	SMF	270Nm
Escort RS 1600 Mk1 - Performance 4/5 Paddle	1970-73	Race/Rally	N 215	60-2846	76-1340	7.20mm	40-3257	22.5 x 20T	SMF	360Nm
Escort RS 1600 Mk1 - Performance 4/5 Paddle Rigid (Chassis No → NJ80364)	1970-73	Race/Rally	N 215	60-2846	78-1340	7.20mm	40-3257	22.5 x 20T	SMF	360Nm
Escort RS 1600 Mk1 - Performance Organic	1973-74	Road	N 215	60-2842	70-1340	7.20mm	40-3259	22.5 x 20T	SMF	270Nm
Escort RS 1600 Mk1 - Performance Organic Rigid	1973-74	Road	N 215	60-2842	71-1340	7.20mm	40-3259	22.5 x 20T	SMF	270Nm
Escort RS 1600 Mk1 - Performance 4/5 Paddle	1973-74	Race/Rally	N 215	60-2842	76-1340	7.20mm	40-3259	22.5 x 20T	SMF	360Nm
Escort RS 1600 Mk1 - Performance 4/5 Paddle Rigid (Chassis No NJ80365 →)	1973-74	Race/Rally	N 215	60-2842	78-1340	7.20mm	40-3259	22.5 x 20T	SMF	360Nm
Escort Mk2 1.3ltr & 1.6ltr - Performance Organic	1975-80	Road	N 190	60-3329	70-1606	7.20mm	40-2483	22.5 x 20T	SMF	200Nm
Escort Mk2 1.3ltr & 1.6ltr - Performance 4/5 Paddle (Fitted 4 speed gearbox)	1975-80	Race/Rally	N 190	60-3329	76-1606	7.20mm	40-2483	22.5 x 20T	SMF	270Nm
Escort Mk2 1.3ltr & 1.6ltr - Performance Organic	1975-80	Road	N 190	60-3329	70-1605	7.20mm	40-2482	25.4 x 23T	SMF	200Nm
Escort Mk2 1.3ltr & 1.6ltr - Performance Organic Rigid	1975-80	Road	N 190	60-3329	71-1605	7.20mm	40-2482	25.4 x 23T	SMF	200Nm
Escort Mk2 1.3ltr & 1.6ltr - Performance 4/5 Paddle	1975-80	Race/Rally	N 190	60-3329	76-1605	7.20mm	40-2482	25.4 x 23T	SMF	270Nm
Escort Mk2 1.3ltr & 1.6ltr - Performance 4/5 Paddle Rigid (Fitted 5 speed gearbox)	1975-80	Race/Rally	N 190	60-3329	78-1605	7.20mm	40-2482	25.4 x 23T	SMF	270Nm
Escort Mexico Mk2 - Performance Organic	1976-78	Road	N 215	60-2851	70-1518	8.40mm	40-2482	25.4 x 23T	SMF	260Nm
Escort Mexico Mk2 - Performance 4/5 Paddle	1976-78	Race/Rally	N 215	60-2851	76-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort Mexico Mk2 - Performance 6 Paddle	1976-78	Race/Rally	N 215	60-2851	77-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort Mexico Mk2 - Performance 4/5 Paddle Rigid	1976-78	Race/Rally	N 215	60-2851	78-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort RS 1800 - Performance Organic	1975-77	Road	N 215	60-2851	70-1518	8.40mm	40-2482	25.4 x 23T	SMF	260Nm
Escort RS 1800 - Performance 4/5 Paddle	1975-77	Race/Rally	N 215	60-2851	76-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort RS 1800 - Performance 6 Paddle	1975-77	Race/Rally	N 215	60-2851	77-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort RS 1800 - Performance 4/5 Paddle Rigid	1975-77	Race/Rally	N 215	60-2851	78-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort RS 2000 Mk1 & Mk2 - Performance Organic	1973-80	Road	N 215	60-2851	70-1518	8.40mm	40-2482	25.4 x 23T	SMF	260Nm
Escort RS 2000 Mk1 & Mk2 - Performance 4/5 Paddle	1973-80	Race/Rally	N 215	60-2851	76-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort RS 2000 Mk1 & Mk2 - Performance 6 Paddle	1973-80	Race/Rally	N 215	60-2851	77-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort RS 2000 Mk1 & Mk2 - Performance 4/5 Paddle Rigid	1973-80	Race/Rally	N 215	60-2851	78-1518	8.40mm	40-2482	25.4 x 23T	SMF	321Nm
Escort 1.6ltr Mk3, Mk4, Mk5 & XR3i - Performance Organic	1986-95	Road	N 220	60-5075	70-5076	7.20mm	40-2034	20 x 17T	SMF	290Nm
Escort 1.6ltr Mk3, Mk4, Mk5 & XR3i - Performance 4/5 Paddle	1986-95	Race/Rally	N 220	60-5077	76-5076	7.20mm	40-2034	20 x 17T	SMF	380Nm
Escort 1.6ltr Mk3, Mk4, Mk5 & XR3i - Performance 6 Paddle	1986-95	Race/Rally	N 220	60-5077	77-5076	7.20mm	40-2034	20 x 17T	SMF	380Nm
Escort 1.6ltr RS Turbo - Performance Organic	1984-86	Road	N 200	60-2360	70-2361	7.20mm	40-2034	20 x 17T	SMF	230Nm
Escort 1.6ltr RS Turbo - Performance Organic Rigid	1984-86	Road	N 200	60-2360	71-2361	7.20mm	40-2034	20 x 17T	SMF	230Nm
Escort 1.6ltr RS Turbo - Performance 4/5 Paddle	1984-86	Race/Rally	N 200	60-2360	76-2361	7.20mm	40-2034	20 x 17T	SMF	310Nm
Zephr 6 Mk3 - Performance Organic	1964-66	Road	N 215	60-1913	70-1651	9.00mm	40-3256	25.4 x 23T	SMF	260Nm
Zephr 6 Mk3 - Performance 4/5 Paddle	1964-66	Race/Rally	N 215	60-1913	76-1651	9.00mm	40-3256	25.4 x 23T	SMF	340Nm
Escort 1.6ltr RS Turbo - Performance Organic	1986-90	Road	N 220	60-5075	70-5076	7.20mm	40-2034	20 x 17T	SMF	290Nm
Escort 1.6ltr RS Turbo - Performance 4/5 Paddle	1986-90	Race/Rally	N 220	60-5077	76-5076	7.20mm	40-2034	20 x 17T	SMF	380Nm
Escort 1.6ltr RS Turbo - Performance 6 Paddle	1986-90	Race/Rally	N 220	60-5077	77-5076	7.20mm	40-2034	20 x 17T	SMF	380Nm
Escort 1.8ltr XR3i - Performance Organic	1995-98	Road	N 220	60-6023	70-5076	7.20mm	40-4668	20 x 17T	SMF	280Nm
Escort 1.8ltr XR3i - Performance 4/5 Paddle	1995-98	Race/Rally	N 220	60-6024	76-5076	7.20mm	40-4668	20 x 17T	SMF	370Nm
Escort 1.8ltr XR3i - Performance 6 Paddle (Zetec Eng ; RDA) (150 BHP)	1995-98	Race/Rally	N 220	60-6024	77-5076	7.20mm	40-4668	20 x 17T	SMF	370Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
FORD (cont)										
Escort 1.8ltr XR3i - Performance Organic	1995-98	Road	N 220	60-6023	70-5076	7.20mm	40-4668	20 x 17T	SMF	280Nm
Escort 1.8ltr XR3i - Performance 4/5 Paddle	1995-98	Race/Rally	N 220	60-6024	76-5076	7.20mm	40-4668	20 x 17T	SMF	370Nm
Escort 1.8ltr XR3i - Performance 6 Paddle <i>(Zetec Eng ; RKC)</i> <i>(115 BHP)</i>	1995-98	Race/Rally	N 220	60-6024	77-5076	7.20mm	40-4668	20 x 17T	SMF	370Nm
Escort 1.8ltr XR3i - Performance Organic	1992-98	Road	N 240	60-2723	70-4667	7.20mm	40-4668	25.4 x 23T	SMF	320Nm
Escort 1.8ltr XR3i - Performance 4/5 Paddle	1992-98	Race/Rally	N 240	60-2724	76-4667	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Escort 1.8ltr XR3i - Performance 6 Paddle	1992-98	Race/Rally	N 240	60-2724	77-4667	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Escort 1.8ltr XR3i - Performance 5/6 Paddle Rigid <i>(Zetec Eng ; RQB)</i> <i>(130 BHP)</i>	1992-98	Race/Rally	N 240	60-2724	78-4667	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Escort RS 2000 Mk5 & 4wd - Performance Organic	1992-98	Road	N 240	60-4666	70-4667	7.20mm	40-4668	25.4 x 23T	SMF	290Nm
Escort RS 2000 Mk5 & 4wd - Performance 4/5 Paddle	1992-98	Race/Rally	N 240	60-4669	76-4667	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Escort RS 2000 Mk5 & 4wd - Performance 6 Paddle	1992-98	Race/Rally	N 240	60-4669	77-4667	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Escort RS 2000 Mk5 & 4wd - Performance 5/6 Paddle Rigid	1992-98	Race/Rally	N 240	60-4669	78-4667	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Escort RS Cosworth - Performance Organic	1992-96	Road	N 240	60-4708	70-4710	8.40mm	40-2597	25.4 x 23T	SMF	445Nm
Escort RS Cosworth - Performance 4/5 Paddle	1992-96	Race/Rally	N 240	60-4709	76-4710	8.40mm	40-2597	25.4 x 23T	SMF	590Nm
Escort RS Cosworth - Performance 6 Paddle	1992-96	Race/Rally	N 240	60-4709	77-4710	8.40mm	40-2597	25.4 x 23T	SMF	590Nm
Escort RS Cosworth - Performance 5/6 Paddle Rigid	1992-96	Race/Rally	N 240	60-4709	78-4710	8.40mm	40-2597	25.4 x 23T	SMF	590Nm
Fiesta SI 1.4ltr 16v - Performance Organic	1999 →	Road	N 190	60-2347	70-2348	7.20mm	OE	20 x 17T	SMF	162Nm
Fiesta SI 1.4ltr 16v - Performance 4/5 Paddle	1999 →	Race/Rally	N 190	60-2347	76-2348	7.20mm	OE	20 x 17T	SMF	188Nm
Fiesta 1.6ltr XR2, XR2i & RS Turbo - Performance Organic	1989-96	Road	N 220	60-5075	70-5076	7.20mm	40-2034	20 x 17T	SMF	290Nm
Fiesta 1.6ltr XR2, XR2i & RS Turbo - Performance 4/5 Paddle	1989-96	Race/Rally	N 220	60-5077	76-5076	7.20mm	40-2034	20 x 17T	SMF	380Nm
Fiesta 1.6ltr XR2, XR2i & RS Turbo - Performance 6 Paddle	1989-96	Race/Rally	N 220	60-5077	77-5076	7.20mm	40-2034	20 x 17T	SMF	380Nm
Fiesta RS 1.8ltr 16v - Performance Organic	1992-96	Road	N 220	60-5075	70-5076	7.20mm	40-2034	20 x 17T	SMF	290Nm
Fiesta RS 1.8ltr 16v - Performance 4/5 Paddle	1992-96	Race/Rally	N 220	60-5077	76-5076	7.20mm	40-2034	20 x 17T	SMF	380Nm
Fiesta RS 1.8ltr 16v - Performance 6 Paddle	1992-96	Race/Rally	N 220	60-5077	77-5076	7.20mm	40-2034	20 x 17T	SMF	380Nm
Fiesta 1.8ltr - Performance Organic	1992-95	Road	N 240	60-2723	70-4663	7.20mm	40-4668	25.4 x 23T	SMF	320Nm
Fiesta 1.8ltr - Performance 4/5 Paddle	1992-95	Race/Rally	N 240	60-2724	76-4663	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Fiesta 1.8ltr - Performance 6 Paddle	1992-95	Race/Rally	N 240	60-2724	77-4663	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Fiesta 1.8ltr - Performance 5/6 Paddle Rigid <i>(Zetec Eng)(130 BHP)</i>	1992-95	Race/Rally	N 240	60-2724	78-4663	7.20mm	40-4668	25.4 x 23T	SMF	390Nm
Fiesta ST 150 - Performance Organic	2005-07	Road	N 220	60-6028	70-6038	7.20mm	41-2358	20 x 17T	HF 9202 A	270Nm
Fiesta ST 150 - Performance 4/5 Paddle	2005-07	Race/Rally	N 220	60-6029	76-6038	7.20mm	41-2358	20 x 17T	HF 9202 A	370Nm
Fiesta ST 150 - Performance 6 Paddle	2005-07	Race/Rally	N 220	60-6029	77-6038	7.20mm	41-2358	20 x 17T	HF 9202 A	370Nm
Fiesta ST 150 - Performance 5/6 Paddle Rigid	2005-07	Race/Rally	N 220	60-6029	78-6038	7.20mm	41-2358	20 x 17T	HF 9202 A	370Nm
Fiesta ST 150 - Performance Organic	2007-09	Road	N 220	60-6028	70-6038	7.20mm	41-2357	20 x 17T	HF 9202 A	270Nm
Fiesta ST 150 - Performance 4/5 Paddle	2007-09	Race/Rally	N 220	60-6029	76-6038	7.20mm	41-2357	20 x 17T	HF 9202 A	370Nm
Fiesta ST 150 - Performance 6 Paddle	2007-09	Race/Rally	N 220	60-6029	77-6038	7.20mm	41-2357	20 x 17T	HF 9202 A	370Nm
Fiesta ST 150 - Performance 5/6 Paddle Rigid	2007-09	Race/Rally	N 220	60-6029	78-6038	7.20mm	41-2357	20 x 17T	HF 9202 A	370Nm
Fiesta ST 150 - Performance 4/5 Paddle	2005 →	Race/Rally	N 220	60-6034	76-6036	8.30mm	41-2357	22.5 x 20T	SMF	270Nm
Fiesta ST 150 - Performance 5/6 Paddle <i>(Ford Motorsport version)</i>	2005 →	Race/Rally	N 220	60-6034	77-6036	8.30mm	41-2357	22.5 x 20T	SMF	370Nm
Fiesta Ecoboost 1.0ltr - Performance Organic	2012 →	Road	N 220	60-6036	70-6027	7.00mm	OE	20 x 17T	HF 9524	270Nm
Fiesta Ecoboost 1.0ltr - Performance Organic Rigid	2012 →	Road	N 220	60-6036	71-6027	7.00mm	OE	20 x 17T	HF 9524	370Nm
Fiesta Ecoboost 1.0ltr - Performance 4/5 Paddle	2012 →	Race/Rally	N 220	60-6036	76-6027	7.00mm	OE	20 x 17T	HF 9524	370Nm
Fiesta Ecoboost 1.0ltr - Performance 4/5 Paddle Rigid	2012 →	Race/Rally	N 220	60-6036	78-6027	7.00mm	OE	20 x 17T	HF 9524	370Nm
Fiesta Ecoboost 1.6Ltr - Performance Organic	2012 →	Road	N 228	60-6040	70-6143	7.20mm	41-5729	20 x 17T	HF 9525	400Nm
Fiesta Ecoboost 1.6Ltr - Performance Organic Rigid	2012 →	Road	N 228	60-6040	71-6143	7.20mm	41-5729	20 x 17T	HF 9525	400Nm
Fiesta Ecoboost 1.6Ltr - Performance 4/5 Paddle	2012 →	Race/Rally	N 228	60-6040	76-6143	7.20mm	41-5729	20 x 17T	HF 9525	527Nm
Fiesta Ecoboost 1.6Ltr - Performance 6 Paddle	2012 →	Race/Rally	N 228	60-6040	77-6143	7.20mm	41-5729	20 x 17T	HF 9525	527Nm
Fiesta Ecoboost 1.6Ltr - Performance 4/5 Paddle Rigid	2012 →	Race/Rally	N 228	60-6040	78-6143	7.20mm	41-5729	20 x 17T	HF 9525	527Nm
Sierra Cosworth 2wd - Performance Organic	1986-90	Road	N 240	60-4708	70-4710	8.40mm	40-2482	25.4 x 23T	HF 9201	445Nm
Sierra Cosworth 2wd - Performance 4/5 Paddle	1986-90	Race/Rally	N 240	60-4709	76-4710	8.40mm	40-2482	25.4 x 23T	HF 9201	590Nm
Sierra Cosworth 2wd - Performance 6 Paddle	1986-90	Race/Rally	N 240	60-4709	77-4710	8.40mm	40-2482	25.4 x 23T	HF 9201	590Nm
Sierra Cosworth 2wd - Performance 4/5 Paddle Rigid	1986-90	Race/Rally	N 240	60-4709	78-4710	8.40mm	40-2482	25.4 x 23T	HF 9201	590Nm
Sierra Cosworth 2wd - Performance Organic	1986-90	Road	N 240	60-4708	70-4711	8.40mm	40-2482	29 x 10T	HF 9201	445Nm
Sierra Cosworth 2wd - Performance 4/5 Paddle	1986-90	Race/Rally	N 240	60-4709	76-4711	8.40mm	40-2482	29 x 10T	HF 9201	590Nm
Sierra Cosworth 2wd - Performance 6 Paddle	1986-90	Race/Rally	N 240	60-4709	77-4711	8.40mm	40-2482	29 x 10T	HF 9201	590Nm
Sierra Cosworth 2wd - Performance 4/5 Paddle Rigid <i>(Fitted Getrag gearbox) (YB Crank For Flywheel)</i>	1986-90	Race/Rally	N 240	60-4709	78-4711	8.40mm	40-2482	29 x 10T	HF 9201	590Nm
Sierra Cosworth 4wd - Performance Organic	1990-93	Road	N 240	60-4708	70-4710	8.40mm	40-2597	25.4 x 23T	HF 9201	445Nm
Sierra Cosworth 4wd - Performance 4/5 Paddle	1990-93	Race/Rally	N 240	60-4709	76-4710	8.40mm	40-2597	25.4 x 23T	HF 9201	590Nm
Sierra Cosworth 4wd - Performance 6 Paddle	1990-93	Race/Rally	N 240	60-4709	77-4710	8.40mm	40-2597	25.4 x 23T	HF 9201	590Nm
Sierra Cosworth 4wd - Performance 4/5 Paddle Rigid <i>(YB Crank For Flywheel)</i>	1990-93	Race/Rally	N 240	60-4709	78-4710	8.40mm	40-2597	25.4 x 23T	HF 9201	590Nm
Focus 1.6ltr 16v - Performance Organic	1998 →	Road	N 220	60-6028	70-6025	7.20mm	41-2352	20 x 17T	SMF	270Nm
Focus 1.6ltr 16v - Performance 4/5 Paddle	1998 →	Race/Rally	N 220	60-6029	76-6025	7.20mm	41-2352	20 x 17T	SMF	370Nm
Focus 1.6ltr 16v - Performance 6 Paddle	1998 →	Race/Rally	N 220	60-6029	77-6025	7.20mm	41-2352	20 x 17T	SMF	370Nm
Focus 1.6ltr 16v - Performance 4/5 Paddle Rigid	1998 →	Race/Rally	N 220	60-6029	78-6025	7.20mm	41-2352	20 x 17T	SMF	370Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
FORD (cont)										
Focus 1.8ltr 16v - Performance Organic	1998 →	Road	N 220	60-6028	70-6025	7.20mm	41-2352	20 x 17T	SMF	270Nm
Focus 1.8ltr 16v - Performance 4/5 Paddle	1998 →	Race/Rally	N 220	60-6029	76-6025	7.20mm	41-2352	20 x 17T	SMF	370Nm
Focus 1.8ltr 16v - Performance 6 Paddle	1998 →	Race/Rally	N 220	60-6029	77-6025	7.20mm	41-2352	20 x 17T	SMF	370Nm
Focus 1.8ltr 16v - Performance 4/5 Paddle Rigid (Fitted B5, IB5 gearbox)	1998 →	Race/Rally	N 220	60-6029	78-6025	7.20mm	41-2352	20 x 17T	SMF	370Nm
Focus 1.8ltr 16v - Performance Organic	1998 →	Road	N 220	60-6028	70-6026	7.20mm	41-2352	25.4 x 23T	SMF	270Nm
Focus 1.8ltr 16v - Performance 4/5 Paddle	1998 →	Race/Rally	N 220	60-6029	76-6026	7.20mm	41-2352	25.4 x 23T	SMF	370Nm
Focus 1.8ltr 16v - Performance 6 Paddle	1998 →	Race/Rally	N 220	60-6029	77-6026	7.20mm	41-2352	25.4 x 23T	SMF	370Nm
Focus 1.8ltr 16v - Performance 4/5 Paddle Rigid (Fitted MTX 75 gearbox)	1998 →	Race/Rally	N 220	60-6029	78-6026	7.20mm	41-2352	25.4 x 23T	SMF	370Nm
Focus 2.0ltr 16v - Performance Organic	1998-04	Road	N 240	60-2723	70-4663	7.20mm	41-2353	25.4 x 23T	SMF	320Nm
Focus 2.0ltr 16v - Performance 4/5 Paddle	1998-04	Race/Rally	N 240	60-2724	76-4663	7.20mm	41-2353	25.4 x 23T	SMF	390Nm
Focus 2.0ltr 16v - Performance 6 Paddle	1998-04	Race/Rally	N 240	60-2724	77-4663	7.20mm	41-2353	25.4 x 23T	SMF	390Nm
Focus 2.0ltr 16v - Performance 4/5 Paddle Rigid (Fitted MTX 75 gearbox)(Eng ; EDDB,EDDC,EDDD,EDDF)	1998-04	Race/Rally	N 240	60-2724	78-4663	7.20mm	41-2353	25.4 x 23T	SMF	390Nm
Focus 2.0ltr 16v - Performance Organic	1998-04	Road	N 240	60-2723	70-4663	7.20mm	41-2352	25.4 x 23T	SMF	320Nm
Focus 2.0ltr 16v - Performance 4/5 Paddle	1998-04	Race/Rally	N 240	60-2724	76-4663	7.20mm	41-2352	25.4 x 23T	SMF	390Nm
Focus 2.0ltr 16v - Performance 6 Paddle	1998-04	Race/Rally	N 240	60-2724	77-4663	7.20mm	41-2352	25.4 x 23T	SMF	390Nm
Focus 2.0ltr 16v - Performance 4/5 Paddle Rigid (Fitted IB5 gearbox)(Eng ; EDDB,EDDC,EDDD,EDDF)	1998-04	Race/Rally	N 240	60-2724	78-4663	7.20mm	41-2352	25.4 x 23T	SMF	390Nm
Focus 2.0ltr 16v - Performance Organic Rigid	2005-08	Road	N 228	60-5086	71-5087	7.40mm	41-2364	25.4 x 23T	DMF	470Nm
Focus 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; AODA,AODB)	2005-08	Race/Rally	N 228	60-5086	78-5087	7.40mm	41-2364	25.4 x 23T	DMF	630Nm
Focus ST 170 2.0ltr 16v - Performance Organic Rigid	2002-03	Road	N 230	60-5084	71-5085	7.40mm	41-2356	25 x 14T	DMF	280Nm
Focus ST 170 2.0ltr 16v - Performance 4/5 Paddle Rigid (07/2003)	2002-03	Race/Rally	N 230	60-5084	78-5085	7.40mm	41-2356	25 x 14T	DMF	380Nm
Focus ST 170 2.0ltr 16v - Performance Organic Rigid	2003-05	Road	N 240	60-5078	71-5079	7.20mm	41-2356	25 x 14T	HF 9218	270Nm
Focus ST 170 2.0ltr 16v - Performance 4/5 Paddle Rigid (07/2003)	2003-05	Race/Rally	N 240	60-5078	78-5079	7.20mm	41-2356	25 x 14T	HF 9218	350Nm
Focus RS 2.0ltr - Performance Organic	2003 →	Road	N 240	60-5080	70-5081	7.40mm	41-2355	25.4 x 23T	HF 9224	440Nm
Focus RS 2.0ltr - Performance 4/5 Paddle	2003 →	Race/Rally	N 240	60-5080	76-5081	7.40mm	41-2355	25.4 x 23T	HF 9224	590Nm
Focus RS 2.0ltr - Performance 6 Paddle	2003 →	Race/Rally	N 240	60-5080	77-5081	7.40mm	41-2355	25.4 x 23T	HF 9224	590Nm
Focus 2.0ltr Eco Boost - Performance Organic	2015 →	Road	N 240	60-6044	70-6145	8.30mm	41-2363	25.4 x 23T	HF 9541	440Nm
Focus 2.0ltr Eco Boost - Performance Organic Rigid	2015 →	Road	N 240	60-6044	71-6145	8.30mm	41-2363	25.4 x 23T	HF 9541	440Nm
Focus 2.0ltr Eco Boost - Performance 4/5 Paddle	2015 →	Race/Rally	N 240	60-6044	76-6145	8.30mm	41-2363	25.4 x 23T	HF 9541	600Nm
Focus 2.0ltr Eco Boost - Performance 6 Paddle	2015 →	Race/Rally	N 240	60-6044	77-6145	8.30mm	41-2363	25.4 x 23T	HF 9541	600Nm
Focus 2.0ltr Eco Boost - Performance 4/5 Paddle Rigid	2015 →	Race/Rally	N 240	60-6044	78-6145	8.30mm	41-2363	25.4 x 23T	HF 9541	600Nm
Focus RS 2.3Ltr Eco Boost - Performance Organic	2015 →	Road	N 240	60-5162	70-5161	8.30mm	41-2363	25.4 x 23T	HF 9346	476Nm
Focus RS 2.3Ltr Eco Boost - Performance Organic Rigid	2015 →	Road	N 240	60-5162	71-5161	8.30mm	41-2363	25.4 x 23T	HF 9346	476Nm
Focus RS 2.3Ltr Eco Boost - Performance 4/5 Paddle	2015 →	Race/Rally	N 240	60-5162	76-5161	8.30mm	41-2363	25.4 x 23T	HF 9346	635Nm
Focus RS 2.3Ltr Eco Boost - Performance 6 Paddle	2015 →	Race/Rally	N 240	60-5162	77-5161	8.30mm	41-2363	25.4 x 23T	HF 9346	635Nm
Focus RS 2.3Ltr Eco Boost - Performance 4/5 Paddle Rigid	2015 →	Race/Rally	N 240	60-5162	78-5161	8.30mm	41-2363	25.4 x 23T	HF 9346	635Nm
Focus RS 2.3Ltr Eco Boost - Performance Organic 4 Piece Clutch Kit	2015 →	Road	N 240	35-5162						
Focus RS 2.3Ltr Eco Boost - Performance Paddle 4 Piece Clutch Kit	2015 →	Race/Rally	N 240	95-5162						
Focus RS 2.3Ltr Eco Boost - Performance Twin Organic	2015 →	Road	N 228	80-3004F	70-3004F	7.20mm	41-2363	25.4 x 23T	HF 9850	800Nm
				80-3104F	71-3004F	7.20mm		25.4 x 23T		
Focus RS 2.3Ltr Eco Boost - Performance Twin Paddle	2015 →	Race/Rally	N 228	80-3004F	76-3004F	7.20mm	41-2363	25.4 x 23T	HF 9850	1100Nm
				80-3104F	78-3004F	7.20mm		25.4 x 23T		
Focus RS 2.3Ltr Eco Boost - Performance Twin Organic Clutch Kit	2015 →	Road	N 240	35-8310						
Focus RS 2.3Ltr Eco Boost - Performance Twin Paddle Clutch Kit	2015 →	Race/Rally	N 240	95-8310						
Focus ST 2.5ltr - Performance Organic	2005 →	Road	N 240	60-5094	70-5095	8.00mm	41-2360	25.4 x 23T	HF 9206 A	570Nm
Focus ST 2.5ltr - Performance 4/5 Paddle	2005 →	Race/Rally	N 240	60-5094	76-5095	8.00mm	41-2360	25.4 x 23T	HF 9206 A	750Nm
Focus ST 2.5ltr - Performance 6 Paddle	2005 →	Race/Rally	N 240	60-5094	77-5095	8.00mm	41-2360	25.4 x 23T	HF 9206 A	750Nm
Focus ST / RS 2.5ltr - Performance Organic	2009 →	Road	N 240	60-5094	70-5095	8.00mm	41-2360	25.4 x 23T	HF 9206 A	570Nm
Focus ST / RS 2.5ltr - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-5094	76-5095	8.00mm	41-2360	25.4 x 23T	HF 9206 A	750Nm
Focus ST / RS 2.5ltr - Performance 6 Paddle	2009 →	Race/Rally	N 240	60-5094	77-5095	8.00mm	41-2360	25.4 x 23T	HF 9206 A	750Nm
Focus ST / RS 2.5ltr - Performance Organic 4 Piece Clutch Kit	2009 →	Road	N 240	35-7005						
Focus ST / RS 2.5ltr - Performance 5 Paddle 4 Piece Clutch Kit	2009 →	Race/Rally	N 240	95-7005						
Focus ST / RS 2.5ltr - Performance 6 Paddle 4 Piece Clutch Kit	2009 →	Race/Rally	N 240	95-7006						
Focus RS 2.5ltr - Performance Twin Organic	2005-11	Road	N 228	80-3004A	45-2001	7.20mm	41-2360	25.4 x 23T	HF 9293	740Nm
				80-3104	45-1092	7.20mm				
Focus RS 2.5ltr - Performance Twin Paddle	2005-11	Race/Rally	N 228	80-3004A	45-1101	7.20mm	41-2360	25.4 x 23T	HF 9293	985Nm
				80-3104	45-1091	7.20mm				
Focus RS 2.5ltr - Performance Twin Organic Clutch Kit	2005-11	Road	N 228	35-8303						
Focus RS 2.5ltr - Performance Twin Paddle Clutch Kit	2005-11	Race/Rally	N 228	95-8303						
Mustang 2.3ltr Eco Boost - Performance Organic	2015 →	Road	N 240	60-5160	70-5163	8.40mm	OE	25.4 x 23T	HF 9347	562Nm
Mustang 2.3ltr Eco Boost - Performance Paddle	2015 →	Race/Rally	N 240	60-5160	76-5163	8.40mm	OE	25.4 x 23T	HF 9347	752Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
FORD (cont)										
Fiesta ST200 - Performance Organic	2018-23	Road	N 240	60-5162	70-6146	8.00mm	41-6010	25.4 x 23T	HF 9381	476Nm
Fiesta ST200 - Performance Organic Rigid	2018-23	Road	N 240	60-5162	71-6146	8.00mm	41-6010	25.4 x 23T	DMF	476Nm
Fiesta ST200 - Performance 4/5 Paddle	2018-23	Race/Rally	N 240	60-5162	76-6146	8.00mm	41-6010	25.4 x 23T	HF 9381	635Nm
Fiesta ST200 - Performance 6 Paddle	2018-23	Race/Rally	N 240	60-5162	77-6146	8.00mm	41-6010	25.4 x 23T	HF 9381	635Nm
Fiesta ST200 - Performance 4/5 Paddle Rigid	2018-23	Race/Rally	N 240	60-5162	78-6146	8.00mm	41-6010	25.4 x 23T	DMF	635Nm
Puma 1.4ltr 16v - Performance Organic	1997-00	Road	N 190	60-2347	70-2348	7.20mm	41-2352	20 x 17T	SMF	162Nm
Puma 1.4ltr 16v - Performance 4/5 Paddle	1997-00	Race/Rally	N 190	60-2347	76-2348	7.20mm	41-2352	20 x 17T	SMF	188Nm
Puma 1.7ltr 16v - Performance Organic	1997 →	Road	N 215	60-2350	70-2351	7.20mm	41-2352	20 x 17T	SMF	270Nm
Puma 1.7ltr 16v - Performance 4/5 Paddle	1997 →	Race/Rally	N 215	60-2362	76-2351	7.20mm	41-2352	20 x 17T	SMF	360Nm
Puma 1.7ltr 16v - Performance 6 Paddle	1997 →	Race/Rally	N 215	60-2362	77-2351	7.20mm	41-2352	20 x 17T	SMF	360Nm
Puma 1.7ltr 16v - Performance 4/5 Paddle Rigid	1997 →	Race/Rally	N 215	60-2362	78-2351	7.20mm	41-2352	20 x 17T	SMF	360Nm
Fiesta ST180 - Performance Organic	2013-17	Road	N 228	60-6048	70-6147	6.70mm	41-5729	22.5 x 20T	OEM	400Nm
Fiesta ST180 - Performance Organic Rigid	2013-17	Road	N 228	60-6048	71-6147	6.70mm	41-5729	22.5 x 20T	OEM	400Nm
Fiesta ST180 - Performance 4/5 Paddle	2013-17	Race/Rally	N 228	60-6048	76-6147	6.70mm	41-5729	22.5 x 20T	OEM	527Nm
Fiesta ST180 - Performance 6 Paddle	2013-17	Race/Rally	N 228	60-6048	77-6147	6.70mm	41-5729	22.5 x 20T	OEM	527Nm
Fiesta ST180 - Performance 4/5 Paddle Rigid	2013-17	Race/Rally	N 228	60-6048	78-6147	6.70mm	41-5729	22.5 x 20T	OEM	527Nm
Fiesta 1.5Ltr TDI - Performance Organic	2018 →	Road	N 240	60-6049	70-6148	7.20mm	41-5729	22.5 x 20T	HF 9571	400Nm
Fiesta 1.5Ltr TDI - Performance 4/5 Paddle	2018 →	Race/Rally	N 240	60-6049	76-6148	7.20mm	41-5729	22.5 x 20T	HF 9571	527Nm
Fiesta 1.5Ltr TDI - Performance 5/6 Paddle	2018 →	Race/Rally	N 240	60-6049	77-6148	7.20mm	41-5729	22.5 x 20T	HF 9571	527Nm
KA 1.3ltr - Performance Organic	1996 →	Road	N 190	60-2347	70-2348	7.20mm	41-2352	20 x 17T	SMF	162Nm
KA 1.3ltr - Performance 4/5 Paddle	1996 →	Race/Rally	N 190	60-2347	76-2348	7.20mm	41-2352	20 x 17T	SMF	188Nm
KA Sport 1.6ltr - Performance Organic	2004 →	Road	N 190	60-2347	70-2348	7.20mm	41-2357	20 x 17T	SMF	162Nm
KA Sport 1.6ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 190	60-2347	76-2348	7.20mm	41-2357	20 x 17T	SMF	188Nm
Mondeo ST24 & ST200 2.5ltr - Performance Organic	1997-00	Road	N 240	60-2728	70-2729	7.20mm	41-2354	25.4 x 23T	SMF	340Nm
Mondeo ST24 & ST200 2.5ltr - Performance 4/5 Paddle	1997-00	Race/Rally	N 240	60-2728	76-2729	7.20mm	41-2354	25.4 x 23T	SMF	470Nm
Mondeo ST24 & ST200 2.5ltr - Performance 6 Paddle (5 Speed)	1997-00	Race/Rally	N 240	60-2728	77-2729	7.20mm	41-2354	25.4 x 23T	SMF	470Nm
Mondeo ST220 3.0ltr - Performance Organic	2002 →	Road	N 240	60-2730	70-2731	8.00mm	41-2363	25.4 x 23T	HF 9380	300Nm
Mondeo ST220 3.0ltr - Performance 4/5 Paddle	2002 →	Race/Rally	N 240	60-2730	76-2731	8.00mm	41-2363	25.4 x 23T	HF 9380	395Nm
Mondeo ST220 3.0ltr - Performance 6 Paddle (6 Speed)	2002 →	Race/Rally	N 240	60-2730	77-2731	8.00mm	41-2363	25.4 x 23T	HF 9380	395Nm
Formula Ford Kent 1.6ltr Engine - Performance Organic	1959 →	Road	N 190	60-3329	70-1606	7.20mm	N/A	22.5 x 20T	SMF	200Nm
Formula Ford Kent 1.6ltr Engine - Performance 4/5 Paddle	1959 →	Race/Rally	N 190	60-3329	76-1606	7.20mm	N/A	22.5 x 20T	SMF	270Nm
3.7ltr V6 - Performance Organic	2012 →	Road	N 240	60-5094	70-5095	8.00mm	N/A	25.4 x 23T	HF 9311	570Nm
3.7ltr V6 - Performance 4/5 Paddle	2012 →	Race/Rally	N 240	60-5094	76-5095	8.00mm	N/A	25.4 x 23T	HF 9311	750Nm
3.7ltr V6 - Performance 6 Paddle	2012 →	Race/Rally	N 240	60-5094	77-5095	8.00mm	N/A	25.4 x 23T	HF 9311	750Nm
3.7ltr V6 - Performance Twin Organic Rigid	2012 →	Race/Rally	A 184	63-220YC	55-2001 A&B	7.20mm	N/A	25.4 x 23T	HF 9330	498Nm
3.7ltr V6 - Performance Twin 4 Paddle Rigid	2012 →	Race/Rally	A 184	63-220YC	52-2001 A&B	7.20mm	N/A	25.4 x 23T	HF 9330	688Nm
3.7ltr V6 - Performance Twin 6 Paddle Rigid	2012 →	Race/Rally	A 184	63-220YC	49-2001 A&B	7.20mm	N/A	25.4 x 23T	HF 9330	688Nm
3.7ltr V6 - Performance Triple Sintered	2012 →	Race/Rally	A 184	63-130Y	53-3001 x 3	2.66mm	N/A	25.4 x 23T	HF 9399	1612Nm
Sierra Cosworth 2wd - Performance Twin Organic Rigid	1986-90	Race/Rally	A 184	63-220YC	55-2001 A&B	7.20mm	40-2482	25.4 x 23T	HF 9211	498Nm
Sierra Cosworth 2wd - Performance Twin 4 Paddle Rigid	1986-90	Race/Rally	A 184	63-220YC	52-2001 A&B	7.20mm	40-2482	25.4 x 23T	HF 9211	688Nm
Sierra Cosworth 2wd - Performance Twin 6 Paddle Rigid	1986-90	Race/Rally	A 184	63-220YC	49-2001 A&B	7.20mm	40-2482	25.4 x 23T	HF 9211	688Nm
Sierra Cosworth 2wd - Performance Twin Organic Rigid	1986-90	Race/Rally	A 184	63-220YC	55-2009 x 2	7.20mm	40-2482	29 x 10T	HF 9211	498Nm
Sierra Cosworth 2wd - Performance Twin 4 Paddle Rigid	1986-90	Race/Rally	A 184	63-220YC	52-2009 x 2	7.20mm	40-2482	29 x 10T	HF 9211	688Nm
Sierra Cosworth 2wd - Performance Twin 6 Paddle Rigid (Fitted Getrag gearbox) (YB Crank For Flywheel)	1986-90	Race/Rally	A 184	63-220YC	49-2009 x 2	7.20mm	40-2482	29 x 10T	HF 9211	688Nm
Sierra Cosworth 4wd - Performance Twin Organic Rigid	1990-93	Race/Rally	A 184	63-220YC	55-2001 A&B	7.20mm	40-2597	25.4 x 23T	HF 9211	498Nm
Sierra Cosworth 4wd - Performance Twin 4 Paddle Rigid	1990-93	Race/Rally	A 184	63-220YC	52-2001 A&B	7.20mm	40-2597	25.4 x 23T	HF 9211	688Nm
Sierra Cosworth 4wd - Performance Twin 6 Paddle Rigid (YB Crank For Flywheel)	1990-93	Race/Rally	A 184	63-220YC	49-2001 A&B	7.20mm	40-2597	25.4 x 23T	HF 9211	688Nm
Mustang V6 - Performance Organic	2011-17	Road	N 275	60-3248	70-3249	9.20mm	OE	1.5/32 x 26T	SMF	608Nm
Mustang V6 - Performance 5 Paddle (Eng; 3.7ltr)	2011-17	Race/Rally	N 275	60-3248	76-3249	9.20mm	OE	1.5/32 x 26T	SMF	811Nm
Mustang GT V8 - Performance Organic	2011 →	Road	N 275	60-3248	70-3249	9.20mm	OE	1.5/32 x 26T	SMF	608Nm
Mustang GT V8 - Performance 5 Paddle (Eng; 5.0ltr)	2011 →	Race/Rally	N 275	60-3248	76-3249	9.20mm	OE	1.5/32 x 26T	SMF	811Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
HONDA										
Accord Type 'R' 2.2ltr - Performance Organic	1998-00	Road	N 225	60-3409	70-3414	7.70mm	40-4234	25.9 x 24T	SMF	300Nm
Accord Type 'R' 2.2ltr - Performance 4/5 Paddle	1998-00	Race/Rally	N 225	60-3409	76-3414	7.70mm	40-4234	25.9 x 24T	SMF	390Nm
Accord Type 'R' 2.2ltr - Performance 4/5 Paddle Rigid (Model ; CH1)	1998-00	Race/Rally	N 225	60-3409	78-3414	7.70mm	40-4234	25.9 x 24T	SMF	390Nm
Civic CRX 1.6ltr 16v - Performance Organic	1987-90	Road	N 200	60-3228	70-3229	7.60mm	40-5312	22 x 20T	SMF	200Nm
Civic CRX 1.6ltr 16v - Performance 4/5 Paddle	1987-90	Race/Rally	N 200	60-3230	76-3229	7.60mm	40-5312	22 x 20T	SMF	265Nm
Civic CRX 1.6ltr 16v - Performance 4/5 Paddle Rigid (Model ; ED) (DZ16A6,A9) (Eng No ; 1200001 → 1400000)	1987-90	Race/Rally	N 200	60-3230	78-3229	7.60mm	40-5312	22 x 20T	SMF	265Nm
Civic CRX 1.6ltr 16v - Performance Organic	1987-90	Road	N 210	60-3410	70-3411	7.60mm	40-5312	22 x 20T	SMF	220Nm
Civic CRX 1.6ltr 16v - Performance 4/5 Paddle (Model ; ED) (D16Z5,D16A9) (Eng No ; 1400001 →)	1987-90	Race/Rally	N 210	60-3410	76-3411	7.60mm	40-5312	22 x 20T	SMF	300Nm
Civic CRX VTEC 1.6ltr - Performance Organic	1990-92	Road	N 215	60-3412	70-6002	8.00mm	40-3112	25.4 x 24T	HF 9226	260Nm
Civic CRX VTEC 1.6ltr - Performance 4/5 Paddle	1990-92	Race/Rally	N 215	60-3415	76-6002	8.00mm	40-3112	25.4 x 24T	HF 9226	350Nm
Civic CRX VTEC 1.6ltr - Performance 4/5 Paddle Rigid (Model ; EE) (B16A) (Gearbox type Y2 cable operated)	1990-92	Race/Rally	N 215	60-3415	78-6002	8.00mm	40-3112	25.4 x 24T	HF 9226	350Nm
Civic CRX VTEC 1.6ltr - Performance Organic	1992 →	Road	N 215	60-3412	70-3413	8.00mm	40-4234	25.9 x 24T	HF 9226	260Nm
Civic CRX VTEC 1.6ltr - Performance 4/5 Paddle	1992 →	Race/Rally	N 215	60-3415	76-3413	8.00mm	40-4234	25.9 x 24T	HF 9226	350Nm
Civic CRX VTEC 1.6ltr - Performance 4/5 Paddle Rigid (Model ; EG) (B16A) (Gearbox type Y21 hydraulically operated)	1992 →	Race/Rally	N 215	60-3415	78-3413	8.00mm	40-4234	25.9 x 24T	HF 9226	350Nm
Civic CRX VTEC 1.6ltr - Performance 4/5 Paddle	1992 →	Road	N 215	60-3415	76-6003	8.00mm	40-4234	22.5 x 20T	HF 9226	350Nm
Civic CRX VTEC 1.6ltr - Performance 4/5 Paddle Rigid (Model ; EG,EK) (B16A) (Fitted group A gear set)	1992 →	Race/Rally	N 215	60-3415	78-6003	8.00mm	40-4234	22.5 x 20T	HF 9226	350Nm
Civic VTI VTEC 1.8ltr - Performance Organic	1997-00	Road	N 215	60-3412	70-3413	8.00mm	40-4234	25.9 x 24T	HF 9226	260Nm
Civic VTI VTEC 1.8ltr - Performance 4/5 Paddle	1997-00	Race/Rally	N 215	60-3415	76-3418	8.00mm	40-4234	25.9 x 24T	HF 9226	350Nm
Civic VTI VTEC 1.8ltr - Performance 6 Paddle	1997-00	Race/Rally	N 215	60-3415	77-3418	8.00mm	40-4234	25.9 x 24T	HF 9226	350Nm
Civic VTI VTEC 1.8ltr - Performance 4/5 Paddle Rigid (Model ; MB6) (B18C4)	1997-00	Race/Rally	N 215	60-3415	78-3418	8.00mm	40-4234	25.9 x 24T	HF 9226	350Nm
Civic VTEC 1.8ltr - Performance Organic	2006 →	Road	N 215	60-3426	70-3427	7.20mm	40-5882	22 x 20T	SMF	240Nm
Civic VTEC 1.8ltr - Performance 4/5 Paddle (Eng ; R18A2)	2006 →	Race/Rally	N 215	60-3426	76-3427	7.20mm	40-5882	22 x 20T	SMF	310Nm
Civic Type R 2.0ltr - Performance Organic	2001-07	Road	N 215	60-3420	70-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	240Nm
Civic Type R 2.0ltr - Performance Organic Rigid	2001-07	Road	N 215	60-3420	71-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	240Nm
Civic Type R 2.0ltr - Performance 4/5 Paddle	2001-07	Race/Rally	N 215	60-3407	76-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	310Nm
Civic Type R 2.0ltr - Performance 6 Paddle	2001-07	Race/Rally	N 215	60-3407	77-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	310Nm
Civic Type R 2.0ltr - Performance 4 Paddle Rigid	2001-07	Race/Rally	N 215	60-3407	78-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	310Nm
Civic Type R 2.0ltr - Performance 6 Paddle Rigid (Model ; EP3) (K20A)	2001-07	Race/Rally	N 215	60-3407	78-3421- 6	7.80mm	40-3423	25.9 x 24T	HF 9322	310Nm
Civic Type R 2.0ltr - Performance Organic	2007 →	Road	N 215	60-3420	70-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	240Nm
Civic Type R 2.0ltr - Performance Organic Rigid	2007 →	Road	N 215	60-3420	71-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	240Nm
Civic Type R 2.0ltr - Performance 4/5 Paddle	2007 →	Race/Rally	N 215	60-3407	76-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	310Nm
Civic Type R 2.0ltr - Performance 6 Paddle	2007 →	Race/Rally	N 215	60-3407	77-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	310Nm
Civic Type R 2.0ltr - Performance 4 Paddle Rigid	2007 →	Race/Rally	N 215	60-3407	78-3421	7.80mm	40-3423	25.9 x 24T	HF 9322	310Nm
Civic Type R 2.0ltr - Performance 6 Paddle Rigid (Model ; FD2,FN2) (K20A)	2007 →	Race/Rally	N 215	60-3407	78-3421- 6	7.80mm	40-3423	25.9 x 24T	HF 9322	310Nm
Civic Type R 2.0ltr - Performance Twin Organic Rigid	2001 →	Race/Rally	A 184	63-220G	55-2025 A&B	7.20mm	43-3423	25.9 x 24T	HF 9272	453Nm
Civic Type R 2.0ltr - Performance Twin 4 Paddle Rigid	2001 →	Race/Rally	A 184	63-220G	52-2025 A&B	7.20mm	43-3423	25.9 x 24T	HF 9272	626Nm
Civic Type R 2.0ltr - Performance Twin 6 Paddle Rigid (Model ; EP3) (Model ; FD2,FN2) (K20A)	2001 →	Race/Rally	A 184	63-220G	49-2025 A&B	7.20mm	43-3423	25.9 x 24T	HF 9272	626Nm
Integra Type R 1.8ltr - Performance Organic	1997-01	Road	N 215	60-3412	70-3413	8.00mm	40-4234	25.9 x 24T	SMF	260Nm
Integra Type R 1.8ltr - Performance 4/5 Paddle	1997-01	Race/Rally	N 215	60-3415	76-3418	8.00mm	40-4234	25.9 x 24T	SMF	350Nm
Integra Type R 1.8ltr - Performance 6 Paddle	1997-01	Race/Rally	N 215	60-3415	77-3418	8.00mm	40-4234	25.9 x 24T	SMF	350Nm
Integra Type R 1.8ltr - Performance 4/5 Paddle Rigid (Model ; DC2) (B18C6)	1997-01	Race/Rally	N 215	60-3415	78-3418	8.00mm	40-4234	25.9 x 24T	SMF	350Nm
Integra Type R 2.0ltr - Performance Organic	2001-02	Road	N 215	60-3420	70-3421	7.80mm	40-3423	25.9 x 24T	SMF	240Nm
Integra Type R 2.0ltr - Performance Organic Rigid	2001-02	Road	N 215	60-3420	71-3421	7.80mm	40-3423	25.9 x 24T	SMF	240Nm
Integra Type R 2.0ltr - Performance 4/5 Paddle	2001-02	Race/Rally	N 215	60-3420	76-3421	7.80mm	40-3423	25.9 x 24T	SMF	310Nm
Integra Type R 2.0ltr - Performance 6 Paddle	2001-02	Race/Rally	N 215	60-3420	77-3421	7.80mm	40-3423	25.9 x 24T	SMF	310Nm
Integra Type R 2.0ltr - Performance 4 Paddle Rigid	2001-02	Race/Rally	N 215	60-3420	78-3421	7.80mm	40-3423	25.9 x 24T	SMF	310Nm
Integra Type R 2.0ltr - Performance 6 Paddle Rigid (Model ; DC5)	2001-02	Race/Rally	N 215	60-3420	78-3421- 6	7.80mm	40-3423	25.9 x 24T	SMF	310Nm
Prelude 2.0ltr, 2.3ltr, 2.2ltr - Performance Organic	1992-97	Road	N 225	60-3408	70-3414	7.70mm	40-4234	25.9 x 24T	SMF	300Nm
Prelude 2.0ltr, 2.3ltr, 2.2ltr - Performance 4/5 Paddle	1992-97	Race/Rally	N 225	60-3408	76-3414	7.70mm	40-4234	25.9 x 24T	SMF	390Nm
Prelude 2.0ltr, 2.3ltr, 2.2ltr - Performance 4/5 Paddle Rigid (i 16V, i 4wd, i VTEC) (BB1) (BB2) (BB3)	1992-97	Race/Rally	N 225	60-3408	78-3414	7.70mm	40-4234	25.9 x 24T	SMF	390Nm
S 2000 Roadster - Performance Organic	1999 →	Road	N 212	60-3416	70-3417	7.60mm	40-3419	25.9 x 24T	SMF	290Nm
S 2000 Roadster - Performance 4/5 Paddle	1999 →	Race/Rally	N 212	60-3416	76-3417	7.60mm	40-3419	25.9 x 24T	SMF	380Nm
S 2000 Roadster - Performance 4 Paddle Rigid	1999 →	Race/Rally	N 212	60-3416	78-3417	7.60mm	40-3419	25.9 x 24T	SMF	380Nm
S 2000 Roadster - Performance 6 Paddle Rigid (Pull Type)	1999 →	Race/Rally	N 212	60-3416	78-3417- 6	7.60mm	40-3419	25.9 x 24T	SMF	380Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
HONDA (cont)										
Civic CRX VTEC 1.6ltr - Performance Organic	1990-92	Race/Rally	A 184	63-210G	57-1024	7.20mm	43-3112	25.4 x 24T	HF 9208	324Nm
Civic CRX VTEC 1.6ltr - Performance 4 Paddle	1990-92	Race/Rally	A 184	63-210G	56-2024	7.20mm	43-3112	25.4 x 24T	HF 9208	445Nm
Civic CRX VTEC 1.6ltr - Performance 6 Paddle Rigid (Model ; EE) (B16A) (Gearbox type Y2 cable operated)	1990-92	Race/Rally	A 184	63-210G	49-1024	7.20mm	43-3112	25.4 x 24T	HF 9208	445Nm
Civic CRX VTEC 1.6ltr - Performance Organic	1992 →	Race/Rally	A 184	63-210G	57-1025	7.20mm	43-4234	25.9 x 24T	HF 9208	324Nm
Civic CRX VTEC 1.6ltr - Performance 4 Paddle	1992 →	Race/Rally	A 184	63-210G	56-2025	7.20mm	43-4234	25.9 x 24T	HF 9208	445Nm
Civic CRX VTEC 1.6ltr - Performance 6 Paddle Rigid (Model ; EG) (B16A) (Gearbox type Y21 hydraulically operated)	1992 →	Race/Rally	A 184	63-210G	49-1025	7.20mm	43-4234	25.9 x 24T	HF 9208	445Nm
Civic CRX VTEC 1.6ltr - Performance 4 Paddle	1992 →	Race/Rally	A 184	63-210G	56-2002	7.20mm	43-4234	22.5 x 20T	HF 9208	445Nm
Civic CRX VTEC 1.6ltr - Performance 6 Paddle Rigid (Model ; EG,EK) (B16A) (Fitted group A gear set)	1992 →	Race/Rally	A 184	63-210G	49-1002	7.20mm	43-4234	22.5 x 20T	HF 9208	445Nm
Civic VTI VTEC 1.8ltr - Performance Organic	1997-00	Race/Rally	A 184	63-210G	57-1025	7.20mm	43-4234	25.9 x 24T	HF 9208	324Nm
Civic VTI VTEC 1.8ltr - Performance 4 Paddle	1997-00	Race/Rally	A 184	63-210G	56-2025	7.20mm	43-4234	25.9 x 24T	HF 9208	445Nm
Civic VTI VTEC 1.8ltr - Performance 6 Paddle (Model ; MB6) (B18C4)	1997-00	Race/Rally	A 184	63-210G	49-1025	7.20mm	43-4234	25.9 x 24T	HF 9208	445Nm
HOTCHKISS										
AM80 3.0ltr - Performance Organic (6 Cylinder)		Road	N 240	60-2498	N/A	N/A	40-2643	30" x 10T	Bespoke	436Nm
AM80 3.0ltr - Performance Organic (6 Cylinder)		Road	N 240	60-1970	N/A	N/A	N/A	30 x 10T	Bespoke	436Nm
HYUNDAI										
S Coupe MVI 1.5ltr Turbo - Performance Organic	1990-96	Road	N 215	60-2325	70-6102	7.60mm	40-1820	22.5 x 20T	SMF	245Nm
S Coupe MVI 1.5ltr Turbo - Performance 4/5 Paddle	1990-96	Race/Rally	N 215	60-2325	76-6102	7.60mm	40-1820	22.5 x 20T	SMF	289Nm
S Coupe MVI 1.5ltr Turbo - Performance 4/5 Paddle Rigid	1990-96	Race/Rally	N 215	60-2325	78-6102	7.60mm	40-1820	22.5 x 20T	SMF	289Nm
Coupe 1.6ltr - Performance Organic	1996 →	Road	N 215	60-4423	70-6102	7.60mm	40-1820	22.5 x 20T	SMF	203Nm
Coupe 1.6ltr - Performance 4/5 Paddle	1996 →	Race/Rally	N 215	60-4423	76-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Coupe 1.6ltr - Performance 4/5 Paddle Rigid	1996 →	Race/Rally	N 215	60-4423	78-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Lantra 1.6ltr - Performance Organic	1995-01	Road	N 215	60-4423	70-6102	7.60mm	40-1820	22.5 x 20T	SMF	203Nm
Lantra 1.6ltr - Performance 4/5 Paddle	1995-01	Race/Rally	N 215	60-4423	76-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Lantra 1.6ltr - Performance 4/5 Paddle Rigid	1995-01	Race/Rally	N 215	60-4423	78-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Coupe 2.0ltr - Performance Organic	1996 →	Road	N 215	60-4424	70-4425	8.00mm	40-4426	22.5 x 20T	SMF	250Nm
Coupe 2.0ltr - Performance 4/5 Paddle	1996 →	Race/Rally	N 215	60-4424	76-4425	8.00mm	40-4426	22.5 x 20T	SMF	350Nm
Lantra 1.8ltr & 2.0ltr - Performance Organic	1996 →	Road	N 215	60-4424	70-4425	8.00mm	40-4426	22.5 x 20T	SMF	250Nm
Lantra 1.8ltr & 2.0ltr - Performance 4/5 Paddle	1996 →	Race/Rally	N 215	60-4424	76-4425	8.00mm	40-4426	22.5 x 20T	SMF	350Nm
I30N 2.0ltr - Performance Organic	2018 →	Road	N 240	60-4444	70-4447	8.00mm	41-4443	25.4 x 23T	HF 9520	440Nm
I30N 2.0ltr - Performance Organic Rigid	2018 →	Road	N 240	60-4444	71-4447	8.00mm	41-4443	25.4 x 23T	HF 9520	440Nm
I30N 2.0ltr - Performance 4/5 Paddle	2018 →	Race/Rally	N 240	60-4444	76-4447	8.00mm	41-4443	25.4 x 23T	HF 9520	590Nm
I30N 2.0ltr - Performance 6 Paddle	2018 →	Race/Rally	N 240	60-4444	77-4447	8.00mm	41-4443	25.4 x 23T	HF 9520	590Nm
I30N 2.0ltr - Performance 4/5 Paddle Rigid (6 speed)	2018 →	Race/Rally	N 240	60-4444	78-4447	8.00mm	41-4443	25.4 x 23T	HF 9520	590Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
JAGUAR										
Mk 1 & MK 2 3.4ltr - Performance Organic	1957-65	Road	N 254	60-2859	70-1378	8.40mm	40-3306	1 1/8" x10T	OE	386Nm
Mk 1 & MK 2 3.4ltr - Performance 4/5 Paddle <i>(10" Diaphragm Dpring Clutch Conversion) (To Eng No. KJ 8236) (Flywheel Needs Redrilling For Fitting Cover Bolts)</i>	1957-65	Race/Rally	N 254	60-2859	76-1378	8.40mm	40-3306	1 1/8" x10T	OE	510Nm
Mk2 3.3ltr - Performance Organic	1959-64	Road	N 240	60-2864	70-2347	8.40mm	40-3306	1 1/8" x10T	OE	357Nm
Mk2 3.3ltr - Performance 4/5 Paddle	1959-64	Race/Rally	N 240	60-2864	76-2347	8.40mm	40-3306	1 1/8" x10T	OE	476Nm
Mk2 3.3ltr - Performance 6 Paddle	1959-64	Race/Rally	N 240	60-2864	77-2347	8.40mm	40-3306	1 1/8" x10T	OE	476Nm
Mk2 3.3ltr - Performance 4/5 Paddle Rigid <i>(240mm Conversion From 10" Coil Spring Clutch)</i>	1959-64	Race/Rally	N 240	60-2864	78-2347	8.40mm	40-3306	1 1/8" x10T	OE	476Nm
Mk2 3.4ltr - Performance Organic	1965-67	Road	N 240	60-2854	70-2347	8.40mm	40-3319	1 1/8" x10T	OE	360Nm
Mk2 3.4ltr - Performance 4/5 Paddle	1965-67	Race/Rally	N 240	60-2854	76-2347	8.40mm	40-3319	1 1/8" x10T	OE	475Nm
Mk2 3.4ltr - Performance 6 Paddle	1965-67	Race/Rally	N 240	60-2854	77-2347	8.40mm	40-3319	1 1/8" x10T	OE	475Nm
Mk2 3.4ltr - Performance 4/5 Paddle Rigid <i>(Eng ; KJ8237 →)</i>	1965-67	Race/Rally	N 240	60-2858	78-2347	8.40mm	40-3319	1 1/8" x10T	OE	580Nm
Mk2 3.4ltr - Performance Organic	1965-67	Road	N 240	60-2854	70-3378	8.40mm	40-3319	29 x 10T	OE	360Nm
Mk2 3.4ltr - Performance 4/5 Paddle	1965-67	Race/Rally	N 240	60-2854	76-3378	8.40mm	40-3319	29 x 10T	OE	475Nm
Mk2 3.4ltr - Performance 6 Paddle <i>(Eng ; KJ8237 →) (When fitted getrag gearbox)</i>	1965-67	Race/Rally	N 240	60-2858	78-3378	8.40mm	40-3319	29 x 10T	OE	580Nm
Mk2 3.8ltr - Performance Organic	1965-67	Road	N 240	60-2854	70-2347	8.40mm	40-3319	1 1/8" x10T	HF 9499	360Nm
Mk2 3.8ltr - Performance 4/5 Paddle	1965-67	Race/Rally	N 240	60-2854	76-2347	8.40mm	40-3319	1 1/8" x10T	HF 9499	475Nm
Mk2 3.8ltr - Performance 6 Paddle	1965-67	Race/Rally	N 240	60-2854	77-2347	8.40mm	40-3319	1 1/8" x10T	HF 9499	475Nm
Mk2 3.8ltr - Performance 4/5 Paddle Rigid	1965-67	Race/Rally	N 240	60-2858	78-2347	8.40mm	40-3319	1 1/8" x10T	HF 9499	580Nm
E-Type Series 1,2 4.2ltr - Performance Organic	1965-71	Road	N 240	60-2854	70-2347	8.40mm	40-3319	1 1/8" x10T	HF 9496	360Nm
E-Type Series 1,2 4.2ltr - Performance 4/5 Paddle	1965-71	Race/Rally	N 240	60-2854	76-2347	8.40mm	40-3319	1 1/8" x10T	HF 9496	475Nm
E-Type Series 1,2 4.2ltr - Performance 6 Paddle	1965-71	Race/Rally	N 240	60-2854	77-2347	8.40mm	40-3319	1 1/8" x10T	HF 9496	475Nm
E-Type Series 1,2 4.2ltr - Performance 4/5 Paddle Rigid	1965-71	Race/Rally	N 240	60-2858	78-2347	8.40mm	40-3319	1 1/8" x10T	HF 9496	580Nm
XJS 3.6ltr - Performance Organic	1984-91	Road	N 240	60-2502	70-3380	8.40mm	40-3264	25.4 x 23T	OE	536Nm
XJS 3.6ltr - Performance 4/5 Paddle	1984-91	Race/Rally	N 240	60-2502	76-3380	8.40mm	40-3264	25.4 x 23T	OE	715Nm
XJS 3.6ltr - Performance 6 Paddle	1984-91	Race/Rally	N 240	60-2502	77-3380	8.40mm	40-3264	25.4 x 23T	OE	715Nm
XJS 3.6ltr - Performance 4/5 Paddle Rigid	1984-91	Race/Rally	N 240	60-2502	78-3380	8.40mm	40-3264	25.4 x 23T	OE	715Nm
XJS 3.6ltr - Performance 6 Paddle Rigid	1984-91	Race/Rally	N 240	60-2502	78-3380 - 6	8.40mm	40-3264	25.4 x 23T	OE	715Nm
E-Type V12 5.3ltr - Performance Organic	1971-75	Road	N 267	60-2868	70-1647	8.40mm	40-3325	1 1/4" x10T	OE	456Nm
E-Type V12 5.3ltr - Performance Organic Rigid	1971-75	Road	N 267	60-2868	71-1647	8.40mm	40-3325	1 1/4" x10T	OE	456Nm
E-Type V12 5.3ltr - Performance 4/5/6 Paddle Rigid	1971-75	Race/Rally	N 267	60-2868	78-1647	8.40mm	40-3325	1 1/4" x10T	OE	610Nm
XJ12,XJS V12 - Performance Organic	1975-79	Road	N 267	60-2868	70-1647	8.40mm	40-3325	1 1/4" x10T	OE	456Nm
XJ12,XJS V12 - Performance Organic Rigid	1975-79	Road	N 267	60-2868	71-1647	8.40mm	40-3325	1 1/4" x10T	OE	456Nm
XJ12,XJS V12 - Performance 4/5/6 Paddle Rigid	1975-79	Race/Rally	N 267	60-2868	78-1647	8.40mm	40-3325	1 1/4" x10T	OE	610Nm
C-Type - Performance Organic	1951-54	Road	N 254	60-2859	70-1378	8.40mm	40-3306	1 1/8" x10T	HF 9369	386Nm
C-Type - Performance 4/5 Paddle <i>(XK 120C) (10" Diaphragm Dpring Clutch Conversion) (Flywheel Needs Redrilling For Fitting Cover Bolts)</i>	1951-54	Race/Rally	N 254	60-2859	76-1378	8.40mm	40-3306	1 1/8" x10T	HF 9369	510Nm
C-Type - Performance Organic	1951-54	Road	N 240	60-2854	70-2347	8.40mm	40-3306	1 1/8" x10T	HF 9369	360Nm
C-Type - Performance 4/5 Paddle	1951-54	Race/Rally	N 240	60-2854	76-2347	8.40mm	40-3306	1 1/8" x10T	HF 9369	475Nm
C-Type - Performance 6 Paddle	1951-54	Race/Rally	N 240	60-2854	77-2347	8.40mm	40-3306	1 1/8" x10T	HF 9369	475Nm
C-Type - Performance 4/5 Paddle Rigid <i>(XK 120C) (240mm Conversion From 10" Coil Spring Clutch) (Flywheel Needs Redrilling For Fitting Cover Bolts)</i>	1951-54	Race/Rally	N 240	60-2858	78-2347	8.40mm	40-3306	1 1/8" x10T	HF 9369	580Nm
XK 120, XK 140, XK 150 - Performance Organic	1949-59	Road	N 254	60-2859	70-1378	8.40mm	40-3306	1 1/8" x10T	HF 9398	386Nm
XK 120, XK 140, XK 150 - Performance 4/5 Paddle <i>(10" Diaphragm Dpring Clutch Conversion) (Flywheel Needs Redrilling For Fitting Cover Bolts)</i>	1949-59	Race/Rally	N 254	60-2859	76-1378	8.40mm	40-3306	1 1/8" x10T	HF 9398	510Nm
XJ 220 - Performance Twin Organic Rigid	1992-95	Road	N 215	60-2560	71-2561 71-2562	7.20mm 7.20mm	40-3295	25.4 x 23T	OE	695Nm
XJ 220 - Performance Twin 4/5 Paddle Rigid	1992-95	Race/Rally	N 215	60-2560	78-2561 78-2562	7.20mm 7.20mm	40-3295	25.4 x 23T	OE	868Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
JENSEN										
Healey - Performance Organic	1972 →	Road	N 215	60-5132	70-2615	7.20mm	40-2465	28 x 25T	SMF	280Nm
Healey - Performance 4/5 Paddle	1972 →	Race/Rally	N 215	60-5132	76-2615	7.20mm	40-2465	28 x 25T	SMF	380Nm
Healey - Performance 6 Paddle	1972 →	Race/Rally	N 215	60-5132	77-2615	7.20mm	40-2465	28 x 25T	SMF	380Nm
KIA										
Timor 1.6ltr - Performance 4/5 Paddle	1996-00	Race/Rally	N 200	60-3440	76-3441	7.60mm	N/A	22.5 x 20T	SMF	270Nm
LADA										
1200, 1300, 1500, 1600 - Performance Organic	1974-86	Road	N 200	60-1207	70-1947	7.20mm	40-2464	22.5 x 20T	SMF	218Nm
1200, 1300, 1500, 1600 - Performance 4/5 Paddle	1974-86	Race/Rally	N 200	60-1207	76-1947	7.20mm	40-2464	22.5 x 20T	SMF	270Nm
1200, 1300, 1500, 1600 - Performance 4/5 Paddle Rigid (Riva & Niva)	1974-86	Race/Rally	N 200	60-1207	78-1947	7.20mm	40-2464	22.5 x 20T	SMF	270Nm
LAMBORGHINI										
LMOO2 - Performance Organic	1986-93	Road	N 240	60-2508	70-1647	8.40mm	N/A	1 1/4" x10T	OE	500Nm
LMOO2 - Performance Organic Rigid	1986-93	Race/Rally	N 240	60-2508	71-1647	8.40mm	N/A	1 1/4" x10T	OE	500Nm
LMOO2 - Performance 4/5/6 Paddle Rigid	1986-93	Race/Rally	N 240	60-2508	78-1647	8.40mm	N/A	1 1/4" x10T	OE	670Nm
Countach 5000 QV - Performance Organic	1985-	Road	N 250	N/A	70-3733	8.40mm	40-3735	35 x 10T	OE	N/A
Countach LP400 - Performance Organic		Road	N 240	N/A	70-3731	8.40mm	40-3732	29 x 10T	OE	N/A
Countach LP400 - Performance 4/5 Paddle		Race/Rally	N 240	N/A	76-3731	8.40mm	40-3732	29 x 10T	OE	N/A
Countach 5000S - Performance Organic	1974-82	Road	N 240	60-3730	70-3731	8.40mm	40-3732	29 x 10T	HF 9344	520Nm
Countach 5000S - Performance 4/5 Paddle	1974-82	Race/Rally	N 240	60-3730	76-3731	8.40mm	40-3732	29 x 10T	HF 9344	690Nm
Espada - Performance Organic	1968-78	Road	N 240	60-2498	70-2347/09	8.40mm	N/A	29 x 10T	OE	436Nm
Espada - Performance 4/5 Paddle	1968-78	Race/Rally	N 240	60-2501	76-2347/09	8.40mm	N/A	29 x 10T	OE	590Nm
Jalpa 3.5 - Performance Organic	1982-88	Road	N 267	N/A	70-3736	8.40mm	N/A	1 1/4" x10T	OE	N/A
Urraco P300 - Performance Organic	1974-82	Road	N 240	N/A	70-3731	8.40mm	N/A	29 x 10T	OE	N/A
Gallardo - Performance Organic	2003-13	Road	N 215	80-4003	70-4104 71-4104	7.20mm 7.20mm	N/A	28 x 25T	HF 9510 HF 9510 A	690Nm
Gallardo - Performance 4/5 Paddle	2003-13	Road	N 215	80-4003	76-4104 78-4104	7.20mm 7.20mm	N/A	28 x 25T	HF 9510 HF 9510 A	950Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
LANCIA										
Delta HF Turbo 1.6ltr 8v - Performance Organic	1983-93	Road	N 215	60-2182	70-1948	7.60mm	40-2404	22.5 x 20T	SMF	270Nm
Delta HF Turbo 1.6ltr 8v - Performance Organic Rigid	1983-93	Road	N 215	60-2182	71-1948	7.60mm	40-2404	22.5 x 20T	SMF	270Nm
Delta HF Turbo 1.6ltr 8v - Performance 4/5 Paddle	1983-93	Race/Rally	N 215	60-2182	76-1948	7.60mm	40-2404	22.5 x 20T	SMF	361Nm
Delta HF Turbo 1.6ltr 8v - Performance 6 Paddle	1983-93	Race/Rally	N 215	60-2182	77-1948	7.60mm	40-2404	22.5 x 20T	SMF	361Nm
Delta HF Turbo 1.6ltr 8v - Performance 4/5 Paddle Rigid	1983-93	Race/Rally	N 215	60-2182	78-1948	7.60mm	40-2404	22.5 x 20T	SMF	361Nm
Delta HF Integrale 2.0ltr 8v 4wd - Performance Organic	1986-89	Road	N 228	60-4285	70-4287	7.60mm	40-2404	22.5 x 20T	HF 9274	295Nm
Delta HF Integrale 2.0ltr 8v 4wd - Performance 4/5 Paddle	1986-89	Race/Rally	N 228	60-4286	76-4287	7.60mm	40-2404	22.5 x 20T	HF 9274	395Nm
Delta HF Integrale 2.0ltr 8v 4wd - Performance 6 Paddle	1986-89	Race/Rally	N 228	60-4286	77-4287	7.60mm	40-2404	22.5 x 20T	HF 9274	395Nm
Delta HF Integrale 2.0ltr 8v 4wd - Performance 4/5 Paddle Rigid	1986-89	Race/Rally	N 228	60-4286	78-4287	7.60mm	40-2404	22.5 x 20T	HF 9274	395Nm
Delta Integrale 2.0ltr 16v - Performance Organic	1989-94	Road	N 235	60-4445	70-4288	7.60mm	40-4447	22.5 x 20T	HF 9276	380Nm
Delta Integrale 2.0ltr 16v - Performance 4/5 Paddle	1989-94	Race/Rally	N 235	60-4446	76-4288	7.60mm	40-4447	22.5 x 20T	HF 9276	506Nm
Delta Integrale 2.0ltr 16v - Performance 6 Paddle	1989-94	Race/Rally	N 235	60-4446	77-4288	7.60mm	40-4447	22.5 x 20T	HF 9276	506Nm
Delta Integrale 2.0ltr 16v - Performance 4/5 Paddle Rigid	1989-94	Race/Rally	N 235	60-4446	78-4288	7.60mm	40-4447	22.5 x 20T	HF 9276	506Nm
Evo 2.0ltr 16v - Performance Organic	1994-99	Road	N 235	60-4445	70-4288	7.60mm	40-4447	22.5 x 20T	HF 9276	380Nm
Evo 2.0ltr 16v - Performance 4/5 Paddle	1994-99	Race/Rally	N 235	60-4446	76-4288	7.60mm	40-4447	22.5 x 20T	HF 9276	506Nm
Evo 2.0ltr 16v - Performance 6 Paddle	1994-99	Race/Rally	N 235	60-4446	77-4288	7.60mm	40-4447	22.5 x 20T	HF 9276	506Nm
Evo 2.0ltr 16v - Performance 4/5 Paddle Rigid	1994-99	Race/Rally	N 235	60-4446	78-4288	7.60mm	40-4447	22.5 x 20T	HF 9276	506Nm
Delta Integrale 2.0ltr 16v - Performance Twin Organic Rigid (Converts pull to push Type)	1989-94	Race/Rally	A 200	68-120G	71-1002 x 2	7.20mm	Organic	22.5 x 20T 22.5 x 20T	HF 9316	611Nm
Evo 2.0ltr 16v - Performance Twin 4/5 Paddle Rigid (Converts pull to push Type)	1994-99	Race/Rally	A 200	68-120G	78-1002 x 2	7.20mm	Paddle	22.5 x 20T 22.5 x 20T	HF 9316	740Nm
Aurelia B20 - Performance Twin Organic Rigid	1953-58	Road	N 184	62-220RNB	55-1060 x 2	7.20mm	OE	38 x 10T	HF 9546	463Nm
Montecarlo - Performance Organic	1974-84	Road	N 215	60-2182	70-1948	7.60mm	N/A	22.5 x 20T	SMF	270Nm
Montecarlo - Performance Organic Rigid	1974-84	Race/Rally	N 215	60-2182	71-1948	7.60mm	N/A	22.5 x 20T	SMF	270Nm
Montecarlo - Performance 4/5 Paddle	1974-84	Race/Rally	N 215	60-2182	76-1948	7.60mm	N/A	22.5 x 20T	SMF	361Nm
Montecarlo - Performance 6 Paddle	1974-84	Race/Rally	N 215	60-2182	77-1948	7.60mm	N/A	22.5 x 20T	SMF	361Nm
Montecarlo - Performance 4/5 Paddle Rigid	1974-84	Race/Rally	N 215	60-2182	78-1948	7.60mm	N/A	22.5 x 20T	SMF	361Nm
Stratos 2.4ltr - Performance Organic	1973-75	Road	N 230	N/A	70-2184	7.60mm	40-2185	25 x 22T	SMF	N/A
Stratos 2.4ltr - Performance 4/5 Paddle	1973-75	Race/Rally	N 230	N/A	76-2184	7.60mm	40-2185	25 x 22T	SMF	N/A
LANDROVER										
Range Rover 3.5ltr,4.2ltr - Performance Organic	1983-94	Road	N 267	60-2867	70-3955	8.40mm	40-2430	25.4 x 23T	SMF	456Nm
Range Rover 3.5ltr,4.2ltr - Performance 4/5 Paddle	1983-94	Race/Rally	N 267	60-2867	76-3955	8.40mm	40-2430	25.4 x 23T	SMF	610Nm
Range Rover 3.5ltr,4.2ltr - Performance 4/5 Paddle Rigid (5 speed gearbox)	1983-94	Race/Rally	N 267	60-2867	78-3955	8.40mm	40-2430	25.4 x 23T	SMF	610Nm
Landrover Freelander 2.0ltr TD4 - Performance Organic (Flywheel conversion required)	2000 →	Road	N 240	60-2856	70-2857	8.40mm	N/A	25 x 14T	SMF	357Nm
Discovery 4.0ltr - Performance Organic	1993-99	Road	N 267	60-2867	70-3955	8.40mm	40-2430	25.4 x 23T	SMF	456Nm
Discovery 4.0ltr - Performance 4/5 Paddle	1993-99	Race/Rally	N 267	60-2867	76-3955	8.40mm	40-2430	25.4 x 23T	SMF	610Nm
Discovery 4.0ltr - Performance 4/5 Paddle Rigid	1993-99	Race/Rally	N 267	60-2867	78-3955	8.40mm	40-2430	25.4 x 23T	SMF	610Nm
Defender 90/110/130 - Performance Organic	2007-16	Road	N 240	60-2875	70-4710	8.40mm	N/A	25.4 x 23T	SMF	478Nm
Defender 90/110/130 - Performance 4/5 Paddle	2007-16	Race/Rally	N 240	60-2875	76-4710	8.40mm	N/A	25.4 x 23T	SMF	553Nm
Defender 90/110/130 - Performance 6 Paddle	2007-16	Race/Rally	N 240	60-2875	77-4710	8.40mm	N/A	25.4 x 23T	SMF	553Nm
Defender 90/110/130 - Performance 4/5 Paddle Rigid	2007-16	Race/Rally	N 240	60-2875	78-4710	8.40mm	N/A	25.4 x 23T	SMF	553Nm
Defender 90/110/130 - Performance 6 Paddle Rigid	2007-16	Race/Rally	N 240	60-2875	78-4710 - 6	8.40mm	N/A	25.4 x 23T	SMF	553Nm
2.2ltr - 2.4ltr TDCI										
Land Rover Defender TD5 - Performance Organic	1999-06	Road	N 267	60-2878	70-2879	8.30mm	40-2877	25.4 x 23T	SMF	527Nm
Land Rover Defender TD5 - Performance Organic Rigid	1999-06	Road	N 267	60-2878	71-2879	8.30mm	40-2877	25.4 x 23T	SMF	527Nm
Land Rover Defender TD5 - Performance 4/5 Paddle	1999-06	Race/Rally	N 267	60-2878	76-2879	8.30mm	40-2877	25.4 x 23T	SMF	703Nm
Land Rover Defender TD5 - Performance 4/5 Paddle Rigid	1999-06	Race/Rally	N 267	60-2878	78-2879	8.30mm	40-2877	25.4 x 23T	SMF	703Nm
LEXUS										
IS 200 2.0ltr - Performance Organic	1999 →	Road	N 225	60-2326	70-3600	7.60mm	40-4239	29 x 21T	SMF	306Nm
IS 200 2.0ltr - Performance 4/5 Paddle	1999 →	Race/Rally	N 225	60-2326	76-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm
IS 200 2.0ltr - Performance 6 Paddle	1999 →	Race/Rally	N 225	60-2326	77-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm
IS 200 2.0ltr - Performance 4/5 Paddle Rigid	1999 →	Race/Rally	N 225	60-2326	78-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
LOTUS										
Carlton 3.6ltr Turbo - Performance Organic	1990-94	Road	N 240	60-5201	70-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	530Nm
Carlton 3.6ltr Turbo - Performance Organic Rigid	1990-94	Road	N 240	60-5201	71-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	530Nm
Carlton 3.6ltr Turbo - Performance 4/5 Paddle	1990-94	Race/Rally	N 240	60-5201	76-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	710Nm
Carlton 3.6ltr Turbo - Performance Organic Geared Hub <i>(Road Twin Plate Clutch)</i>	1990-94	Road	N 240	60-5214 80-3105A	50-5213 50-5215	7.20mm 7.20mm	40-2980	28.6 x 26T	HF 9242	772Nm
Carlton 3.6ltr Turbo - Performance 4/5 Paddle Geared Hub <i>(Road Twin Plate Clutch)</i>	1990-94	Race/Rally	N 240	60-5214 80-3105A	50-5213 A 50-5215 A	7.20mm 7.20mm	40-2980	28.6 x 26T	HF 9242	882Nm
Elan 1.6ltr - Performance Organic <i>(Model ; M100)</i>	1986-89	Road	N 225	N/A	70-4823	8.00mm	40-4824	25 x 14T	SMF	N/A
Esprit S1,S2 2.0ltr - Performance Organic	1976-80	Road	N 215	60-5132	70-2618	7.20mm	40-1221	24.4 x 21T	HF 9442	280nm
Esprit S1,S2 2.0ltr - Performance 4/5 Paddle <i>(Eng ; 907)</i> <i>(Gearbox SM/C35)</i>	1976-80	Race/Rally	N 215	60-5132	76-2618	7.20mm	40-1221	24.4 x 21T	HF 9442	380Nm
Esprit S2.2,S3 2.2ltr - Performance Organic	1980-87	Road	N 215	60-3518	70-2618	7.20mm	40-2220	24.4 x 21T	HF 9442	245Nm
Esprit S2.2,S3 2.2ltr - Performance 4/5 Paddle <i>(Eng ; 912)</i> <i>(Gearbox SM/C35)</i>	1980-87	Race/Rally	N 215	60-3518	76-2618	7.20mm	40-2220	24.4 x 21T	HF 9442	320Nm
Esprit 2.2ltr Turbo - Performance Organic	1980-86	Road	N 240	60-2498	70-3529	8.40mm	40-1222	24.4 x 21T	HF 9443	436Nm
Esprit 2.2ltr Turbo - Performance 4/5 Paddle <i>(Gearbox ; C35)</i>	1980-86	Race/Rally	N 240	60-2501	76-3529	8.40mm	40-1222	24.4 x 21T	HF 9443	590Nm
Esprit 2.2ltr Turbo - Performance Organic	1980-86	Road	N 240	60-4694	70-3529	8.40mm	40-1221	24.4 x 21T	HF 9443	470Nm
Esprit 2.2ltr Turbo - Performance 4/5 Paddle <i>(Gearbox ; C35)</i>	1980-86	Race/Rally	N 240	60-4694	76-3529	8.40mm	40-1221	24.4 x 21T	HF 9443	630Nm
Note ;	Citroen gearbox SM fitted to all models 1980-86 Upated unit SM/C35 fitted 1984 → Renault gearbox UN 1 fitted 1988 → in UK & Europe Renault gearbox UN 1 fitted 1989 → in USA									
Esprit 2.2ltr Turbo - Performance Organic	1987 →	Road	N 235	60-4810	70-4811	7.60mm	40-4330	24 x 21T	HF 9430	340Nm
Esprit 2.2ltr Turbo - Performance 4/5 Paddle	1987 →	Race/Rally	N 235	60-4820	76-4811	7.60mm	40-4330	24 x 21T	HF 9430	480Nm
Esprit 2.2ltr Turbo - Performance 6 Paddle	1987 →	Race/Rally	N 235	60-4820	77-4811	7.60mm	40-4330	24 x 21T	HF 9430	480Nm
Esprit 2.2ltr Turbo - Performance 4/5 Paddle Rigid	1987 →	Race/Rally	N 235	60-4820	78-4811	7.60mm	40-4330	24 x 21T	HF 9430	480Nm
Esprit 2.4ltr Turbo - Performance Organic	1987 →	Road	N 235	60-4830	70-4811	7.60mm	40-4330	24 x 21T	HF 9430	340Nm
Esprit 2.4ltr Turbo - Performance 4/5 Paddle	1987 →	Race/Rally	N 235	60-4830	76-4811	7.60mm	40-4330	24 x 21T	HF 9430	480Nm
Esprit 2.4ltr Turbo - Performance 6 Paddle	1987 →	Race/Rally	N 235	60-4830	77-4811	7.60mm	40-4330	24 x 21T	HF 9430	480Nm
Esprit 2.4ltr Turbo - Performance 4/5 Paddle Rigid <i>(2.4ltr conversion)</i>	1987 →	Race/Rally	N 235	60-4830	78-4811	7.60mm	40-4330	24 x 21T	HF 9430	480Nm
Esprit 3.5ltr V8 - Performance Organic Rigid <i>(Pull type twin plate clutch)</i>	1996-04	Road	N 215	60-5150	71-5151 71-5152	7.20mm 7.20mm	40-5153	24 x 21T	SMF	496Nm
Esprit 3.5ltr V8 - Performance 4/5 Paddle Rigid <i>(Pull type twin plate clutch)</i>	1996-04	Race/Rally	N 215	60-5150	78-5151 78-5152	7.20mm 7.20mm	40-5153	24 x 21T	SMF	582Nm
Elise 1.8ltr - Performance Organic	1996-05	Road	N 215	60-4584	70-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
Elise 1.8ltr - Performance Organic Rigid	1996-05	Road	N 215	60-4584	71-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
Elise 1.8ltr - Performance 4/5 Paddle	1996-05	Race/Rally	N 215	60-4584	76-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
Elise 1.8ltr - Performance 4/5 Paddle Rigid	1996-05	Race/Rally	N 215	60-4584	78-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
Exige 1.8ltr - Performance Organic	1996-05	Road	N 215	60-4584	70-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
Exige 1.8ltr - Performance Organic Rigid	1996-05	Road	N 215	60-4584	71-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
Exige 1.8ltr - Performance 4/5 Paddle	1996-05	Race/Rally	N 215	60-4584	76-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
Exige 1.8ltr - Performance 4/5 Paddle Rigid	1996-05	Race/Rally	N 215	60-4584	78-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
Caterham - Performance Organic	1996-05	Road	N 215	60-4584	70-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
Caterham - Performance Organic Rigid	1996-05	Road	N 215	60-4584	71-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
Caterham - Performance 4/5 Paddle	1996-05	Race/Rally	N 215	60-4584	76-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
Caterham - Performance 4/5 Paddle Rigid	1996-05	Race/Rally	N 215	60-4584	78-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
Elise 1.8ltr - Performance Organic	2005 →	Road	N 215	60-3849	70-3853	7.60mm	40-5889	24 x 21T	SMF	290Nm
Elise 1.8ltr - Performance 4/5 Paddle	2005 →	Race/Rally	N 215	60-3851	76-3853	7.60mm	40-5889	24 x 21T	SMF	400Nm
Elise 1.8ltr - Performance 4/5 Paddle Rigid <i>(Toyota Eng ; (2FE, FEA 1.8VVTI)</i>	2005 →	Race/Rally	N 215	60-3851	78-3853	7.60mm	40-5889	24 x 21T	SMF	400Nm
Exige 1.8ltr - Performance Organic	2005 →	Road	N 215	60-3849	70-3853	7.60mm	40-5889	24 x 21T	SMF	290Nm
Exige 1.8ltr - Performance 4/5 Paddle	2005 →	Race/Rally	N 215	60-3851	76-3853	7.60mm	40-5889	24 x 21T	SMF	400Nm
Exige 1.8ltr - Performance 4/5 Paddle Rigid <i>(Toyota Eng ; (2FE, FEA 1.8VVTI)</i>	2005 →	Race/Rally	N 215	60-3851	78-3853	7.60mm	40-5889	24 x 21T	SMF	400Nm
Excel - Performance Organic	1982 →	Road	N 215	60-3518	70-2966	7.20mm	40-1223	29 x 21T	SMF	245Nm
Excel - Performance 4/5 Paddle	1982 →	Race/Rally	N 215	60-3518	76-2966	7.20mm	40-1223	29 x 21T	SMF	320Nm
Excel - Performance 4/5 Paddle	1982 →	Race/Rally	N 215	60-3518	77-2966	7.20mm	40-1223	29 x 21T	SMF	320Nm
Cortina Mk1 - Performance Organic	1965-67	Road	N 215	60-2846	70-1340	7.20mm	40-3257	22.5 x 20T	HF 9424	270Nm
Cortina Mk1 - Performance Organic Rigid	1965-67	Road	N 215	60-2846	71-1340	7.20mm	40-3257	22.5 x 20T	HF 9424	270Nm
Cortina Mk1 - Performance 4/5 Paddle	1965-67	Race/Rally	N 215	60-2846	76-1340	7.20mm	40-3257	22.5 x 20T	HF 9424	360Nm
Cortina Mk1 - Performance 4/5 Paddle Rigid	1965-67	Race/Rally	N 215	60-2846	78-1340	7.20mm	40-3257	22.5 x 20T	HF 9424	360Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
LOTUS (cont)										
Cortina Mk2 - Performance Organic	1967-70	Road	N 215	60-2842	70-1340	7.20mm	40-3259	22.5 x 20T	SMF	270Nm
Cortina Mk2 - Performance Organic Rigid	1967-70	Road	N 215	60-2842	71-1340	7.20mm	40-3259	22.5 x 20T	SMF	270Nm
Cortina Mk2 - Performance 4/5 Paddle	1967-70	Race/Rally	N 215	60-2842	76-1340	7.20mm	40-3259	22.5 x 20T	SMF	360Nm
Cortina Mk2 - Performance 4/5 Paddle Rigid	1967-70	Race/Rally	N 215	60-2842	78-1340	7.20mm	40-3259	22.5 x 20T	SMF	360Nm
Elan S1,S2,S3 & S4 - Performance Organic	1964-74	Road	N 215	60-2846	70-1340	7.20mm	40-3257	22.5 x 20T	SMF	270Nm
Elan S1,S2,S3 & S4 - Performance Organic Rigid	1964-74	Road	N 215	60-2846	71-1340	7.20mm	40-3257	22.5 x 20T	SMF	270Nm
Elan S1,S2,S3 & S4 - Performance 4/5 Paddle	1964-74	Race/Rally	N 215	60-2846	76-1340	7.20mm	40-3257	22.5 x 20T	SMF	360Nm
Elan S1,S2,S3 & S4 - Performance 4/5 Paddle Rigid	1964-74	Race/Rally	N 215	60-2846	78-1340	7.20mm	40-3257	22.5 x 20T	SMF	360Nm
Elan S3 & S4 - Performance Organic	1967-74	Road	N 215	60-2842	70-2615	7.20mm	40-2465	28 x 25T	SMF	270Nm
Elan S3 & S4 - Performance 4/5 Paddle	1967-74	Race/Rally	N 215	60-2842	76-2615	7.20mm	40-2465	28 x 25T	SMF	360Nm
Elan S3 & S4 - Performance 6 Paddle <i>(5 Speed Gearbox)</i>	1967-74	Race/Rally	N 215	60-2842	77-2615	7.20mm	40-2465	28 x 25T	SMF	360Nm
Elan 2+2 ETC - Performance Organic	1964-74	Road	N 215	60-2846	70-1340	7.20mm	40-3257	22.5 x 20T	SMF	270Nm
Elan 2+2 ETC - Performance Organic Rigid	1964-74	Road	N 215	60-2846	71-1340	7.20mm	40-3257	22.5 x 20T	SMF	270Nm
Elan 2+2 ETC - Performance 4/5 Paddle	1964-74	Race/Rally	N 215	60-2846	76-1340	7.20mm	40-3257	22.5 x 20T	SMF	360Nm
Elan 2+2 ETC - Performance 4/5 Paddle Rigid <i>(4 Speed Gearbox)</i>	1964-74	Race/Rally	N 215	60-2846	78-1340	7.20mm	40-3257	22.5 x 20T	SMF	360Nm
Elan 2+2s 130/5 - Performance Organic	1970-74	Road	N 215	60-2842	70-2615	7.20mm	40-2465	28 x 25T	SMF	270Nm
Elan 2+2s 130/5 - Performance 4/5 Paddle	1970-74	Race/Rally	N 215	60-2842	76-2615	7.20mm	40-2465	28 x 25T	SMF	360Nm
Elan 2+2s 130/5 - Performance 6 Paddle	1970-74	Race/Rally	N 215	60-2842	77-2615	7.20mm	40-2465	28 x 25T	SMF	360Nm
Elite - Performance Organic	1960-73	Road	N 215	60-2842	70-1340	7.20mm	40-1069	22.5 x 20T	SMF	270Nm
Elite - Performance Organic Rigid	1960-73	Race/Rally	N 215	60-2842	71-1340	7.20mm	40-1069	22.5 x 20T	SMF	270Nm
Elite - Performance 4/5 Paddle	1960-73	Race/Rally	N 215	60-2842	76-1340	7.20mm	40-1069	22.5 x 20T	SMF	360Nm
Elite - Performance 4/5 Paddle Rigid	1960-73	Race/Rally	N 215	60-2842	78-1340	7.20mm	40-1069	22.5 x 20T	SMF	360Nm
Elite - Performance Organic	1974-80	Road	N 215	60-2842	70-2615	7.20mm	40-2465	28 x 25T	SMF	270Nm
Elite - Performance 4/5 Paddle	1974-80	Race/Rally	N 215	60-2842	76-2615	7.20mm	40-2465	28 x 25T	SMF	360Nm
Elite - Performance 6 Paddle	1974-80	Race/Rally	N 215	60-2842	77-2615	7.20mm	40-2465	28 x 25T	SMF	360Nm
Elite - Performance Organic	1980-82	Road	N 215	60-3518	70-2614	7.20mm	N/A	1 1/8" x 10T	SMF	245Nm
Elite - Performance 4/5 Paddle	1980-82	Race/Rally	N 215	60-3518	76-2614	7.20mm	N/A	1 1/8" x 10T	SMF	320Nm
Europa - Performance Organic	1971-75	Road	N 215	60-2848	70-2611	7.20mm	40-2467	24 x 21T	SMF	270Nm
Europa - Performance 4/5 Paddle <i>(Twin Cam)</i>	1971-75	Race/Rally	N 215	60-2848	76-2611	7.20mm	40-2467	24 x 21T	SMF	360Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
MAZDA										
323 1.6ltr Turbo 4wd - Performance Organic	1986-89	Road	N 225	60-3925	70-3923	7.60mm	40-4195	24 x 22T	SMF	279Nm
323 1.8ltr Turbo 4wd - Performance 4/5 Paddle	1986-89	Race/Rally	N 225	60-3925	76-3923	7.60mm	40-4195	24 x 22T	SMF	370Nm
323 1.6ltr Turbo 4wd - Performance 4/5 Paddle Rigid (Model ; BF1) (Eng ; B6D3/B6F2)	1986-89	Race/Rally	N 225	60-3925	77-3923	7.60mm	40-4195	24 x 22T	SMF	370Nm
323 1.8ltr Turbo 4wd - Performance Organic	1989-94	Road	N 230	60-3926	70-3924	7.60mm	40-4195	24 x 22T	SMF	286Nm
323 1.8ltr GT-R - Performance 4/5 Paddle	1989-94	Race/Rally	N 230	60-3926	76-3924	7.60mm	40-4195	24 x 22T	SMF	380Nm
323 1.8ltr Turbo 4wd - Performance 4/5 Paddle Rigid (Model ; BG1) (Eng ; BP55)	1989-94	Race/Rally	N 230	60-3926	78-3924	7.60mm	40-4195	24 x 22T	SMF	380Nm
323 1.8ltr GT-R - Performance Organic	1991-94	Road	N 230	60-3928	70-3924	7.60mm	40-4195	24 x 22T	SMF	260Nm
323 1.8ltr GT-R - Performance 4/5 Paddle	1991-94	Race/Rally	N 230	60-3928	76-3924	7.60mm	40-4195	24 x 22T	SMF	345Nm
323 1.8ltr GT-R - Performance 4/5 Paddle Rigid (Model ; BG1) (Eng ; BP51)	1991-94	Race/Rally	N 230	60-3928	78-3924	7.60mm	40-4195	24 x 22T	SMF	345Nm
MX 5 1.6ltr - Performance Organic	1990 →	Road	N 200	60-3422	70-3423	7.60mm	40-3292	24 x 22T	SMF	200Nm
MX 5 1.6ltr - Performance Organic Rigid	1990 →	Road	N 200	60-3422	71-3423	7.60mm	40-3292	24 x 22T	SMF	200Nm
MX 5 1.6ltr - Performance 4/5 Paddle (Model ; NB18) (Eng ; B6MU)	1990 →	Race/Rally	N 200	60-3422	76-3423	7.60mm	40-3292	24 x 22T	SMF	260Nm
MX 5 1.8ltr - Performance Organic	1994-03	Road	N 215	60-3430	70-3431	8.00mm	40-3292	24 x 22T	HF 9461	260Nm
MX 5 1.8ltr - Performance 4/5 Paddle	1994-03	Race/Rally	N 215	60-3430	76-3431	8.00mm	40-3292	24 x 22T	HF 9461	340Nm
MX 5 1.8ltr - Performance 6 Paddle (Model ; NB1,NB18) (Eng ; BP5A, BP61) (5 speed)	1994-03	Race/Rally	N 215	60-3430	77-3431	8.00mm	40-3292	24 x 22T	HF 9461	340Nm
MX 5 1.8ltr - Performance Organic	11/05 →	Road	N 228	60-3436	70-3435/03	8.00mm	40-3293	24.3 x 22T	SMF	334Nm
MX 5 1.8ltr - Performance 4/5 Paddle	11/05 →	Race/Rally	N 228	60-3436	76-3435/03	8.00mm	40-3293	24.3 x 22T	SMF	445Nm
MX 5 1.8ltr - Performance 6 Paddle (Model ; NC18) (Eng ; L828) (5,6 speed gearbox)	11/05 →	Race/Rally	N 228	60-3436	77-3435/03	8.00mm	40-3293	24.3 x 22T	SMF	445Nm
MX 5 2.0ltr - Performance Organic	11/05 →	Road	N 228	60-3436	70-3435	8.00mm	40-3293	25.4 x 23T	SMF	334Nm
MX 5 2.0ltr - Performance 4/5 Paddle	11/05 →	Race/Rally	N 228	60-3436	76-3435	8.00mm	40-3293	25.4 x 23T	SMF	445Nm
MX 5 2.0ltr - Performance 6 Paddle (Model ; NC18) (Eng ; LF62) (5,6 speed gearbox)	11/05 →	Race/Rally	N 228	60-3436	77-3435	8.00mm	40-3293	25.4 x 23T	SMF	445Nm
Xedos 6 1.6ltr - Performance Organic	1993 →	Road	N 200	60-3422	70-3423	7.60mm	40-3294	24 x 22T	SMF	200Nm
Xedos 6 1.6ltr - Performance Organic Rigid	1993 →	Road	N 200	60-3422	71-3423	7.60mm	40-3294	24 x 22T	SMF	200Nm
Xedos 6 1.6ltr - Performance 4/5 Paddle	1993 →	Race/Rally	N 200	60-3422	76-3423	7.60mm	40-3294	24 x 22T	SMF	260Nm
RX7 Twin Turbo - Performance Organic	1992 →	Road	N 240	60-4643	70-4644	7.60mm	40-4645	25.4 x 23T	SMF	420Nm
RX7 Twin Turbo - Performance 4/5 Paddle	1992 →	Race/Rally	N 240	60-4643	76-4644	7.60mm	40-4645	25.4 x 23T	SMF	556Nm
RX7 Twin Turbo - Performance 6 Paddle (Model ; FD1) (Eng ; N3D3,V3BB) (Pull type)	1992 →	Race/Rally	N 240	60-4643	77-4644	7.60mm	40-4645	25.4 x 23T	SMF	556Nm
RX8 - Performance Organic	2003 →	Road	N 240	60-4646	70-4647	7.80mm	40-4648	25.4 x 23T	SMF	300Nm
RX8 - Performance 4/5 Paddle	2003 →	Race/Rally	N 240	60-4646	76-4647	7.80mm	40-4648	25.4 x 23T	SMF	390Nm
RX8 - Performance 4/5 Paddle Rigid (Model ; SE17) (Eng ; B13)	2003 →	Race/Rally	N 240	60-4646	78-4647	7.80mm	40-4648	25.4 x 23T	SMF	390Nm
Mazda 2 1.5ltr - Performance Organic	2007-10	Road	N 200	60-3422	70-3423/02	7.60mm	40-3294	22.5 x 20T	SMF	200Nm
Mazda 2 1.5ltr - Performance Organic Rigid	2007-10	Road	N 200	60-3422	71-3423/02	7.60mm	40-3294	22.5 x 20T	SMF	200Nm
Mazda 2 1.5ltr - Performance 4/5 Paddle (Eng ; DE5FS)	2007-10	Race/Rally	N 200	60-3422	76-3423/02	7.60mm	40-3294	22.5 x 20T	SMF	260Nm
MASERATI										
Bora V8 4.7 & 4.9ltr - Performance Organic	1971-78	Road	N 267	60-2868	70-1648	8.40mm	40-3321	1 1/8" x10T	SMF	456Nm
Bora V8 4.7 & 4.9ltr - Performance 4/5 Paddle	1971-78	Race/Rally	N 267	60-2868	76-1648	8.40mm	40-3321	1 1/8" x10T	SMF	610Nm
Ghibli V8 4.7ltr - Performance Organic	1967-73	Road	N 267	60-2868	70-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	456Nm
Ghibli V8 4.7ltr - Performance 4/5 Paddle	1967-73	Race/Rally	N 267	60-2868	76-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	610Nm
Indy V8 4.9ltr - Performance Organic	1969-76	Road	N 267	60-2868	70-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	456Nm
Indy V8 4.9ltr - Performance 4/5 Paddle	1969-76	Race/Rally	N 267	60-2868	76-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	610Nm
Khasmin V8 4.9ltr - Performance Organic	1973-82	Road	N 267	60-2868	70-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	456Nm
Khasmin V8 4.9ltr - Performance 4/5 Paddle	1973-82	Race/Rally	N 267	60-2868	76-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	610Nm
Merak V6 3.0ltr - Performance Organic	1972-83	Road	N 267	60-2868	70-1648	8.40mm	40-3321	1 1/8" x10T	SMF	456Nm
Merak V6 3.0ltr - Performance 4/5 Paddle (From Eng 520298 →)	1972-83	Race/Rally	N 267	60-2868	76-1648	8.40mm	40-3321	1 1/8" x10T	SMF	610Nm
Quattroporte - Performance Organic	1969-76	Road	N 267	60-2868	70-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	456Nm
Quattroporte - Performance 4/5 Paddle	1969-76	Race/Rally	N 267	60-2868	76-1647	8.40mm	40-3321	1 1/4" x 10T	SMF	610Nm
Sebring 3500 GTI - Performance Organic	1962-66	Road	N 240	60-3340	70-1637	8.40mm	40-3302	1 1/4" x 10T	SMF	360Nm
Sebring 3500 GTI - Performance 4/5 Paddle (Diaphragm Spring Conversion)	1962-66	Race/Rally	N 240	60-3340	76-1637	8.40mm	40-3302	1 1/4" x 10T	SMF	475Nm
Sebring 3500, 3700, 4000 - Performance Organic	1962-66	Road	N 240	60-3340	70-1637	8.40mm	40-3302	1 1/4" x 10T	SMF	360Nm
Sebring 3500, 3700, 4000 - Performance 4/5 Paddle	1962-66	Race/Rally	N 240	60-3340	76-1637	8.40mm	40-3302	1 1/4" x 10T	SMF	475Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
MERCEDES BENZ										
CLK 230 - Performance Organic	1997-02	Road	N 240	60-3577	70-3578	7.60mm	OE	28.7 x 26T	HF 9572	475Nm
CLK 230 - Performance 4/5 Paddle	1997-02	Race/Rally	N 240	60-3577	76-3578	7.60mm	OE	28.7 x 26T	HF 9572	635Nm
CLK 230 - Performance 6 Paddle	1997-02	Race/Rally	N 240	60-3577	77-3578	7.60mm	OE	28.7 x 26T	HF 9572	635Nm
CLK 230 - Performance 4/5 Paddle Rigid	1997-02	Race/Rally	N 240	60-3577	78-3578	7.60mm	OE	28.7 x 26T	HF 9572	635Nm
190 Evolution I - Performance Organic	1984-88	Road	N 228	60-3575	70-1109C	8.40mm	40-3940	28.7 x 26T	SMF	360Nm
190 Evolution I - Performance 4/5 Paddle	1984-88	Race/Rally	N 228	60-3575	76-1109C	8.40mm	40-3940	28.7 x 26T	SMF	475Nm
190 Evolution I - Performance 6 Paddle	1984-88	Race/Rally	N 228	60-3575	77-1109C	8.40mm	40-3940	28.7 x 26T	SMF	475Nm
190 Evolution II - Performance Organic	1988-93	Road	N 228	60-3575	70-1109C	8.40mm	40-3940	28.7 x 26T	SMF	360Nm
190 Evolution II - Performance 4/5 Paddle	1988-93	Race/Rally	N 228	60-3575	76-1109C	8.40mm	40-3940	28.7 x 26T	SMF	475Nm
190 Evolution II - Performance 6 Paddle	1988-93	Race/Rally	N 228	60-3575	77-1109C	8.40mm	40-3940	28.7 x 26T	SMF	475Nm
MG										
MG TD (Midget) - Performance Organic	1949-51	Road	N 190	60-2490	70-1316	7.20mm	40-1069	1" x 10T	SMF	190Nm
MG TD (Midget) - Performance 4/5 Paddle	1949-51	Race/Rally	N 190	60-2490	76-1316	7.20mm	40-1069	1" x 10T	SMF	250Nm
MG TD (Midget) - Performance 6 Paddle (To Eng No 9048)	1949-51	Race/Rally	N 190	60-2490	78-1316	7.20mm	40-1069	1" x 10T	SMF	250Nm
MG TD 1.5ltr - Performance Organic	1951-52	Road	N 203	12-2515	70-1333	7.20mm	40-1069	1" x 10T	SMF	200Nm
MG TD 1.5ltr - Performance 4/5 Paddle	1951-52	Race/Rally	N 203	12-2515	76-1333	7.20mm	40-1069	1" x 10T	SMF	300Nm
MG TF - Performance Organic	1953-56	Road	N 203	12-2515	70-1333	7.20mm	40-1069	1" x 10T	SMF	200Nm
MG TF - Performance 4/5 Paddle	1953-56	Race/Rally	N 203	12-2515	76-1333	7.20mm	40-1069	1" x 10T	SMF	300Nm
Midget Mk1 948cc - Performance Organic	1961-62	Road	N 180	60-2835	70-1313	7.20mm	40-3310	7/8" x 10T	HF 9441	180Nm
Midget Mk1 948cc - Performance 4/5 Paddle		Race/Rally	N 180	60-2835	76-1313	7.20mm	40-3310	7/8" x 10T	HF 9441	250Nm
<i>(Flywheel requires re-drilling & re-dowelling when converting from either a 184mm coil spring clutch or 159mm & 165mm diaphragm spring clutch. Installation drawing No 2835 is available)</i>										
Midget Mk2 - Performance Organic	1962-65	Road	N 190	60-2490	70-1314	7.20mm	40-3310	7/8" x 10T	HF 9453 A	190Nm
Midget Mk2 - Performance 4/5 Paddle (4 Bolt Flywheel)	1962-65	Race/Rally	N 190	60-2490	76-1314	7.20mm	40-3310	7/8" x 10T	HF 9453 A	250Nm
Midget Mk3, 1500cc - Performance Organic	1962-74	Road	N 180	60-2835	70-1313	7.20mm	40-3318	7/8" x 10T	HF 9441	180Nm
Midget Mk3, 1500cc - Performance 4/5 Paddle	1975-79	Race/Rally	N 180	60-2835	76-1313	7.20mm	40-3318	7/8" x 10T	HF 9441	250Nm
<i>(Flywheel requires re-drilling & re-dowelling when converting from either 184mm or 159mm diaphragm spring clutch. Installation drawing No. 2835 is available)</i>										
MGA 1.5ltr - Performance Organic	1955-59	Road	N 215	60-3331	70-3552	7.20mm	40-1069	1" x 10T	SMF	280Nm
MGA 1.5ltr - Performance 4/5 Paddle	1955-59	Race/Rally	N 215	60-3331	76-3552	7.20mm	40-1069	1" x 10T	SMF	380Nm
MGA 1.5ltr - Performance 6 Paddle	1955-59	Race/Rally	N 215	60-3331	77-3552	7.20mm	40-1069	1" x 10T	SMF	380Nm
MGA 1.5ltr - Performance 4/5 Paddle Rigid (From Eng 1715)	1955-59	Race/Rally	N 215	60-3331	78-3552	7.20mm	40-1069	1" x 10T	SMF	380Nm
MGB K Series 1.8ltr - Performance Organic	1962-81	Road	N 215	60-3331	70-2619	7.20mm	43-3821	25.4 x 23T	HF 9555	280Nm
MGB K Series 1.8ltr - Performance Organic Rigid	1962-81	Road	N 215	60-3331	71-2619	7.20mm	43-3821	25.4 x 23T	HF 9555	280Nm
MGB K Series 1.8ltr - Performance 4/5 Paddle	1962-81	Race/Rally	N 215	60-3331	76-2619	7.20mm	43-3821	25.4 x 23T	HF 9555	380Nm
MGB K Series 1.8ltr - Performance 6 Paddle	1962-81	Race/Rally	N 215	60-3331	77-2619	7.20mm	43-3821	25.4 x 23T	HF 9555	380Nm
MGB K Series 1.8ltr - Performance 4/5 Paddle Rigid	1962-81	Race/Rally	N 215	60-3331	78-2619	7.20mm	43-3821	25.4 x 23T	HF 9555	380Nm
MGF 1.8ltr - Performance Organic	1995 →	Road	N 215	60-4584	70-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
MGF 1.8ltr - Performance Organic Rigid	1995 →	Road	N 215	60-4584	71-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
MGF 1.8ltr - Performance 4/5 Paddle	1995 →	Race/Rally	N 215	60-4584	76-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
MGF 1.8ltr - Performance 4/5 Paddle Rigid	1995 →	Race/Rally	N 215	60-4584	78-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
MG ZR 105 1.4ltr 16v - Performance Organic	2001-03	Road	N 200	60-3871	70-3876	7.00mm	40-5096	21 x 18T	SMF	220Nm
MG ZR 105 1.4ltr 16v - Performance 4/5 Paddle	2001-03	Race/Rally	N 200	60-3878	76-3876	7.00mm	40-5096	21 x 18T	SMF	290Nm
MG ZR 105 1.4ltr 16v - Performance 6 Paddle (Chassis No → 720772)	2001-03	Race/Rally	N 200	60-3878	77-3876	7.00mm	40-5096	21 x 18T	SMF	290Nm
MG ZR 105 1.4ltr 16v - Performance Organic	2003-05	Road	N 200	60-3871	70-3865	7.00mm	40-5096	20 x 17T	SMF	220Nm
MG ZR 105 1.4ltr 16v - Performance 4/5 Paddle (Chassis No ; 720773 →)	2003-05	Race/Rally	N 200	60-3878	76-3865	7.00mm	40-5096	20 x 17T	SMF	290Nm
Metro 6R4 - Performance Twin 4 Paddle Rigid		Race/Rally	A 184	63-220R	52-2001 x 2	7.20mm	40-3290	25.4 x 23T	SMF	422Nm
MG ZR 120 & 160 VVC 1.8ltr 16v - Performance Organic	2001 →	Road	N 215	60-4584	70-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
MG ZR 120 & 160 VVC 1.8ltr 16v - Performance Organic Rigid	2001 →	Road	N 215	60-4584	71-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
MG ZR 120 & 160 VVC 1.8ltr 16v - Performance 4/5 Paddle	2001 →	Race/Rally	N 215	60-4584	76-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
MG ZR 120 & 160 VVC 1.8ltr 16v - Performance 4/5 Paddle Rigid	2001 →	Race/Rally	N 215	60-4584	78-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
MG ZS 120 1.8ltr 16v - Performance Organic	2001-05	Road	N 215	60-4584	70-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
MG ZS 120 1.8ltr 16v - Performance Organic Rigid	2001-05	Road	N 215	60-4584	71-4585	7.20mm	40-3821	25.4 x 24T	SMF	245Nm
MG ZS 120 1.8ltr 16v - Performance 4/5 Paddle	2001-05	Race/Rally	N 215	60-4584	76-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
MG ZS 120 1.8ltr 16v - Performance 4/5 Paddle Rigid	2001-05	Race/Rally	N 215	60-4584	78-4585	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
MG ZS 180 2.5ltr V6 - Performance Organic	2001-05	Road	N 228	60-4586	70-4587	8.00mm	40-3821	25.4 x 24T	SMF	330Nm
MG ZS 180 2.5ltr V6 - Performance 4/5 Paddle	2001-05	Race/Rally	N 228	60-4586	76-4587	8.00mm	40-3821	25.4 x 24T	SMF	390Nm
MG ZT 160/190 2.5ltr V6 - Performance Organic Rigid	2001-05	Road	N 228	60-4588	71-4589	8.00mm	N/A	25 x 14T	SMF	330Nm
MG ZT 160/190 2.5ltr V6 - Performance 4/5 Paddle Rigid	2001-05	Race/Rally	N 228	60-4588	78-4589	8.00mm	N/A	25 x 14T	SMF	390Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
MG (cont)										
	1962-81	Road	N 215	60-3331	70-2619	7.20mm	40-3291	25.4 x 23T	HF 9319	280Nm
MGB 1.8ltr - Performance Organic Rigid	1962-81	Road	N 215	60-3331	71-2619	7.20mm	40-3291	25.4 x 23T	HF 9319	280Nm
MGB 1.8ltr - Performance 4/5 Paddle	1962-81	Race/Rally	N 215	60-3331	76-2619	7.20mm	40-3291	25.4 x 23T	HF 9319	380Nm
MGB 1.8ltr - Performance 6 Paddle	1962-81	Race/Rally	N 215	60-3331	77-2619	7.20mm	40-3291	25.4 x 23T	HF 9319	380Nm
MGB 1.8ltr - Performance 4/5 Paddle Rigid	1962-81	Race/Rally	N 215	60-3331	78-2619	7.20mm	40-3291	25.4 x 23T	HF 9319	380Nm
MGA 1.6ltr - Performance Organic	1958-62	Road	N 215	60-3331	70-3552	7.20mm	40-1069	1" x 10T	SMF	280Nm
MGA 1.6ltr - Performance 4/5 Paddle	1958-62	Race/Rally	N 215	60-3331	76-3552	7.20mm	40-1069	1" x 10T	SMF	380Nm
MGA 1.6ltr - Performance 6 Paddle	1958-62	Race/Rally	N 215	60-3331	77-3552	7.20mm	40-1069	1" x 10T	SMF	380Nm
MGA 1.6ltr - Performance 4/5 Paddle Rigid	1958-62	Race/Rally	N 215	60-3331	78-3552	7.20mm	40-1069	1" x 10T	SMF	380Nm
MGA 1.6ltr - Performance Organic Rigid	1958-62	Road	N 215	60-3331	70-2619	7.20mm	40-1069	25.4 x 23T	SMF	280Nm
MGA 1.6ltr - Performance Organic Rigid	1958-62	Road	N 215	60-3331	71-2619	7.20mm	40-1069	25.4 x 23T	SMF	280Nm
MGA 1.6ltr - Performance 4/5 Paddle	1958-62	Race/Rally	N 215	60-3331	76-2619	7.20mm	40-1069	25.4 x 23T	SMF	380Nm
MGA 1.6ltr - Performance 6 Paddle	1958-62	Race/Rally	N 215	60-3331	77-2619	7.20mm	40-1069	25.4 x 23T	SMF	380Nm
MGA 1.6ltr - Performance 4/5 Paddle Rigid <i>(From Eng; H3929 & L3854)</i>	1958-62	Race/Rally	N 215	60-3331	78-2619	7.20mm	40-1069	25.4 x 23T	SMF	380Nm
MGC 3.0ltr - Performance Organic	1967-69	Road	N 240	60-2854	70-1364	8.40mm	40-3302	25.4 x 23T	SMF	360Nm
MGC 3.0ltr - Performance 6 Paddle	1967-70	Race/Rally	N 240	60-2854	77-1364	8.40mm	40-3302	25.4 x 23T	SMF	475Nm
MINI (BMW)										
Mini Cooper 1.6ltr - Performance Organic	2001-04	Road	N 200	60-2420	70-2421	7.00mm	40-5096	21 x 18T	SMF	209Nm
Mini Cooper 1.6ltr - Performance 4/5 Paddle	2001-04	Race/Rally	N 200	60-2420	76-2421	7.00mm	40-5096	21 x 18T	SMF	270Nm
Mini Cooper 1.6ltr - Performance 6 Paddle	2001-04	Race/Rally	N 200	60-2420	77-2421	7.00mm	40-5096	21 x 18T	SMF	270Nm
Mini Cooper S 1.6ltr - Performance Organic	2002-06	Road	N 215	60-2424	70-2425	7.60mm	40-3821	25 x 14T	HF 9382	265Nm
Mini Cooper S 1.6ltr - Performance Organic Rigid	2002-06	Road	N 215	60-2424	71-2425	7.60mm	40-3821	25 x 14T	SMF	265Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle	2002-06	Race/Rally	N 215	60-2424	76-2425	7.60mm	40-3821	25 x 14T	HF 9382	350Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle Rigid	2002-06	Race/Rally	N 215	60-2424	78-2425	7.60mm	40-3821	25 x 14T	SMF	350Nm
Mini Cooper S 1.6ltr Heavy Duty - Performance Organic	2002-06	Road	N 215	60-2428	70-2425	7.60mm	40-3821	25 x 14T	HF 9860	350Nm
Mini Cooper S 1.6ltr Heavy Duty - Performance 4/5 Paddle	2002-06	Race/Rally	N 215	60-2428	76-2425	7.60mm	40-3821	25 x 14T	HF 9860	450Nm
Mini Cooper S 1.6ltr Heavy Duty - Performance 4/5 Paddle Rigid	2002-06	Race/Rally	N 215	60-2428	78-2425	7.60mm	40-3821	25 x 14T	HF 9860	450Nm
Mini Cooper S 1.6ltr - Performance Organic	2002-06	Road	N 215	60-2442	70-2443	7.25mm	40-3821	25 x 14T	HF 9307	270Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle	2002-06	Race/Rally	N 215	60-2442	76-2443	7.25mm	40-3821	25 x 14T	HF 9307	360Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle Rigid	2002-06	Race/Rally	N 215	60-2442	77-2443	7.25mm	40-3821	25 x 14T	HF 9307	360Nm
Mini Cooper S 1.6ltr - Performance Organic 4 Piece Clutch Kit	2002-06	Road	N 215	35-7007						
Mini Cooper S 1.6ltr - Performance 6 Paddle 4 Piece Clutch Kit	2002-06	Race/Rally	N 215	95-7007/6						
Mini Cooper 1.6ltr - Performance Organic	2006 →	Road	N 200	60-2438	70-2439	7.60mm	40-2440	20 x 17T	SMF	215Nm
Mini Cooper 1.6ltr - Performance 4/5 Paddle <i>(Eng ; N12B16A)</i>	2006 →	Race/Rally	N 200	60-2438	76-2439	7.60mm	40-2440	20 x 17T	SMF	264Nm
Mini Cooper S 1.6ltr - Performance Organic	2006 →	Road	N 228	60-2432	70-2433	7.60mm	40-2434	22.1 x 28T	HF 9230	343Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle	2006 →	Race/Rally	N 228	60-2432	76-2433	7.60mm	40-2434	22.1 x 28T	HF 9230	401Nm
Mini Cooper S 1.6ltr - Performance 6 Paddle	2006 →	Race/Rally	N 228	60-2432	77-2433	7.60mm	40-2434	22.1 x 28T	HF 9230	401Nm
Mini Cooper S 1.6ltr - Performance 4/5 Paddle Rigid <i>(Eng ; N14B16A)</i>	2006 →	Race/Rally	N 228	60-2432	78-2433	7.60mm	40-2434	22.1 x 28T	HF 9230	401Nm
Mini Cooper S 1.6ltr - Performance Organic 4 Piece Clutch Kit	2006 →	Road	N 228	35-7008						
Mini Cooper S 1.6ltr - Performance 4/5 Paddle 4 Piece Clutch Kit	2006 →	Race/Rally	N 228	95-7008						
Mini Cooper S 4wd - Performance Organic	2009 →	Road	N 240	60-2436	70-2435	7.60mm	40-2437	22.1 x 28T	SMF	402Nm
Mini Cooper S 4wd - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-2436	76-2435	7.60mm	40-2437	22.1 x 28T	SMF	456Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
MITSUBISHI										
Colt 1.6ltr Turbo - Performance Organic	1984-88	Road	N 215	60-4423	70-6102	7.60mm	40-1820	22.5 x 20T	SMF	203Nm
Colt 1.6ltr Turbo - Performance 4/5 Paddle	1984-88	Race/Rally	N 215	60-4423	76-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Colt 1.6ltr Turbo - Performance 4/5 Paddle Rigid (Model ; C13A) (Eng ; 4G32)	1984-88	Race/Rally	N 215	60-4423	78-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Colt GTI 1.8ltr - Performance Organic	1988-93	Road	N 215	60-4423	70-6102	7.60mm	40-1820	22.5 x 20T	SMF	203Nm
Colt GTI 1.8ltr - Performance 4/5 Paddle	1988-93	Race/Rally	N 215	60-4423	76-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Colt GTI 1.8ltr - Performance 4/5 Paddle Rigid (Model ; C58A) (Eng ; 4G67)	1988-93	Race/Rally	N 215	60-4423	78-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Colt GTI 1.8ltr - Performance Organic	1991-97	Road	N 215	60-4423	70-6102	7.60mm	40-1820	22.5 x 20T	SMF	203Nm
Colt GTI 1.8ltr - Performance 4/5 Paddle	1991-97	Race/Rally	N 215	60-4423	76-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Colt GTI 1.8ltr - Performance 4/5 Paddle Rigid (Model ; CA5A) (Eng ; 4G93)	1991-97	Race/Rally	N 215	60-4423	78-6102	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Galant VR4 2.0ltr - Performance Organic	1988-91	Road	N 225	60-4449	70-2318	7.60mm	40-1820	22.5 x 20T	SMF	367Nm
Galant VR4 2.0ltr - Performance 4/5 Paddle	1988-91	Race/Rally	N 225	60-4449	76-2318	7.60mm	40-1820	22.5 x 20T	SMF	410Nm
Galant VR4 2.0ltr - Performance 6 Paddle (Model ; E38,E39)	1988-91	Race/Rally	N 225	60-4449	77-2318	7.60mm	40-1820	22.5 x 20T	SMF	410Nm
Galant VR4 2.5ltr V6 - Performance Organic	1996-03	Road	N 240	60-4468	70-4470	8.00mm	40-4462	25.4 x 23T	SMF	445Nm
Galant VR4 2.5ltr V6 - Performance 4/5 Paddle (Model ; EC5W) (Eng ; 6A13)	1996-03	Race/Rally	N 240	60-4468	76-4470	8.00mm	40-4462	25.4 x 23T	SMF	590Nm
Mivec 1.6ltr Turbo - Performance Organic	1991-07	Road	N 215	60-4423	70-2268	7.60mm	40-1820	22.5 x 20T	SMF	203Nm
Mivec 1.6ltr Turbo - Performance 4/5 Paddle	1991-07	Race/Rally	N 215	60-4423	76-2268	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Mivec 1.6ltr Turbo - Performance 4/5 Paddle Rigid	1991-07	Race/Rally	N 215	60-4423	78-2268	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Shogun 3.5ltr V6 24v - Performance Organic	1993-99	Road	N 250	60-5205	70-5206	8.00mm	40-4462	25.4 x 23T	SMF	440Nm
Shogun 3.5ltr V6 24v - Performance 4/5 Paddle	1993-99	Race/Rally	N 250	60-5205	76-5206	8.00mm	40-4462	25.4 x 23T	SMF	590Nm
Shogun 3.5ltr V6 24v - Performance 4/5 Paddle Rigid (Model ; V25W,V45W) (Eng ; 6G74)	1993-99	Race/Rally	N 250	60-5205	78-5206	8.00mm	40-4462	25.4 x 23T	SMF	590Nm
Pajero 3.5ltr V6 24v - Performance Organic	1993-99	Road	N 250	60-5205	70-5206	8.00mm	40-4462	25.4 x 23T	SMF	440Nm
Pajero 3.5ltr V6 24v - Performance 4/5 Paddle	1993-99	Race/Rally	N 250	60-5205	76-5206	8.00mm	40-4462	25.4 x 23T	SMF	590Nm
Pajero 3.5ltr V6 24v - Performance 4/5 Paddle Rigid (Model ; V25W,V45W) (Eng ; 6G74)	1993-99	Race/Rally	N 250	60-5205	78-5206	8.00mm	40-4462	25.4 x 23T	SMF	590Nm
Shogun 3.5ltr V6 24v - Performance Organic	1999 →	Road	N 250	60-5208	70-5206	8.00mm	40-4462	25.4 x 23T	SMF	460Nm
Shogun 3.5ltr V6 24v - Performance 4/5 Paddle	1999 →	Race/Rally	N 250	60-5208	76-5206	8.00mm	40-4462	25.4 x 23T	SMF	610Nm
Shogun 3.5ltr V6 24v - Performance 4/5 Paddle Rigid (Model ; V65W,V75W) (Eng ; 6G74)	1999 →	Race/Rally	N 250	60-5208	78-5206	8.00mm	40-4462	25.4 x 23T	SMF	610Nm
Pajero 3.5ltr V6 24v - Performance Organic	1999 →	Road	N 250	60-5208	70-5206	8.00mm	40-4462	25.4 x 23T	SMF	460Nm
Pajero 3.5ltr V6 24v - Performance 4/5 Paddle	1999 →	Race/Rally	N 250	60-5208	76-5206	8.00mm	40-4462	25.4 x 23T	SMF	610Nm
Pajero 3.5ltr V6 24v - Performance 4/5 Paddle Rigid (Model ; V65W,V75W) (Eng ; 6G74)	1999 →	Race/Rally	N 250	60-5208	78-5206	8.00mm	40-4462	25.4 x 23T	SMF	610Nm
Shogun DID 3.2ltr - Performance Organic	1999 →	Road	N 275	60-3246	70-3247	8.40mm	40-4462	25.4 x 23T	SMF	500Nm
Shogun DID 3.2ltr - Performance 4/5 Paddle	1999 →	Race/Rally	N 275	60-3246	76-3247	8.40mm	40-4462	25.4 x 23T	SMF	670Nm
Shogun DID 3.2ltr - Performance 6 Paddle (Model ; V68W,V78W)	1999 →	Race/Rally	N 275	60-3246	77-3247	8.40mm	40-4462	25.4 x 23T	SMF	670Nm
Pajero DID 3.2ltr - Performance Organic	1999 →	Road	N 275	60-3246	70-3247	8.40mm	40-4462	25.4 x 23T	SMF	500Nm
Pajero DID 3.2ltr - Performance 4/5 Paddle	1999 →	Race/Rally	N 275	60-3246	76-3247	8.40mm	40-4462	25.4 x 23T	SMF	670Nm
Pajero DID 3.2ltr - Performance 6 Paddle (Model ; V68W,V78W)	1999 →	Race/Rally	N 275	60-3246	77-3247	8.40mm	40-4462	25.4 x 23T	SMF	670Nm
FTO 2.0ltr V6 - Performance Organic	1995 →	Road	N 225	60-4442	70-4441	8.00mm	40-1820	22.5 x 20T	SMF	300Nm
FTO 2.0ltr V6 - Performance 4/5 Paddle (Model ; DE2A,DE3A) (Eng ; 6A12)	1995 →	Race/Rally	N 225	60-4442	76-4441	8.00mm	40-1820	22.5 x 20T	SMF	410Nm
3000 GT - Performance Organic	1990-93	Road	N 225	60-4449	70-2318	7.60mm	40-1820	22.5 x 20T	SMF	367Nm
3000 GT - Performance 4/5 Paddle	1990-93	Race/Rally	N 225	60-4449	76-2318	7.60mm	40-1820	22.5 x 20T	SMF	410Nm
3000 GT - Performance 6 Paddle	1990-93	Race/Rally	N 225	60-4449	77-2318	7.60mm	40-1820	22.5 x 20T	SMF	410Nm
3000 GT 4wd Turbo - Performance Organic	1992-00	Road	N 250	60-4480	70-4481	8.00mm	40-4482	25.4 x 23T	SMF	
Lancer Evo 1,2,3 - Performance Organic	1991-96	Road	N 225	60-4449	70-2318	7.60mm	40-1820	22.5 x 20T	SMF	367Nm
Lancer Evo 1,2,3 - Performance 4/5 Paddle	1991-96	Race/Rally	N 225	60-4449	76-2318	7.60mm	40-1820	22.5 x 20T	SMF	410Nm
Lancer Evo 1,2,3 - Performance 6 Paddle	1991-96	Race/Rally	N 225	60-4449	77-2318	7.60mm	40-1820	22.5 x 20T	SMF	410Nm
Lancer Evo 4 - Performance Organic	1996-97	Road	N 230	60-4464	70-4465	8.00mm	40-4462	25.4 x 23T	HF 9236	430Nm
Lancer Evo 4 - Performance 4/5 Paddle	1996-97	Race/Rally	N 230	60-4460	76-4461	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 4 - Performance 6 Paddle	1996-97	Race/Rally	N 230	60-4460	77-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 4 - Performance 4/5 Paddle Rigid	1996-97	Race/Rally	N 230	60-4460	78-4461	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 4 - Performance 6 Paddle Rigid	1996-97	Race/Rally	N 230	60-4460	78-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
MITSUBISHI (cont)										
Lancer Evo 5 - Performance Organic	1997-99	Road	N 230	60-4464	70-4465	8.00mm	40-4462	25.4 x 23T	HF 9236	430Nm
Lancer Evo 5 - Performance 4/5 Paddle	1997-99	Race/Rally	N 230	60-4460	76-4461	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 5 - Performance 6 Paddle	1997-99	Race/Rally	N 230	60-4460	77-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 5 - Performance 4/5 Paddle Rigid	1997-99	Race/Rally	N 230	60-4460	78-4461	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 5 - Performance 6 Paddle Rigid	1997-99	Race/Rally	N 230	60-4460	78-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 6 - Performance Organic	1999-01	Road	N 230	60-4464	70-4465	8.00mm	40-4462	25.4 x 23T	HF 9236	430Nm
Lancer Evo 6 - Performance 4/5 Paddle	1999-01	Race/Rally	N 230	60-4460	76-4461	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 6 - Performance 6 Paddle	1999-01	Race/Rally	N 230	60-4460	77-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 6 - Performance 4/5 Paddle Rigid	1999-01	Race/Rally	N 230	60-4460	78-4461	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 6 - Performance 6 Paddle Rigid	1999-01	Race/Rally	N 230	60-4460	78-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	490Nm
Lancer Evo 5,6 - Performance Organic	1997-01	Road	N 230	60-4463	70-4466	8.00mm	40-4462	25.4 x 23T	HF 9236	500Nm
Lancer Evo 5,6 - Performance 4/5 Paddle	1997-01	Race/Rally	N 230	60-4463	76-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	670Nm
Lancer Evo 5,6 - Performance 6 Paddle	1997-01	Race/Rally	N 230	60-4463	77-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	670Nm
Lancer Evo 5,6 - Performance 4/5 Paddle Rigid	1997-01	Race/Rally	N 230	60-4463	78-4461	8.00mm	40-4462	25.4 x 23T	HF 9236	670Nm
Lancer Evo 5,6 - Performance 6 Paddle Rigid	1997-01	Race/Rally	N 230	60-4463	78-4467	8.00mm	40-4462	25.4 x 23T	HF 9236	670Nm
Lancer Evo 7 - Performance Organic	2001-03	Road	N 240	60-4472	70-4471	8.00mm	40-4462	25.4 x 23T	HF 9219	506Nm
Lancer Evo 7 - Performance 4/5 Paddle	2001-03	Race/Rally	N 240	60-4474	76-4471	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 7 - Performance 6 Paddle	2001-03	Race/Rally	N 240	60-4474	77-4473	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 7 - Performance 4/5 Paddle Rigid	2001-03	Race/Rally	N 240	60-4474	78-4471	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 7 - Performance 6 Paddle Rigid	2001-03	Race/Rally	N 240	60-4474	78-4473	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 8 - Performance Organic	2003-04	Road	N 240	60-4475	70-4477	8.00mm	40-4462	25.4 x 23T	HF 9219	506Nm
Lancer Evo 8 - Performance 4/5 Paddle	2003-04	Race/Rally	N 240	60-4476	76-4477	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 8 - Performance 6 Paddle	2003-04	Race/Rally	N 240	60-4476	77-4478	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 8 - Performance 4/5 Paddle Rigid	2003-04	Race/Rally	N 240	60-4476	78-4477	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 8 - Performance 6 Paddle Rigid	2003-04	Race/Rally	N 240	60-4476	78-4478	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 9 - Performance Organic	2005-08	Road	N 240	60-4475	70-4477	8.00mm	40-4462	25.4 x 23T	HF 9219	506Nm
Lancer Evo 9 - Performance 4/5 Paddle	2005-08	Race/Rally	N 240	60-4476	76-4477	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 9 - Performance 6 Paddle	2005-08	Race/Rally	N 240	60-4476	77-4478	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 9 - Performance 4/5 Paddle Rigid	2005-08	Race/Rally	N 240	60-4476	78-4477	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 9 - Performance 6 Paddle Rigid	2005-08	Race/Rally	N 240	60-4476	78-4478	8.00mm	40-4462	25.4 x 23T	HF 9219	670Nm
Lancer Evo 10 - Performance Organic	2008 →	Road	N 240	60-4475	70-4477	8.00mm	40-4462	25.4 x 23T	HF 9231	506Nm
Lancer Evo 10 - Performance 4/5 Paddle	2008 →	Race/Rally	N 240	60-4476	76-4477	8.00mm	40-4462	25.4 x 23T	HF 9231	670Nm
Lancer Evo 10 - Performance 6 Paddle	2008 →	Race/Rally	N 240	60-4476	77-4478	8.00mm	40-4462	25.4 x 23T	HF 9231	670Nm
Lancer Evo 10 - Performance 4/5 Paddle Rigid	2008 →	Race/Rally	N 240	60-4476	78-4477	8.00mm	40-4462	25.4 x 23T	HF 9231	670Nm
Lancer Evo 10 - Performance 6 Paddle Rigid (5 speed gearbox)	2008 →	Race/Rally	N 240	60-4476	78-4478	8.00mm	40-4462	25.4 x 23T	HF 9231	670Nm
Lancer Evo 4,5,6,7,8,9 - Performance Organic Rigid (All models) (Twin plate clutch Organic)	1996 →	Road	A 215	60-5210	71-5211 71-5212	7.20mm 7.20mm	40-4462	25.4 x 23T	HF 9204	740Nm
Lancer Evo 4,5,6,7,8,9 - Performance 4/5 Paddle Rigid (All models) (Twin plate clutch 6 paddle)	1996 →	Race/Rally	A 215	60-5210	78-5211 78-5212	7.20mm 7.20mm	40-4462	25.4 x 23T	HF 9204	850Nm
Lancer Evo 5,6,7,8,9 - Performance Organic Rigid 5 Piece Clutch Kit	1996 →	Road	A 215	35-7000						
Lancer Evo 5,6,7,8,9 - Performance Paddle Rigid 5 Piece Clutch Kit	1996 →	Race/Rally	A 215	95-7000						
Lancer Evo 10 - Performance Organic Rigid (Twin plate clutch Organic)	2008 →	Road	A 215	60-5210	71-5211 71-5212	7.20mm 7.20mm	40-4462	25.4 x 23T	HF 9232	740Nm
Lancer Evo 10 - Performance 4/5 Paddle Rigid (Twin plate clutch 6 paddle)	2008 →	Race/Rally	A 215	60-5210	78-5211 78-5212	7.20mm 7.20mm	40-4462	25.4 x 23T	HF 9232	850Nm
Lancer Evo 10 - Performance Organic Rigid 5 Piece Clutch Kit	2008 →	Road	A 215	35-7012						
Lancer Evo 10 - Performance Paddle Rigid 5 Piece Clutch Kit	2008 →	Race/Rally	A 215	95-7012						
Colt 1.5ltr CZT - Performance Organic	2005 →	Road	N 215	60-4420	70-4421	7.00mm	40-4422	22.1 x 28T	SMF	485Nm
Colt 1.5ltr CZT - Performance 4/5 Paddle (Eng ; 4G157)	2005 →	Race/Rally	N 215	60-4420	76-4421	7.00mm	40-4422	22.1 x 28T	SMF	644Nm
ASX / Outlander Sport - Performance Organic	2010 →	Road	N 228	60-3438	70-3442	6.80mm	41-3691	22.5 x 20T	SMF	334Nm
ASX / Outlander Sport - Performance 4/5 Paddle	2010 →	Race/Rally	N 228	60-3438	76-3442	6.80mm	41-3691	22.5 x 20T	SMF	445Nm
ASX / Outlander Sport - Performance 6 Paddle 2.0 Ltr MIVEC,MIVEC 4WD (Eng ; 4B11,4J11)	2010 →	Race/Rally	N 228	60-3438	77-3442	6.80mm	41-3691	22.5 x 20T	SMF	445Nm
Lancer VII 2.0 Ltr - Performance Organic	2007-13	Road	N 228	60-3438	70-3442	6.80mm	41-3691	22.5 x 20T	SMF	334Nm
Lancer VII 2.0 Ltr - Performance 4/5 Paddle	2007-13	Race/Rally	N 228	60-3438	76-3442	6.80mm	41-3691	22.5 x 20T	SMF	445Nm
Lancer VII 2.0 Ltr - Performance 6 Paddle (Eng ; 4B11)	2007-13	Race/Rally	N 228	60-3438	77-3442	6.80mm	41-3691	22.5 x 20T	SMF	445Nm
Lancer VIII 1.8 & 2.0 Ltr - Performance Organic	2007-13	Road	N 228	60-3438	70-3442	6.80mm	41-3691	22.5 x 20T	SMF	334Nm
Lancer VIII 1.8 & 2.0 Ltr - Performance 4/5 Paddle	2007-13	Race/Rally	N 228	60-3438	76-3442	6.80mm	41-3691	22.5 x 20T	SMF	445Nm
Lancer VIII 1.8 & 2.0 Ltr - Performance 6 Paddle (Eng ; 4B10,4B11)	2007-13	Race/Rally	N 228	60-3438	77-3442	6.80mm	41-3691	22.5 x 20T	SMF	445Nm
Lancer VIII 1.8 & 2.0 Ltr - Performance Organic	2007-13	Road	N 228	60-3438	70-3442	6.80mm	41-3691	22.5 x 20T	SMF	334Nm
Lancer VIII 1.8 & 2.0 Ltr - Performance 4/5 Paddle	2007-13	Race/Rally	N 228	60-3438	76-3442	6.80mm	41-3691	22.5 x 20T	SMF	445Nm
Lancer VIII 1.8 & 2.0 Ltr - Performance 6 Paddle Sportback (Eng ; 4B10,4B11)	2007-13	Race/Rally	N 228	60-3438	77-3442	6.80mm	41-3691	22.5 x 20T	SMF	445Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
MORGAN										
Engine B48 - 6 Speed BMW Gearbox - Performance Organic		Road	N 240	60-4750	70-4755	8.20mm	40-1227	35 x 26T	HF 9239	500Nm
Engine B48 - 6 Speed BMW Gearbox - Performance 4/5 Paddle		Race/Rally	N 240	60-4750	76-4755	8.20mm	40-1227	35 x 26T	HF 9239	700Nm
Engine B48 - 6 Speed BMW Gearbox - Performance 6 Paddle		Race/Rally	N 240	60-4750	77-4755	8.20mm	40-1227	35 x 26T	HF 9239	700Nm
Engine B48 - 6 Speed BMW Gearbox - Performance 4/5 Paddle Rigid		Race/Rally	N 240	60-4750	78-4755	8.20mm	40-1227	35 x 26T	HF 9239	700Nm
NISSAN										
Datsun 240Z - Performance Organic	1969-74	Road	N 240	60-3123	70-6124	8.00mm	40-1062	25.6 x 24T	HF 9590	450Nm
Datsun 240Z - Performance 4/5 Paddle	1969-74	Race/Rally	N 240	60-3123	76-6124	8.00mm	40-1062	25.6 x 24T	HF 9590	590Nm
Datsun 240Z - Performance 6 Paddle <i>(Eng; L24 2393cc)</i>	1969-74	Race/Rally	N 240	60-3123	77-6124	8.00mm	40-1062	25.6 x 24T	HF 9590	590Nm
Datsun 260Z - Performance Organic	1974-80	Road	N 240	60-3123	70-6124	8.00mm	40-1062	25.6 x 24T	OE	450Nm
Datsun 260Z - Performance 4/5 Paddle	1974-80	Race/Rally	N 240	60-3123	76-6124	8.00mm	40-1062	25.6 x 24T	OE	590Nm
Datsun 260Z - Performance 6 Paddle <i>(Eng; L26 2565cc)</i>	1974-80	Race/Rally	N 240	60-3123	77-6124	8.00mm	40-1062	25.6 x 24T	OE	590Nm
Datsun 280Z - Performance Organic	1979-84	Road	N 240	60-3123	70-6124	8.00mm	40-1062	25.6 x 24T	OE	450Nm
Datsun 280Z - Performance 4/5 Paddle	1979-84	Race/Rally	N 240	60-3123	76-6124	8.00mm	40-1062	25.6 x 24T	OE	590Nm
Datsun 280Z - Performance 6 Paddle	1979-84	Race/Rally	N 240	60-3123	77-6124	8.00mm	40-1062	25.6 x 24T	OE	590Nm
Sunny March 1.3ltr - Performance Organic	1990-94	Road	N 190	60-1220	70-4590	7.60mm	40-3875	20 x 18T	OE	135Nm
Sunny March 1.3ltr - Performance 4/5 Paddle	1990-94	Race/Rally	N 190	60-1220	76-4590	7.60mm	40-3875	20 x 18T	OE	180Nm
Almera GTI 2.0ltr 16v - Performance Organic	1996-00	Road	N 215	60-2664	70-2667	7.60mm	40-3854	20 x 18T	OE	260Nm
Almera GTI 2.0ltr 16v - Performance 4/5 Paddle	1996-00	Race/Rally	N 215	60-2666	76-2667	7.60mm	40-3854	20 x 18T	OE	340Nm
Almera GTI 2.0ltr 16v - Performance 4/5 Paddle Rigid	1996-00	Race/Rally	N 215	60-2666	78-2667	7.60mm	40-3854	20 x 18T	OE	340Nm
Micra 1.3ltr & 1.4Ltr - Performance Organic	1993-02	Road	N 180	60-1220	70-6035	7.60mm	40-3875	20 x 18T	HF 9333	135Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle	1993-02	Race/Rally	N 180	60-1220	76-6035	7.60mm	40-3875	20 x 18T	HF 9333	180Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle Rigid	1993-02	Race/Rally	N 180	60-1220	78-6035	7.60mm	40-3875	20 x 18T	HF 9333	180Nm
Micra 1.3ltr & 1.4Ltr - Performance Organic Light Weight	1993-02	Road	N 180	60-1220	70-6035	7.60mm	40-3875	20 x 18T	HF 9333 A	135Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle Light Weight	1993-02	Race/Rally	N 180	60-1220	76-6035	7.60mm	40-3875	20 x 18T	HF 9333 A	180Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle Rigid Light Weight	1993-02	Race/Rally	N 180	60-1220	78-6035	7.60mm	40-3875	20 x 18T	HF 9333 A	180Nm
Micra 1.3ltr & 1.4Ltr - Performance Organic	1993-02	Road	N 200	60-3862 A	70-6041	7.00mm	43-3854	20 x 18T	HF 9333	220Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle	1993-02	Race/Rally	N 200	60-3862 A	76-6041	7.00mm	43-3854	20 x 18T	HF 9333	280Nm
Micra 1.3ltr & 1.4Ltr - Performance Organic Light Weight	1993-02	Road	N 200	60-3862 A	70-6041	7.00mm	43-3854	20 x 18T	HF 9333 A	220Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle Light Weight	1993-02	Race/Rally	N 200	60-3862 A	76-6041	7.00mm	43-3854	20 x 18T	HF 9333 A	280Nm
Micra 1.3ltr & 1.4Ltr - Performance Organic	2003 →	Road	N 180	60-1220	70-6035	7.60mm	40-3875	20 x 18T	HF 9351	135Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle	2003 →	Race/Rally	N 180	60-1220	76-6035	7.60mm	40-3875	20 x 18T	HF 9351	180Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle Rigid	2003 →	Race/Rally	N 180	60-1220	78-6035	7.60mm	40-3875	20 x 18T	HF 9351	180Nm
Micra 1.3ltr & 1.4Ltr - Performance Organic Light Weight	2003 →	Road	N 180	60-1220	70-6035	7.60mm	40-3875	20 x 18T	HF 9351 A	135Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle Light Weight	2003 →	Race/Rally	N 180	60-1220	76-6035	7.60mm	40-3875	20 x 18T	HF 9351 A	180Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle Rigid Light Weight	2003 →	Race/Rally	N 180	60-1220	78-6035	7.60mm	40-3875	20 x 18T	HF 9351 A	180Nm
Micra 1.3ltr & 1.4Ltr - Performance Organic	2003 →	Road	N 200	60-3862 A	70-6041	7.00mm	43-3854	20 x 18T	HF 9351	220Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle	2003 →	Race/Rally	N 200	60-3862 A	76-6041	7.00mm	43-3854	20 x 18T	HF 9351	280Nm
Micra 1.3ltr & 1.4Ltr - Performance Organic Light Weight	2003 →	Road	N 200	60-3862 A	70-6041	7.00mm	43-3854	20 x 18T	HF 9351 A	220Nm
Micra 1.3ltr & 1.4Ltr - Performance 4/5 Paddle Light Weight	2003 →	Race/Rally	N 200	60-3862 A	76-6041	7.00mm	43-3854	20 x 18T	HF 9351 A	280Nm
Patrol GR 4.2ltr - Performance Organic	1992-98	Road	N 275	60-2676	70-2677	8.00mm	40-4299	25.6 x 24T	SMF	504Nm
Patrol GR 4.2ltr - Performance 4/5 Paddle <i>(Eng ; TB42,42E)</i>	1992-98	Race/Rally	N 275	60-2676	76-2677	8.00mm	40-4299	25.6 x 24T	SMF	670Nm
Primera 2.0ltr 16v - Performance Organic	1993-02	Road	N 215	60-2664	70-2667	7.60mm	40-3854	20 x 18T	SMF	260Nm
Primera 2.0ltr 16v - Performance 4/5 Paddle	1993-02	Race/Rally	N 215	60-2666	76-2667	7.60mm	40-3854	20 x 18T	SMF	340Nm
Primera 2.0ltr 16v - Performance 4/5 Paddle Rigid	1993-02	Race/Rally	N 215	60-2666	78-2667	7.60mm	40-3854	20 x 18T	SMF	340Nm
Primera 2.0ltr 16v - Performance 4/5 Paddle <i>(Fitted with heavy duty gearbox)</i>	1993-02	Race/Rally	N 215	60-2666	76-2994	7.60mm	40-3854	25.6 x 24T	SMF	340Nm
Sunny March 1.3ltr - Performance 4/5 Paddle	1990 →	Race/Rally	N 180	60-1220	76-4590	7.60mm	40-3875	20 x 18T	SMF	180Nm
Sunny GTI 2.0ltr 16v - Performance Organic	1992-94	Road	N 215	60-2664	70-2667	7.60mm	40-3854	20 x 18T	SMF	260Nm
Sunny GTI 2.0ltr 16v - Performance 4/5 Paddle	1992-94	Race/Rally	N 215	60-2666	76-2667	7.60mm	40-3854	20 x 18T	SMF	340Nm
Sunny GTI 2.0ltr 16v - Performance 4/5 Paddle Rigid	1992-94	Race/Rally	N 215	60-2666	78-2667	7.60mm	40-3854	20 x 18T	SMF	340Nm
Sunny GTI-R 2.0ltr Turbo - Performance Organic	1992-98	Road	N 240	60-2668	70-2669	8.00mm	40-4494	25.6 x 24T	HF 9227	435Nm
Sunny GTI-R 2.0ltr Turbo - Performance 4/5 Paddle	1992-98	Race/Rally	N 240	60-2668	76-2669	8.00mm	40-4494	25.6 x 24T	HF 9227	590Nm
Sunny GTI-R 2.0ltr Turbo - Performance 6 Paddle	1992-98	Race/Rally	N 240	60-2668	77-2669	8.00mm	40-4494	25.6 x 24T	HF 9227	590Nm
Sunny GTI-R 2.0ltr Turbo - Performance 4/5 Paddle Rigid	1992-98	Race/Rally	N 240	60-2668	78-2669	8.00mm	40-4494	25.6 x 24T	HF 9227	590Nm
Pulsar GTI-R 2.0ltr Turbo - Performance Organic	1992-98	Road	N 240	60-2668	70-2669	8.00mm	40-4494	25.6 x 24T	HF 9227	435Nm
Pulsar GTI-R 2.0ltr Turbo - Performance 4/5 Paddle	1992-98	Race/Rally	N 240	60-2668	76-2669	8.00mm	40-4494	25.6 x 24T	HF 9227	590Nm
Pulsar GTI-R 2.0ltr Turbo - Performance 6 Paddle	1992-98	Race/Rally	N 240	60-2668	77-2669	8.00mm	40-4494	25.6 x 24T	HF 9227	590Nm
Pulsar GTI-R 2.0ltr Turbo - Performance 4/5 Paddle Rigid	1992-98	Race/Rally	N 240	60-2668	78-2669	8.00mm	40-4494	25.6 x 24T	HF 9227	590Nm
Skyline GTS & GTR R32 - Performance Organic	1989-94	Road	N 240	60-3123	70-6124	8.00mm	40-5723	25.6 x 24T	SMF	450Nm
Skyline GTS & GTR R32 - Performance 4/5 Paddle	1989-94	Race/Rally	N 240	60-3123	76-6124	8.00mm	40-5723	25.6 x 24T	SMF	590Nm
Skyline GTS & GTR R32 - Performance 6 Paddle <i>(Eng ; RB25DET)</i>	1989-94	Race/Rally	N 240	60-3123	77-6124	8.00mm	40-5723	25.6 x 24T	SMF	590Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
NISSAN (cont)										
Skyline GTR R32 - Performance Organic	1993-94	Road	N 240	60-3125	70-6124	8.00mm	40-3131	25.6 x 24T	SMF	430Nm
Skyline GTR R32 - Performance 4/5 Paddle	1993-94	Race/Rally	N 240	60-3125	76-6124	8.00mm	40-3131	25.6 x 24T	SMF	530Nm
Skyline GTR R32 - Performance 6 Paddle <i>(Eng ; RB26DTT) (Pull type)</i>	1993-94	Race/Rally	N 240	60-3125	77-6124	8.00mm	40-3131	25.6 x 24T	SMF	530Nm
Skyline GTS R33 - Performance Organic	1994-99	Road	N 240	60-3123	70-6124	8.00mm	40-5723	25.6 x 24T	HF 9561	450Nm
Skyline GTS R33 - Performance 4/5 Paddle	1994-99	Race/Rally	N 240	60-3123	76-6124	8.00mm	40-5723	25.6 x 24T	HF 9561	590Nm
Skyline GTS R33 - Performance 6 Paddle <i>(Eng ; RB26DET)</i>	1994-99	Race/Rally	N 240	60-3123	77-6124	8.00mm	40-5723	25.6 x 24T	HF 9561	590Nm
Skyline GTR R33 - Performance Organic	1994-99	Road	N 250	60-3129	70-6130	8.00mm	40-3131	25.6 x 24T	SMF	463Nm
Skyline GTR R33 - Performance 4/5 Paddle	1994-99	Race/Rally	N 250	60-3132	76-6130	8.00mm	40-3131	25.6 x 24T	SMF	618Nm
Skyline GTR R33 - Performance 6 Paddle <i>(Eng ; RB26DETT) (Pull type)</i>	1994-99	Race/Rally	N 250	60-3132	77-6130	8.00mm	40-3131	25.6 x 24T	SMF	618Nm
Skyline GTR R34 - Performance Organic	1999 →	Road	N 250	60-3134	70-6135	8.00mm	40-3131	25.6 x 24T	SMF	463Nm
Skyline GTR R34 - Performance 4/5 Paddle	1999 →	Race/Rally	N 250	60-3134	76-6135	8.00mm	40-3131	25.6 x 24T	SMF	618Nm
Skyline GTR R34 - Performance 4/5 Paddle Rigid <i>(Eng ; RB26DETT) (Pull type)</i>	1999 →	Race/Rally	N 250	60-3134	78-6135	8.00mm	40-3131	25.6 x 24T	SMF	618Nm
200 SX S13 1.8ltr Turbo - Performance Organic	1989-94	Road	N 225	60-4656	70-4657	8.00mm	40-5723	25.6 x 24T	HF 9243	330Nm
200 SX S13 1.8ltr Turbo - Performance 4/5 Paddle	1989-94	Race/Rally	N 225	60-4656	76-4657	8.00mm	40-5723	25.6 x 24T	HF 9243	440Nm
200 SX S13 1.8ltr Turbo - Performance 6 Paddle	1989-94	Race/Rally	N 225	60-4656	77-4657	8.00mm	40-5723	25.6 x 24T	HF 9243	440Nm
200 SX S13 1.8ltr Turbo - Performance 4/5 Paddle Rigid	1989-94	Race/Rally	N 225	60-4656	78-4657	8.00mm	40-5723	25.6 x 24T	HF 9243	440Nm
200 SX S13 1.8ltr Turbo - Performance Organic	1989-94	Road	N 225	60-4656	70-4657	8.00mm	40-1062	25.6 x 24T	HF 9243	330Nm
200 SX S13 1.8ltr Turbo - Performance 4/5 Paddle	1989-94	Race/Rally	N 225	60-4656	76-4657	8.00mm	40-1062	25.6 x 24T	HF 9243	440Nm
200 SX S13 1.8ltr Turbo - Performance 6 Paddle	1989-94	Race/Rally	N 225	60-4656	77-4657	8.00mm	40-1062	25.6 x 24T	HF 9243	440Nm
200 SX S13 1.8ltr Turbo - Performance 4/5 Paddle Rigid <i>(From 6/1990 use bearing 40-1062)</i>	1989-94	Race/Rally	N 225	60-4656	78-4657	8.00mm	40-1062	25.6 x 24T	HF 9243	440Nm
200 SX S14 2.0ltr Turbo - Performance Organic	1994-01	Road	N 240	60-2668	70-2669	8.00mm	40-1062	25.6 x 24T	HF 9550	435Nm
200 SX S14 2.0ltr Turbo - Performance 4/5 Paddle	1994-01	Race/Rally	N 240	60-2668	76-2669	8.00mm	40-1062	25.6 x 24T	HF 9550	590Nm
200 SX S14 2.0ltr Turbo - Performance 6 Paddle	1994-01	Race/Rally	N 240	60-2668	77-2669	8.00mm	40-1062	25.6 x 24T	HF 9550	590Nm
200 SX S14 2.0ltr Turbo - Performance 4/5 Paddle Rigid	1994-01	Race/Rally	N 240	60-2668	78-2669	8.00mm	40-1062	25.6 x 24T	HF 9550	590Nm
200 SX S15 2.0ltr Turbo - Performance Organic	2002 →	Road	N 240	60-2668	70-2669	8.00mm	40-5724	25.6 x 24T	HF 9550	435Nm
200 SX S15 2.0ltr Turbo - Performance 4/5 Paddle	2002 →	Race/Rally	N 240	60-2668	76-2669	8.00mm	40-5724	25.6 x 24T	HF 9550	590Nm
200 SX S15 2.0ltr Turbo - Performance 6 Paddle	2002 →	Race/Rally	N 240	60-2668	77-2669	8.00mm	40-5724	25.6 x 24T	HF 9550	590Nm
200 SX S15 2.0ltr Turbo - Performance 4/5 Paddle Rigid	2002 →	Race/Rally	N 240	60-2668	78-2669	8.00mm	40-5724	25.6 x 24T	HF 9550	590Nm
S14 & S15 - Performance Twin Organic	1994 →	Race/Rally	N 228	80-3007 80-3107	70-3007 M 71-3007 M	7.20mm 7.20mm	40-5724A	25.6 x 24T 25.6 x 24T	HF 9877	800Nm
S14 & S15 - Performance Twin 5/6 Paddle	1994 →	Race/Rally	N 228	80-3007 80-3107	77-3007 M 78-3007 M	7.20mm 7.20mm	40-5724A	25.6 x 24T 25.6 x 24T	HF 9877	1100Nm
300ZX Turbo - Performance Organic	1984-89	Road	N 250	60-4652	70-4653	8.00mm	40-1062	25.6 x 24T	SMF	420Nm
300ZX Turbo - Performance 4/5 Paddle	1984-89	Race/Rally	N 250	60-4652	76-4653	8.00mm	40-1062	25.6 x 24T	SMF	560Nm
300ZX Turbo - Performance 6 Paddle <i>(Chassis No ; Z31) (Eng ; VG30T)</i>	1984-89	Race/Rally	N 250	60-4652	77-4653	8.00mm	40-1062	25.6 x 24T	SMF	560Nm
300ZX Twin Turbo - Performance Organic	1990-98	Road	N 250	60-3121	70-6130	8.00mm	40-5723	25.6 x 24T	SMF	450Nm
300ZX Twin Turbo - Performance 4/5 Paddle	1990-98	Race/Rally	N 250	60-3121	76-6130	8.00mm	40-5723	25.6 x 24T	SMF	590Nm
300ZX Twin Turbo - Performance 6 Paddle <i>(Chassis No ; Z32) (Eng ; VG30DETT)</i>	1990-98	Race/Rally	N 250	60-3121	77-6130	8.00mm	40-5723	25.6 x 24T	SMF	590Nm
350Z - Performance Organic	2003-06	Road	N 250	60-3140	70-6141	8.00mm	40-5724	25.6 x 24T	HF 9563	483Nm
350Z - Performance Organic Rigid	2003-06	Road	N 250	60-3140	71-6141	8.00mm	40-5724	25.6 x 24T	HF 9563	483Nm
350Z - Performance 4/5 Paddle	2003-06	Race/Rally	N 250	60-3140	76-6141	8.00mm	40-5724	25.6 x 24T	HF 9563	538Nm
350Z - Performance 6 Paddle	2003-06	Race/Rally	N 250	60-3140	77-6141	8.00mm	40-5724	25.6 x 24T	HF 9563	538Nm
350Z - Performance 4/5 Paddle Rigid <i>(Eng ; VQ35DE)</i>	2003-06	Race/Rally	N 250	60-3140	78-6141	8.00mm	40-5724	25.6 x 24T	HF 9563	538Nm
350Z - Performance Organic	2007-09	Road	N 250	60-3142	70-6141	8.00mm	41-5725	25.6 x 24T	HF 9564	483Nm
350Z - Performance Organic Rigid	2007-09	Road	N 250	60-3142	71-6141	8.00mm	41-5725	25.6 x 24T	HF 9564	483Nm
350Z - Performance 4/5 Paddle	2007-09	Race/Rally	N 250	60-3142	76-6141	8.00mm	41-5725	25.6 x 24T	HF 9564	538Nm
350Z - Performance 6 Paddle	2007-09	Race/Rally	N 250	60-3142	77-6141	8.00mm	41-5725	25.6 x 24T	HF 9564	538Nm
350Z - Performance 4/5 Paddle Rigid <i>(Eng ; VQ35HR)</i>	2007-09	Race/Rally	N 250	60-3142	78-6141	8.00mm	41-5725	25.6 x 24T	HF 9564	538Nm
370Z - Performance Organic	2009 →	Road	N 250	60-3142	70-6141	8.00mm	41-5725	25.6 x 24T	HF 9581	483Nm
370Z - Performance Organic Rigid	2009 →	Road	N 250	60-3142	71-6141	8.00mm	41-5725	25.6 x 24T	HF 9581	483Nm
370Z - Performance 4/5 Paddle	2009 →	Race/Rally	N 250	60-3142	76-6141	8.00mm	41-5725	25.6 x 24T	HF 9581	538Nm
370Z - Performance 6 Paddle	2009 →	Race/Rally	N 250	60-3142	77-6141	8.00mm	41-5725	25.6 x 24T	HF 9581	538Nm
370Z - Performance 4/5 Paddle Rigid <i>(Eng ; VQ37)</i>	2009 →	Race/Rally	N 250	60-3142	78-6141	8.00mm	41-5725	25.6 x 24T	HF 9581	538Nm
Supra - Performance 6 Paddle Twin Plate <i>(Z1Z - BMW Gearbox)</i>	1991 →	Drift	N 240	80-3005A 80-3105	50-1148 50-1091	7.20mm 7.20mm	40-3002A	35 x 26T	HF 9578	1500Nm
370Z - Performance Twin Organic Rigid	2009 →	Race/Rally	A 184	63-220GC	55-2005 x 2	7.20mm	41-5725	25.6 x 24T	HF 9244	453Nm
370Z - Performance Twin 4 Paddle Rigid	2009 →	Race/Rally	A 184	63-220GC	52-2005 x 2	7.20mm	41-5725	25.6 x 24T	HF 9244	626Nm
370Z - Performance Twin 6 Paddle Rigid	2009 →	Race/Rally	A 184	63-220GC	46-2005 x 2	7.20mm	41-5725	25.6 x 24T	HF 9244	626Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
NOBLE										
Noble M12 - Performance Organic	2001 →	Road	N 240	60-5252	70-5253	7.60mm	41-2354	25.4 x 23T	SMF	460Nm
Noble M12 - Performance Organic Rigid	2001 →	Road	N 240	60-5252	71-5253	7.60mm	41-2354	25.4 x 23T	SMF	460Nm
Noble M12 - Performance 4/5 Paddle	2001 →	Race/Rally	N 240	60-5252	76-5253	7.60mm	41-2354	25.4 x 23T	SMF	620Nm
Noble M12 - Performance 6 Paddle (5 Speed Gearbox)	2001 →	Race/Rally	N 240	60-5252	77-5253	7.60mm	41-2354	25.4 x 23T	SMF	620Nm
Noble M12 3R - Performance Organic	2003 →	Road	N 240	60-5254	70-5255	7.60mm	41-2366	25.4 x 23T	SMF	460Nm
Noble M12 3R - Performance Organic Rigid	2003 →	Road	N 240	60-5254	71-5255	7.60mm	41-2366	25.4 x 23T	SMF	460Nm
Noble M12 3R - Performance 4/5 Paddle	2003 →	Race/Rally	N 240	60-5254	76-5255	7.60mm	41-2366	25.4 x 23T	SMF	620Nm
Noble M12 3R - Performance 6 Paddle (6 Speed Gearbox)	2003 →	Race/Rally	N 240	60-5254	77-5255	7.60mm	41-2366	25.4 x 23T	SMF	620Nm
Noble M400 - Performance Organic	2004-07	Road	N 240	60-5254	70-5255	7.60mm	41-2366	25.4 x 23T	HF 9377	460Nm
Noble M400 - Performance Organic Rigid	2004-07	Road	N 240	60-5254	71-5255	7.60mm	41-2366	25.4 x 23T	HF 9377	460Nm
Noble M400 - Performance 4/5 Paddle	2004-07	Race/Rally	N 240	60-5254	76-5255	7.60mm	41-2366	25.4 x 23T	HF 9377	620Nm
Noble M400 - Performance 6 Paddle (6 Speed Gearbox)	2004-07	Race/Rally	N 240	60-5254	77-5255	7.60mm	41-2366	25.4 x 23T	HF 9377	620Nm
OPEL										
Ascona C 1.6ltr - Performance Organic	1986-88	Road	N 200	60-3726	70-3879	7.60mm	40-3683	20.4 x 24T	SMF	220Nm
Ascona C 1.6ltr - Performance 4/5 Paddle	1986-88	Race/Rally	N 200	60-3726	76-3879	7.60mm	40-3683	20.4 x 24T	SMF	262Nm
Ascona C 1.6ltr - Performance 4/5 Paddle Rigid (F13 Gearbox)	1986-88	Race/Rally	N 200	60-3726	78-3879	7.60mm	40-3683	20.4 x 24T	SMF	262Nm
Ascona C 1.6ltr - Performance Organic	1986-88	Road	N 200	60-3726	70-3879	7.60mm	40-3684	20.4 x 24T	SMF	220Nm
Ascona C 1.6ltr - Performance 4/5 Paddle	1986-88	Race/Rally	N 200	60-3726	76-3879	7.60mm	40-3684	20.4 x 24T	SMF	262Nm
Ascona C 1.6ltr - Performance 4/5 Paddle Rigid (F16 Gearbox)	1986-88	Race/Rally	N 200	60-3726	78-3879	7.60mm	40-3684	20.4 x 24T	SMF	262Nm
Ascona C 1.8ltr - Performance Organic	1986-88	Road	N 215	60-4558	70-4554	7.60mm	40-3684	20.4 x 24T	SMF	270Nm
Ascona C 1.8ltr - Performance 4/5 Paddle	1986-88	Race/Rally	N 215	60-4558	76-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Ascona C 1.8ltr - Performance 4/5 Paddle Rigid	1986-88	Race/Rally	N 215	60-4558	78-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Ascona C 1.8ltr - Performance Organic	1986-88	Road	N 215	60-4558	70-4554	7.60mm	40-3684	20.4 x 24T	SMF	270Nm
Ascona C 1.8ltr - Performance 4/5 Paddle	1986-88	Race/Rally	N 215	60-4558	76-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Ascona C 1.8ltr - Performance 4/5 Paddle Rigid (F16 Gearbox)	1986-88	Race/Rally	N 215	60-4558	78-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Ascona C 2.0ltr - Performance Organic	1986-88	Road	N 215	60-4558	70-4554	7.60mm	40-3684	20.4 x 24T	SMF	270Nm
Ascona C 2.0ltr - Performance 4/5 Paddle	1986-88	Race/Rally	N 215	60-4558	76-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Ascona C 2.0ltr - Performance 4/5 Paddle Rigid	1986-88	Race/Rally	N 215	60-4558	78-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Ascona 400 - Performance Organic	1975-83	Road	N 228	60-4639	70-2200	7.60mm	40-3683	25 x 14T	SMF	340Nm
Ascona 400 - Performance 4/5 Paddle	1975-83	Race/Rally	N 228	60-4639	76-2200	7.60mm	40-3683	25 x 14T	SMF	450Nm
Ascona 400 - Performance 6 Paddle	1975-83	Race/Rally	N 228	60-4639	77-2200	7.60mm	40-3683	25 x 14T	SMF	450Nm
Ascona 400 - Performance 4/5 Paddle Rigid	1975-83	Race/Rally	N 228	60-4639	78-2200	7.60mm	40-3683	25 x 14T	SMF	450Nm
Astra F 1.8ltr 16v - Performance Organic	1984-91	Road	N 215	60-4556	70-4554	7.60mm	40-3684	20.4 x 24T	SMF	270Nm
Astra F 1.8ltr 16v - Performance 4/5 Paddle	1984-91	Race/Rally	N 215	60-4556	76-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Astra F 1.8ltr 16v - Performance 4/5 Paddle Rigid (Eng ; X20XE)	1984-91	Race/Rally	N 215	60-4556	78-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Astra F 2.0ltr 16v - Performance Organic	1984-91	Road	N 215	60-4556	70-4554	7.60mm	40-3684	20.4 x 24T	SMF	270Nm
Astra F 2.0ltr 16v - Performance 4/5 Paddle	1984-91	Race/Rally	N 215	60-4556	76-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Astra F 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; X20XE)	1984-91	Race/Rally	N 215	60-4556	78-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Astra F 1.8ltr 16v - Performance 4/5 Paddle Above Fitted Competition Gear Set To F16	1984-91	Race/Rally	N 215	60-4556	76-4557	7.60mm	40-3684	22.5 x 20T	SMF	360Nm
Astra F 2.0ltr 16v - Performance 4/5 Paddle Above Fitted Competition Gear Set To F16	1984-91	Race/Rally	N 215	60-4556	76-4557	7.60mm	40-3684	22.5 x 20T	SMF	360Nm
Astra F GSI 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4627	7.60mm	40-3684	20.4 x 24T	SMF	310Nm
Astra F GSI 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Astra F GSI 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Astra F GSI 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE)	1988-92	Race/Rally	N 228	60-4626	78-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Astra F GSI 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4625	7.60mm	40-3684	22.5 x 20T	SMF	310Nm
Astra F GSI 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Astra F GSI 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Astra F GSI 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE)	1988-92	Race/Rally	N 228	60-4626	78-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Astra F GSI 2.0ltr 16v - Performance Organic	1992-98	Road	N 228	60-4990	70-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	300Nm
Astra F GSI 2.0ltr 16v - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4990	76-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm
Astra F GSI 2.0ltr 16v - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4990	77-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm
Astra F GSI 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE)	1992-98	Race/Rally	N 228	60-4990	78-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
OPEL (cont)										
Astra F GSI 2.0ltr 16v - Performance Organic	1992-98	Road	N 228	60-4990	70-4625	7.60mm	40-3684	22.5 x 20T	HF 9396	300Nm
Astra F GSI 2.0ltr 16v - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4990	76-4625	7.60mm	40-3684	22.5 x 20T	HF 9396	410Nm
Astra F GSI 2.0ltr 16v - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4990	77-4625	7.60mm	40-3684	22.5 x 20T	HF 9396	410Nm
Astra F GSI 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE) Above Fitted Competition Gear Set To F20	1992-98	Race/Rally	N 228	60-4990	78-4625	7.60mm	40-3684	22.5 x 20T	HF 9396	410Nm
Astra G 2.0ltr 16v - Performance Organic	1998 →	Road	N 215	60-4556	70-4554	7.60mm	41-3687	20.4 x 24T	SMF	270Nm
Astra G 2.0ltr 16v - Performance 4/5 Paddle	1998 →	Race/Rally	N 215	60-4556	76-4554	7.60mm	41-3687	20.4 x 24T	SMF	360Nm
Astra G 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; X20XEV) (F18 Gearbox)	1998 →	Race/Rally	N 215	60-4556	78-4554	7.60mm	41-3687	20.4 x 24T	SMF	360Nm
Astra G 2.0ltr 16v - Performance Organic	1998 →	Road	N 228	60-4990	70-4993	7.60mm	41-3685	25 x 14T	HF 9396	300Nm
Astra G 2.0ltr 16v - Performance 4/5 Paddle	1998 →	Race/Rally	N 228	60-4990	76-4993	7.60mm	41-3685	25 x 14T	HF 9396	410Nm
Astra G 2.0ltr 16v - Performance 6 Paddle	1998 →	Race/Rally	N 228	60-4990	77-4993	7.60mm	41-3685	25 x 14T	HF 9396	410Nm
Astra G 2.0ltr 16v - Performance 4 Paddle Rigid	1998 →	Race/Rally	N 228	60-4990	78-4993	7.60mm	41-3685	25 x 14T	HF 9396	410Nm
Astra G 2.0ltr 16v - Performance 6 Paddle Rigid (Eng ; X20XEV) (F32 Gearbox)	1998 →	Race/Rally	N 228	60-4990	78-4993 - 6	7.60mm	41-3685	25 x 14T	HF 9396	410Nm
Astra G Coupe 2.0ltr Turbo - Performance Organic	2000-04	Road	N 228	60-4996	70-4993	7.60mm	41-3685	25 x 14T	SMF	370Nm
Astra G Coupe 2.0ltr Turbo - Performance 4/5 Paddle	2000-04	Race/Rally	N 228	60-4996	76-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G Coupe 2.0ltr Turbo - Performance 6 Paddle	2000-04	Race/Rally	N 228	60-4996	77-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G Coupe 2.0ltr Turbo - Performance 4 Paddle Rigid	2000-04	Race/Rally	N 228	60-4996	78-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G Coupe 2.0ltr Turbo - Performance 6 Paddle Rigid	2000-04	Race/Rally	N 228	60-4996	78-4993 - 6	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G SRI 2.0ltr Turbo - Performance Organic	2002-05	Road	N 228	60-4996	70-4993	7.60mm	41-3685	25 x 14T	SMF	370Nm
Astra G SRI 2.0ltr Turbo - Performance 4/5 Paddle	2002-05	Race/Rally	N 228	60-4996	76-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G SRI 2.0ltr Turbo - Performance 6 Paddle	2002-05	Race/Rally	N 228	60-4996	77-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G SRI 2.0ltr Turbo - Performance 4 Paddle Rigid	2002-05	Race/Rally	N 228	60-4996	78-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G SRI 2.0ltr Turbo - Performance 6 Paddle Rigid (Eng ; Z20LET,Z20LER)	2002-05	Race/Rally	N 228	60-4996	78-4993 - 6	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G Coupe & 2.2ltr - Performance Organic	2000-04	Road	N 228	60-4995	70-4993	7.60mm	41-3685	25 x 14T	SMF	370Nm
Astra G Coupe & 2.2ltr - Performance 4/5 Paddle	2000-04	Race/Rally	N 228	60-4995	76-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G Coupe & 2.2ltr - Performance 6 Paddle	2000-04	Race/Rally	N 228	60-4995	77-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G Coupe & 2.2ltr - Performance 4 Paddle Rigid	2000-04	Race/Rally	N 228	60-4995	78-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra G Coupe & 2.2ltr - Performance 6 Paddle Rigid (Eng ; Z22SE)	2000-04	Race/Rally	N 228	60-4995	78-4993 - 6	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra H 2.0ltr Turbo - Performance Organic Rigid	2004 →	Road	N 228	60-4976	71-4975	8.40mm	41-3690	22.5 x 20T	DMF	422Nm
Astra H 2.0ltr Turbo - Performance 6 Paddle Rigid (Eng ; Z20LEL,Z20LER)	2004 →	Race/Rally	N 228	60-4976	78-4975	8.40mm	41-3690	22.5 x 20T	DMF	560Nm
Rebuild Only										
Astra H VXR 2.0ltr Turbo - Performance Organic	2006 →	Road	N 240	60-4980	70-4981	8.40mm	41-3691	22.5 x 20T	HF 9225	475Nm
Astra H VXR 2.0ltr Turbo - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-4980	76-4981	8.40mm	41-3691	22.5 x 20T	HF 9225	635Nm
Astra H VXR 2.0ltr Turbo - Performance 6 Paddle (Eng ; Z20LEH)	2006 →	Race/Rally	N 240	60-4980	77-4981	8.40mm	41-3691	22.5 x 20T	HF 9225	635Nm
Astra H GTC 2.0ltr Turbo - Performance Organic Rigid	2006 →	Road	N 240	60-4560	71-4559	8.00mm	41-3691	22.5 x 20T	DMF	400Nm
Astra H GTC 2.0ltr Turbo - Performance 6 Paddle Rigid (Eng ; Z20LEH)	2006 →	Race/Rally	N 240	60-4560	78-4559	8.00mm	41-3691	22.5 x 20T	DMF	530Nm
Astra H GTC 2.0ltr Turbo - Performance Organic	2006 →	Road	N 240	60-4560	70-4559	8.00mm	41-3691	22.5 x 20T	HF 9457	400Nm
Astra H GTC 2.0ltr Turbo - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-4560	76-4559	8.00mm	41-3691	22.5 x 20T	HF 9457	530Nm
Astra H GTC 2.0ltr Turbo - Performance 6 Paddle (Eng ; Z20LEH)	2006 →	Race/Rally	N 240	60-4560	77-4559	8.00mm	41-3691	22.5 x 20T	HF 9457	530Nm
Heavy Kit To Reduce Noise										
Astra H GTC 2.0ltr Turbo - Performance Organic	2006 →	Road	N 240	60-4560	70-4559	8.00mm	41-3691	22.5 x 20T	HF 9457 W	400Nm
Astra H GTC 2.0ltr Turbo - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-4560	76-4559	8.00mm	41-3691	22.5 x 20T	HF 9457 W	530Nm
Astra H GTC 2.0ltr Turbo - Performance 6 Paddle (Eng ; Z20LEH)	2006 →	Race/Rally	N 240	60-4560	77-4559	8.00mm	41-3691	22.5 x 20T	HF 9457 W	530Nm
Astra J GTC 2.0ltr Turbo - Performance Organic	2009 →	Road	N 240	60-4562	70-4563	8.00mm	41-3693	25.4 x 23T	HF 9538	500Nm
Astra J GTC 2.0ltr Turbo - Performance Organic Rigid	2009 →	Road	N 240	60-4562	71-4563	8.00mm	41-3693	25.4 x 23T	DMF	500Nm
Astra J GTC 2.0ltr Turbo - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-4562	76-4563	8.00mm	41-3693	25.4 x 23T	HF 9538	670Nm
Astra J GTC 2.0ltr Turbo - Performance 6 Paddle (Eng ; A20NFT) (F40 Gearbox)	2009 →	Race/Rally	N 240	60-4562	77-4563	8.00mm	41-3693	25.4 x 23T	HF 9538	670Nm
Astra J GTC 2.0ltr Turbo - Performance Organic Light Weight	2009 →	Road	N 240	60-4562	70-4563	8.00mm	41-3693	25.4 x 23T	HF 9538 L	500Nm
Astra J GTC 2.0ltr Turbo - Performance 4/5 Paddle Light Weight	2009 →	Race/Rally	N 240	60-4562	76-4563	8.00mm	41-3693	25.4 x 23T	HF 9538 L	670Nm
Astra J GTC 2.0ltr Turbo - Performance 6 Paddle Light Weight (Eng ; A20NFT) (F40 Gearbox)	2009 →	Race/Rally	N 240	60-4562	77-4563	8.00mm	41-3693	25.4 x 23T	HF 9538 L	670Nm
Calibra 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4627	7.60mm	40-3684	20.4 x 24T	SMF	310Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE) (Eng No → 14128448)	1988-92	Race/Rally	N 228	60-4626	78-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
OPEL (cont)										
Calibra 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4625	7.60mm	40-3684	22.5 x 20T	SMF	310Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE) (Eng No → 14128448) Above Fitted Competition Gear Set To F20	1988-92	Race/Rally	N 228	60-4626	78-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Calibra 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4627	7.60mm	40-3684	20.4 x 24T	SMF	310Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE) (Eng No ; 14128449 →)	1988-92	Race/Rally	N 228	60-4626	78-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Calibra 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4625	7.60mm	40-3684	22.5 x 20T	SMF	310Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE) (Eng No ; 14128449 →) Above Fitted Competition Gear Set To F20	1988-92	Race/Rally	N 228	60-4626	78-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Calibra 2.0ltr Turbo - Performance Organic	1992-96	Road	N 228	60-4992	70-4993	7.60mm	40-3684	25 x 14T	HF 9396	370Nm
Calibra 2.0ltr Turbo - Performance 4/5 Paddle	1992-96	Race/Rally	N 228	60-4992	76-4993	7.60mm	40-3684	25 x 14T	HF 9396	490Nm
Calibra 2.0ltr Turbo - Performance 6 Paddle	1992-96	Race/Rally	N 228	60-4992	77-4993	7.60mm	40-3684	25 x 14T	HF 9396	490Nm
Calibra 2.0ltr Turbo - Performance 4 Paddle Rigid	1992-96	Race/Rally	N 228	60-4992	78-4993	7.60mm	40-3684	25 x 14T	HF 9396	490Nm
Calibra 2.0ltr Turbo - Performance 6 Paddle Rigid (Eng ; C20LET)	1992-96	Race/Rally	N 228	60-4992	78-4993 - 6	7.60mm	40-3684	25 x 14T	HF 9396	490Nm
Corsa A 1.3ltr - Performance Organic	1986-90	Road	N 190	60-3677	70-3676	7.60mm	40-3683	19 x 14T	SMF	180Nm
Corsa A 1.3ltr - Performance 4/5 Paddle	1986-90	Race/Rally	N 190	60-3677	76-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
Corsa A 1.3ltr - Performance 4/5 Paddle Rigid (Eng ; C13N,13SB)	1986-90	Race/Rally	N 190	60-3677	78-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
Corsa B 1.4ltr 8v - Performance Organic	1993-00	Road	N 190	60-3677	70-3676	7.60mm	40-3683	19 x 14T	SMF	180Nm
Corsa B 1.4ltr 8v - Performance 4/5 Paddle	1993-00	Race/Rally	N 190	60-3677	76-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
Corsa B 1.4ltr 8v - Performance 4/5 Paddle Rigid (Eng ; C14SE) (Gearbox F10,F13)	1993-00	Race/Rally	N 190	60-3677	78-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
Corsa A 1.3ltr - Performance 4/5 Paddle Above Fitted Competition Gear Set	1986-90	Race/Rally	N 190	60-3677	76-2262	7.60mm	40-3683	22.5 x 20T	SMF	240Nm
Corsa B 1.4ltr 8v - Performance 4/5 Paddle Above Fitted Competition Gear Set	1993-00	Race/Rally	N 190	60-3677	76-2262	7.60mm	40-3683	22.5 x 20T	SMF	240Nm
Corsa A 1.3ltr - Performance Organic	1986-90	Road	N 190	60-3677	70-2263	8.00mm	40-3684	20.4 x 24T	SMF	180Nm
Corsa A 1.3ltr - Performance 4/5 Paddle	1986-90	Race/Rally	N 190	60-3677	76-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa A 1.3ltr - Performance 6 Paddle	1986-90	Race/Rally	N 190	60-3677	77-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa A 1.3ltr - Performance 4/5 Paddle Rigid Above Fitted F16 Gearbox - STD Gears	1986-90	Race/Rally	N 190	60-3677	78-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa B 1.4ltr 8v - Performance Organic	1993-00	Road	N 190	60-3677	70-2263	8.00mm	40-3684	20.4 x 24T	SMF	180Nm
Corsa B 1.4ltr 8v - Performance 4/5 Paddle	1993-00	Race/Rally	N 190	60-3677	76-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa B 1.4ltr 8v - Performance 6 Paddle	1993-00	Race/Rally	N 190	60-3677	77-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa B 1.4ltr 8v - Performance 4/5 Paddle Rigid Above Fitted F16 Gearbox - STD Gears	1993-00	Race/Rally	N 190	60-3677	78-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa A GSI 1.6ltr 16v - Performance Organic	1988-93	Road	N 200	60-3838	70-3884	7.60mm	40-3683	19 x 14T	HF 9456	210Nm
Corsa A GSI 1.6ltr 16v - Performance Organic Rigid	1988-93	Road	N 200	60-3838	71-3884	7.60mm	40-3683	19 x 14T	HF 9456	210Nm
Corsa A GSI 1.6ltr 16v - Performance 4/5 Paddle	1988-93	Race/Rally	N 200	60-3838	76-3884	7.60mm	40-3683	19 x 14T	HF 9456	255Nm
Corsa A GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C16SE,E16SE,C16SE)	1988-93	Race/Rally	N 200	60-3838	78-3884	7.60mm	40-3683	19 x 14T	HF 9456	255Nm
Corsa A GSI 1.6ltr 16v - Performance Organic	1988-93	Road	N 200	60-3838	70-3886	7.60mm	40-3683	22.5 x 20T	SMF	210Nm
Corsa A GSI 1.6ltr 16v - Performance 4/5 Paddle	1988-93	Race/Rally	N 200	60-3838	76-3886	7.60mm	40-3683	22.5 x 20T	SMF	255Nm
Corsa A GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid Above Fitted Competition Gear Set	1988-93	Race/Rally	N 200	60-3838	78-3886	7.60mm	40-3683	22.5 x 20T	SMF	255Nm
Corsa A GSI 1.6ltr 16v - Performance Organic	1988-93	Road	N 200	60-3838	70-3879	7.60mm	40-3684	20.4 x 24T	SMF	210Nm
Corsa A GSI 1.6ltr 16v - Performance 4/5 Paddle	1988-93	Race/Rally	N 200	60-3838	76-3879	7.60mm	40-3684	20.4 x 24T	SMF	255Nm
Corsa A GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid Above Fitted F16 Gearbox - STD Gears	1988-93	Race/Rally	N 200	60-3838	78-3879	7.60mm	40-3684	20.4 x 24T	SMF	255Nm
Corsa B GSI 1.6ltr 16v - Performance Organic	1993-00	Road	N 200	60-6008	70-3884	7.60mm	40-3683	19 x 14T	HF 9456	230Nm
Corsa B GSI 1.6ltr 16v - Performance Organic Rigid	1993-00	Road	N 200	60-6008	71-3884	7.60mm	40-3683	19 x 14T	HF 9456	230Nm
Corsa B GSI 1.6ltr 16v - Performance 4/5 Paddle	1993-00	Race/Rally	N 200	60-6009	76-3884	7.60mm	40-3683	19 x 14T	HF 9456	320Nm
Corsa B GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C16SEL,C16XE,X16XE)	1993-00	Race/Rally	N 200	60-6009	78-3884	7.60mm	40-3683	19 x 14T	HF 9456	320Nm
Corsa B GSI 1.6ltr 16v - Performance Organic	1993-00	Road	N 200	60-6008	70-3886	7.60mm	40-3683	22.5 x 20T	SMF	230Nm
Corsa B GSI 1.6ltr 16v - Performance 4/5 Paddle	1993-00	Race/Rally	N 200	60-6009	76-3886	7.60mm	40-3683	22.5 x 20T	SMF	320Nm
Corsa B GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid Above Fitted Competition Gear Set To F13	1993-00	Race/Rally	N 200	60-6009	78-3886	7.60mm	40-3683	22.5 x 20T	SMF	320Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
OPEL (cont)										
Corsa B GSI 1.6ltr 16v - Performance Organic	1993-00	Road	N 200	60-6008	70-3879	7.60mm	40-3684	20.4 x 24T	SMF	230Nm
Corsa B GSI 1.6ltr 16v - Performance 4/5 Paddle	1993-00	Race/Rally	N 200	60-6009	76-3879	7.60mm	40-3684	20.4 x 24T	SMF	320Nm
Corsa B GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid	1993-00	Race/Rally	N 200	60-6009	78-3879	7.60mm	40-3684	20.4 x 24T	SMF	320Nm
<i>Above Fitted F16 Gearbox - STD Gears</i>										
Corsa A/B GSI 1.6ltr 16v - Performance 6 Paddle	1988 →	Race/Rally	A 200	68-110R	77-1102	7.20mm	40-4231	22.5 x 20T	SMF	350Nm
Corsa C 1.4ltr 16v - Performance Organic	2000 →	Road	N 200	60-3839	70-3884	7.60mm	40-3689	19 x 14T	SMF	210Nm
Corsa C 1.4ltr 16v - Performance Organic Rigid	2000 →	Road	N 200	60-3839	71-3884	7.60mm	40-3689	19 x 14T	SMF	210Nm
Corsa C 1.4ltr 16v - Performance 4/5 Paddle	2000 →	Race/Rally	N 200	60-3839	76-3884	7.60mm	40-3689	19 x 14T	SMF	255Nm
Corsa C 1.4ltr 16v - Performance 4/5 Paddle Rigid (Eng ; Z14XE)	2000 →	Race/Rally	N 200	60-3839	78-3884	7.60mm	40-3689	19 x 14T	SMF	255Nm
Corsa C 1.8ltr 16v - Performance Organic	2000 →	Road	N 200	60-3839	70-3884	7.60mm	40-3689	19 x 14T	SMF	210Nm
Corsa C 1.8ltr 16v - Performance Organic Rigid	2000 →	Road	N 200	60-3839	71-3884	7.60mm	40-3689	19 x 14T	SMF	210Nm
Corsa C 1.8ltr 16v - Performance 4/5 Paddle	2000 →	Race/Rally	N 200	60-3839	76-3884	7.60mm	40-3689	19 x 14T	SMF	255Nm
Corsa C 1.8ltr 16v - Performance 4/5 Paddle Rigid (Eng ; Z18XE)	2000 →	Race/Rally	N 200	60-3839	78-3884	7.60mm	40-3689	19 x 14T	SMF	255Nm
Corsa D 1.6ltr Turbo - Performance Organic	2007 →	Road	N 228	60-4620	70-4623	7.60mm	41-3690	22.5 x 20T	HF 9258	320Nm
Corsa D 1.6ltr Turbo - Performance 4/5 Paddle	2007 →	Race/Rally	N 228	60-4620	76-4623	7.60mm	41-3690	22.5 x 20T	HF 9258	430Nm
Corsa D 1.6ltr Turbo - Performance 6 Paddle	2007 →	Race/Rally	N 228	60-4620	77-4623	7.60mm	41-3690	22.5 x 20T	HF 9258	430Nm
Corsa D 1.6ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; Z16LER)	2007 →	Race/Rally	N 228	60-4620	78-4623	7.60mm	41-3690	22.5 x 20T	HF 9258	430Nm
Kadett B 1.5 & 1.7ltr - Performance Organic	1965-73	Road	N 200	60-3723	70-3850	7.60mm	40-3682	25 x 14T	OE	220Nm
Kadett B 1.5 & 1.7ltr - Performance 4/5 Paddle	1965-73	Race/Rally	N 200	60-3723	76-3850	7.60mm	40-3682	25 x 14T	OE	262Nm
Kadett B 1.5 & 1.7ltr - Performance 4/5 Paddle Rigid (Requires Flywheel Drilling To Accept A 6 Bolt Clutch Fitment)	1965-73	Race/Rally	N 200	60-3723	78-3850	7.60mm	40-3682	25 x 14T	OE	262Nm
Kadett B 1.9ltr Rallye & GT/E - Performance Organic	1967-77	Road	N 200	60-3723	70-3850	7.60mm	40-3682	25 x 14T	OE	220Nm
Kadett B 1.9ltr Rallye & GT/E - Performance 4/5 Paddle	1967-77	Race/Rally	N 200	60-3723	76-3850	7.60mm	40-3682	25 x 14T	OE	262Nm
Kadett B 1.9ltr Rallye & GT/E - Performance 4/5 Paddle Rigid (Requires Flywheel Drilling To Accept A 6 Bolt Clutch Fitment)	1967-77	Race/Rally	N 200	60-3723	78-3850	7.60mm	40-3682	25 x 14T	OE	262Nm
Kadett B 1.9ltr Rallye & GT/E - Performance Organic	1967-77	Road	N 228	60-4626	70-2200	7.60mm	40-3683	25 x 14T	OE	310Nm
Kadett B 1.9ltr Rallye & GT/E - Performance 4/5 Paddle	1967-77	Race/Rally	N 228	60-4626	76-2200	7.60mm	40-3683	25 x 14T	OE	410Nm
Kadett B 1.9ltr Rallye & GT/E - Performance 6 Paddle	1967-77	Race/Rally	N 228	60-4626	77-2200	7.60mm	40-3683	25 x 14T	OE	410Nm
Kadett B 1.9ltr Rallye & GT/E - Performance 4/5 Paddle Rigid (Fitted Optional Ø 228mm Clutch) (Requires Flywheel Drilling To Accept A 6 Bolt Clutch Fitment)	1967-77	Race/Rally	N 228	60-4626	78-2200	7.60mm	40-3683	25 x 14T	OE	410Nm
Kadett C 1.6ltr - Performance Organic	1977-80	Road	N 200	60-3723	70-3850	7.60mm	40-3682	25 x 14T	OE	220Nm
Kadett C 1.6ltr - Performance 4/5 Paddle	1977-80	Race/Rally	N 200	60-3723	76-3850	7.60mm	40-3682	25 x 14T	OE	262Nm
Kadett C 1.6ltr - Performance 4/5 Paddle Rigid (Requires Flywheel Drilling To Accept A 6 Bolt Clutch Fitment)	1977-80	Race/Rally	N 200	60-3723	78-3850	7.60mm	40-3682	25 x 14T	OE	262Nm
Kadett C 2.0ltr - Performance Organic	1978-80	Road	N 215	60-4558	70-3931	7.60mm	40-3682	25 x 14T	OE	270Nm
Kadett C 2.0ltr - Performance 4/5 Paddle	1978-80	Race/Rally	N 215	60-4558	76-3931	7.60mm	40-3682	25 x 14T	OE	360Nm
Kadett C 2.0ltr - Performance 4/5 Paddle Rigid (Requires Flywheel Drilling To Accept A 6 Bolt Clutch Fitment)	1978-80	Race/Rally	N 215	60-4558	78-3931	7.60mm	40-3682	25 x 14T	OE	360Nm
Kadett D 1.8ltr GT/E - Performance Organic	1983-84	Road	N 215	60-4558	70-4554	7.60mm	40-3880	20.4 x 24T	OE	270Nm
Kadett D 1.8ltr GT/E - Performance 4/5 Paddle	1983-84	Race/Rally	N 215	60-4558	76-4554	7.60mm	40-3880	20.4 x 24T	OE	360Nm
Kadett D 1.8ltr GT/E - Performance 4/5 Paddle Rigid	1983-84	Race/Rally	N 215	60-4558	78-4554	7.60mm	40-3880	20.4 x 24T	OE	360Nm
Kadett E GSI 1.8ltr - Performance Organic	1984-91	Road	N 215	60-4558	70-4554	7.60mm	40-3684	20.4 x 24T	SMF	270Nm
Kadett E GSI 1.8ltr - Performance 4/5 Paddle	1984-91	Race/Rally	N 215	60-4558	76-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Kadett E GSI 1.8ltr - Performance 4/5 Paddle Rigid (Eng ; 18E)	1984-91	Race/Rally	N 215	60-4558	78-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Kadett E GSI 1.8ltr - Performance 4/5 Paddle (Above Fitted Competition Gear Set To F16)	1984-91	Race/Rally	N 215	60-4558	76-4557	7.60mm	40-3684	22.5 x 20T	SMF	360Nm
Kadett E GSI 2.0ltr - Performance Organic	1984-91	Road	N 215	60-4558	70-4554	7.60mm	40-3684	20.4 x 24T	SMF	270Nm
Kadett E GSI 2.0ltr - Performance 4/5 Paddle	1984-91	Race/Rally	N 215	60-4558	76-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Kadett E GSI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; C20NE)	1984-91	Race/Rally	N 215	60-4558	78-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Kadett E GSI 2.0ltr - Performance 4/5 Paddle (Above Fitted Competition Gear Set To F16)	1984-91	Race/Rally	N 215	60-4558	76-4557	7.60mm	40-3684	22.5 x 20T	SMF	360Nm
Omega Lotus 3.6ltr Turbo - Performance Organic	1990-94	Road	N 240	60-5201	70-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	530Nm
Omega Lotus 3.6ltr Turbo - Performance Organic Rigid	1990-94	Road	N 240	60-5201	71-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	530Nm
Omega Lotus 3.6ltr Turbo - Performance 4/5 Paddle	1990-94	Race/Rally	N 240	60-5201	76-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	710Nm
Omega Lotus 3.6ltr Turbo - Performance Organic (Twin Plate Clutch)	1990-94	Road	N 240	60-5214 80-3105A	50-5213 50-5215	7.20mm 7.20mm	40-2980	28.6 x 26T	HF 9242	772Nm
Omega Lotus 3.6ltr Turbo - Performance 4/5 Paddle (Twin Plate Clutch)	1990-94	Race/Rally	N 240	60-5214 80-3105A	50-5213 A 50-5215 A	7.20mm 7.20mm	40-2980	28.6 x 26T	HF 9242	882Nm
Manta 400 - Performance Organic	1975-83	Road	N 228	60-4626	70-2200	7.60mm	40-3683	25 x 14T	OE	310Nm
Manta 400 - Performance 4/5 Paddle	1975-83	Race/Rally	N 228	60-4626	76-2200	7.60mm	40-3683	25 x 14T	OE	410Nm
Manta 400 - Performance 6 Paddle	1975-83	Race/Rally	N 228	60-4626	77-2200	7.60mm	40-3683	25 x 14T	OE	410Nm
Manta 400 - Performance 4/5 Paddle Rigid	1975-83	Race/Rally	N 228	60-4626	78-2200	7.60mm	40-3683	25 x 14T	OE	410Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
OPEL (cont)										
Vectra DI 2.0ltr 16v - Performance Organic	1996-00	Road	N 228	60-4988	70-4989	8.40mm	41-3687	20.4 x 24T	SMF	340Nm
Vectra DI 2.0ltr 16v - Performance 4/5 Paddle (Fitted F18 Gearbox)	1996-00	Race/Rally	N 228	60-4988	76-4989	8.40mm	41-3687	20.4 x 24T	SMF	450Nm
Vectra DTI 2.0ltr 16v - Performance Organic	1997-00	Road	N 228	60-4988	70-4989	8.40mm	41-3687	20.4 x 24T	SMF	340Nm
Vectra DTI 2.0ltr 16v - Performance 4/5 Paddle (Fitted F18 Gearbox)	1997-00	Race/Rally	N 228	60-4988	76-4989	8.40mm	41-3687	20.4 x 24T	SMF	450Nm
Vectra DI 2.0ltr 16v - Performance Organic	1996-00	Road	N 228	60-4988	70-4991	8.40mm	41-3688	25 x 14T	SMF	340Nm
Vectra DI 2.0ltr 16v - Performance 4/5 Paddle (Fitted F23 Gearbox)	1996-00	Race/Rally	N 228	60-4988	76-4991	8.40mm	41-3688	25 x 14T	SMF	450Nm
Vectra DTI 2.0ltr 16v - Performance Organic	1997-00	Road	N 228	60-4988	70-4991	8.40mm	41-3688	25 x 14T	SMF	340Nm
Vectra DTI 2.0ltr 16v - Performance 4/5 Paddle (Fitted F23 Gearbox)	1997-00	Race/Rally	N 228	60-4988	76-4991	8.40mm	41-3688	25 x 14T	SMF	450Nm
Vectra SRI 2.5ltr V6 - Performance Organic	1995-00	Road	N 228	60-4997	70-4994	8.40mm	41-3686	24 x 14T	SMF	310Nm
Vectra SRI 2.5ltr V6 - Performance 4/5 Paddle (Eng ; X25XE)	1995-00	Race/Rally	N 228	60-4997	76-4994	8.40mm	41-3686	24 x 14T	SMF	410Nm
Vectra SRI 2.5ltr V6 - Performance 4/5 Paddle (Challenge)	1998 →	Race/Rally	N 228	60-4997	76-4998	8.40mm	41-3686	22.5 x 20T	SMF	410Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PEUGEOT										
106 Rallye 1.3ltr - Performance Organic	1994-96	Road	N 180	60-3703	70-4790	7.00mm	40-1748	21 x 18T	SMF	220Nm
106 Rallye 1.3ltr - Performance 4/5 Paddle	1994-96	Race/Rally	N 180	60-3703	76-4790	7.00mm	40-1748	21 x 18T	SMF	300Nm
106 1.6ltr & GTI Rallye - Performance Organic	1993-98	Road	N 200	60-3874	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
106 1.6ltr & GTI Rallye - Performance 4/5 Paddle	1993-98	Race/Rally	N 200	60-3872	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 1.6ltr & GTI Rallye - Performance 6 Paddle	1993-98	Race/Rally	N 200	60-3872	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 1.6ltr & GTI Rallye - Performance 4 Paddle Rigid	1993-98	Race/Rally	N 200	60-3872	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 1.6ltr & GTI Rallye - Performance 6 Paddle Rigid	1993-98	Race/Rally	N 200	60-3872	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 GTI 1.6ltr 16v - Performance Organic	1996-98	Road	N 200	60-3874	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
106 GTI 1.6ltr 16v - Performance 4/5 Paddle	1996-98	Race/Rally	N 200	60-3872	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 GTI 1.6ltr 16v - Performance 6 Paddle	1996-98	Race/Rally	N 200	60-3872	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 GTI 1.6ltr 16v - Performance 4 Paddle Rigid	1996-98	Race/Rally	N 200	60-3872	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 GTI 1.6ltr 16v - Performance 6 Paddle Rigid	1996-98	Race/Rally	N 200	60-3872	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
<i>(Eng ; TUSJ4)</i>										
106 GTI 1.6ltr 16v - Performance Organic	1998-00	Road	N 200	60-3874	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
106 GTI 1.6ltr 16v - Performance 4/5 Paddle	1998-00	Race/Rally	N 200	60-3872	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 GTI 1.6ltr 16v - Performance 6 Paddle	1998-00	Race/Rally	N 200	60-3872	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 GTI 1.6ltr 16v - Performance 4 Paddle Rigid	1998-00	Race/Rally	N 200	60-3872	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 GTI 1.6ltr 16v - Performance 6 Paddle Rigid	1998-00	Race/Rally	N 200	60-3872	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
106 GTI 1.6ltr 16v - Performance Organic	2000 →	Road	N 200	60-3861	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
106 GTI 1.6ltr 16v - Performance 4/5 Paddle	2000 →	Race/Rally	N 200	60-3862	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
106 GTI 1.6ltr 16v - Performance 6 Paddle	2000 →	Race/Rally	N 200	60-3862	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
106 GTI 1.6ltr 16v - Performance 4 Paddle Rigid	2000 →	Race/Rally	N 200	60-3862	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
106 GTI 1.6ltr 16v - Performance 6 Paddle Rigid	2000 →	Race/Rally	N 200	60-3862	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
106 RC Cup - Performance 4/5 Paddle		Race/Rally	N 200	60-3862	76-3877	7.00mm	40-5968	22.5 x 20T	HF 9469	280Nm
107 1.0ltr 12v - Performance Organic	2006 →	Road	N 190	60-3840	70-3831	7.60mm	40-3707	22.5 x 19T	SMF	150Nm
107 1.0ltr 12v - Performance 4/5 Paddle	2006 →	Race/Rally	N 190	60-3842	76-3831	7.60mm	40-3707	22.5 x 19T	SMF	193Nm
<i>(Eng ; 1KR)</i>										
205 Rallye 1.3ltr - Performance Organic	1987-94	Road	N 180	60-3703	70-4789	7.60mm	40-1748	21 x 18T	SMF	220Nm
205 Rallye 1.3ltr - Performance Organic Rigid	1987-94	Road	N 180	60-3703	71-4789	7.60mm	40-1748	21 x 18T	SMF	220Nm
205 Rallye 1.3ltr - Performance 4/5 Paddle	1987-94	Race/Rally	N 180	60-3703	76-4789	7.60mm	40-1748	21 x 18T	SMF	300Nm
205 Rallye 1.3ltr - Performance 4/5 Paddle Rigid	1987-94	Race/Rally	N 180	60-3703	78-4789	7.60mm	40-1748	21 x 18T	SMF	300Nm
205 GTI 1.6ltr & GTI 1.9ltr - Performance Organic	1984-89	Road	N 200	60-3867	70-3868	7.60mm	40-3869	21 x 18T	HF 9395	280Nm
205 GTI 1.6ltr & GTI 1.9ltr - Performance 4/5 Paddle	1984-89	Race/Rally	N 200	60-3867	76-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
205 GTI 1.6ltr & GTI 1.9ltr - Performance 6 Paddle	1984-89	Race/Rally	N 200	60-3867	77-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
205 GTI 1.6ltr & GTI 1.9ltr - Performance 4/5 Paddle Rigid	1984-89	Race/Rally	N 200	60-3867	78-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
<i>(Fitted With Ball Pin Release Fork Gearbox)</i>										
205 GTI 1.6ltr & GTI 1.9ltr - Performance Organic	1989-94	Road	N 200	60-3867	70-3868	7.60mm	40-1748	21 x 18T	HF 9395	280Nm
205 GTI 1.6ltr & GTI 1.9ltr - Performance 4/5 Paddle	1989-94	Race/Rally	N 200	60-3867	76-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
205 GTI 1.6ltr & GTI 1.9ltr - Performance 6 Paddle	1989-94	Race/Rally	N 200	60-3867	77-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
205 GTI 1.6ltr & GTI 1.9ltr - Performance 4/5 Paddle Rigid	1989-94	Race/Rally	N 200	60-3867	78-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
<i>(Fitted With Cross Shaft Release Fork Gearbox)</i>										
205 GTI Turbo 1.9ltr - Performance Organic	1987-89	Road	N 215	60-4800	70-4801	7.60mm	40-3869	21 x 18T	HF 9418	290Nm
205 GTI Turbo 1.9ltr - Performance 4/5 Paddle	1987-89	Race/Rally	N 215	60-4802	76-4801	7.60mm	40-3869	21 x 18T	HF 9418	386Nm
205 GTI Turbo 1.9ltr - Performance 6 Paddle	1987-89	Race/Rally	N 215	60-4802	77-4801	7.60mm	40-3869	21 x 18T	HF 9418	386Nm
205 GTI Turbo 1.9ltr - Performance 4/5 Paddle Rigid	1987-89	Race/Rally	N 215	60-4802	78-4801	7.60mm	40-3869	21 x 18T	HF 9418	386Nm
<i>(Fitted With Ball Pin Release Fork Gearbox)</i>										
205 GTI Turbo 1.9ltr - Performance Organic	1989-94	Road	N 215	60-4800	70-4801	7.60mm	40-1748	21 x 18T	HF 9418	290Nm
205 GTI Turbo 1.9ltr - Performance 4/5 Paddle	1989-94	Race/Rally	N 215	60-4802	76-4801	7.60mm	40-1748	21 x 18T	HF 9418	386Nm
205 GTI Turbo 1.9ltr - Performance 6 Paddle	1989-94	Race/Rally	N 215	60-4802	77-4801	7.60mm	40-1748	21 x 18T	HF 9418	386Nm
205 GTI Turbo 1.9ltr - Performance 4/5 Paddle Rigid	1989-94	Race/Rally	N 215	60-4802	78-4801	7.60mm	40-1748	21 x 18T	HF 9418	386Nm
<i>(Fitted With Cross Shaft Release Fork Gearbox)</i>										
205 Turbo 1.8ltr 16v - Performance Organic	1984-90	Road	N 225	60-4878	70-4879	7.20mm	40-4719	24.3 x 21T	SMF	470Nm
205 Turbo 1.8ltr 16v - Performance 4/5 Paddle	1984-90	Race/Rally	N 225	60-4878	76-4879	7.20mm	40-4719	24.3 x 21T	SMF	541Nm
<i>(Eng ; XU8T)</i>										
206 1.6ltr - Performance Organic	2/98 →	Road	N 200	60-3874	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
206 1.6ltr - Performance 4/5 Paddle	2/98 →	Race/Rally	N 200	60-3872	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
206 1.6ltr - Performance 6 Paddle	2/98 →	Race/Rally	N 200	60-3872	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
206 1.6ltr - Performance 4 Paddle Rigid	2/98 →	Race/Rally	N 200	60-3872	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
206 1.6ltr - Performance 6 Paddle Rigid	2/98 →	Race/Rally	N 200	60-3872	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
<i>(Eng ; TUSJP,TUSJ4)</i>										
206 1.6ltr 16v - Performance Organic	9/00 →	Road	N 200	60-3861	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
206 1.6ltr 16v - Performance 4/5 Paddle	9/00 →	Race/Rally	N 200	60-3862	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
206 1.6ltr 16v - Performance 6 Paddle	9/00 →	Race/Rally	N 200	60-3862	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
206 1.6ltr 16v - Performance 4 Paddle Rigid	9/00 →	Race/Rally	N 200	60-3862	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
206 1.6ltr 16v - Performance 6 Paddle Rigid	9/00 →	Race/Rally	N 200	60-3862	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
<i>(Eng ; TUSJP4)</i>										
206 GTI 2.0ltr - Performance Organic	1998 →	Road	N 230	60-4938	70-4936	7.20mm	40-4937	21 x 18T	HF 9437	340Nm
206 GTI 2.0ltr - Performance 4/5 Paddle	1998 →	Race/Rally	N 230	60-4935	76-4936	7.20mm	40-4937	21 x 18T	HF 9437	370Nm
206 GTI 2.0ltr - Performance 6 Paddle	1998 →	Race/Rally	N 230	60-4935	77-4936	7.20mm	40-4937	21 x 18T	HF 9437	370Nm
206 GTI 2.0ltr - Performance 4/5 Paddle Rigid	1998 →	Race/Rally	N 230	60-4935	78-4936	7.20mm	40-4937	21 x 18T	HF 9437	370Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PEUGEOT (cont)										
206 GTI 180 2.0ltr - Performance Organic	2003 →	Road	N 230	60-4938	70-4936	7.20mm	40-4937	21 x 18T	HF 9437	340Nm
206 GTI 180 2.0ltr - Performance 4/5 Paddle	2003 →	Race/Rally	N 230	60-4935	76-4936	7.20mm	40-4937	21 x 18T	HF 9437	370Nm
206 GTI 180 2.0ltr - Performance 6 Paddle	2003 →	Race/Rally	N 230	60-4935	77-4936	7.20mm	40-4937	21 x 18T	HF 9437	370Nm
206 GTI 180 2.0ltr - Performance 4/5 Paddle Rigid	2003 →	Race/Rally	N 230	60-4935	78-4936	7.20mm	40-4937	21 x 18T	HF 9437	370Nm
206 RC Cup - Performance 4/5 Paddle		Race/Rally	N 230	60-4932	76-4933	7.60mm	40-5968	24 x 21T	SMF	330Nm
206 RC Cup - Performance 6 Paddle		Race/Rally	N 230	60-4932	77-4933	7.60mm	40-5968	24 x 21T	SMF	430Nm
206 RC Cup - Performance 4/5 Paddle Rigid		Race	N 230	60-4932	78-4933	7.60mm	40-5968	24 x 21T	SMF	430Nm
206 HDI Turbo 2.0ltr - Performance Organic	1999 →	Road	N 230	60-4939	70-4940	7.20mm	40-4937	21 x 18T	SMF	340Nm
206 HDI Turbo 2.0ltr - Performance 4/5 Paddle	1999 →	Race/Rally	N 230	60-4939	76-4940	7.20mm	40-4937	21 x 18T	SMF	370Nm
206 HDI Turbo 2.0ltr - Performance 6 Paddle	1999 →	Race/Rally	N 230	60-4939	77-4940	7.20mm	40-4937	21 x 18T	SMF	370Nm
206 HDI Turbo 2.0ltr - Performance 4 Paddle Rigid	1999 →	Race/Rally	N 230	60-4939	78-4940	7.20mm	40-4937	21 x 18T	SMF	370Nm
206 HDI Turbo 2.0ltr - Performance 6 Paddle Rigid (Eng ; EW10) (Push type)	1999 →	Race/Rally	N 230	60-4939	78-4940 - 6	7.20mm	40-4937	21 x 18T	SMF	370Nm
207 1.6ltr 16v - Performance Organic	03/06 →	Road	N 200	60-3861	70-3873	7.00mm	40-4937	21 x 18T	HF 9469	220Nm
207 1.6ltr 16v - Performance 4/5 Paddle	03/06 →	Race/Rally	N 200	60-3862	76-3873	7.00mm	40-4937	21 x 18T	HF 9469	280Nm
207 1.6ltr 16v - Performance 6 Paddle	03/06 →	Race/Rally	N 200	60-3862	77-3873	7.00mm	40-4937	21 x 18T	HF 9469	280Nm
207 1.6ltr 16v - Performance 4 Paddle Rigid	03/06 →	Race/Rally	N 200	60-3862	78-3873	7.00mm	40-4937	21 x 18T	HF 9469	280Nm
207 1.6ltr 16v - Performance 6 Paddle Rigid (Eng ; TUSJP4)	03/06 →	Race/Rally	N 200	60-3862	78-3873 - 6	7.00mm	40-4937	21 x 18T	HF 9469	280Nm
207 1.6ltr 16v Turbo - Performance Organic	02/06 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
207 1.6ltr 16v Turbo - Performance 4/5 Paddle (Eng ; EP6DT,EP6DTS)	02/06 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
207 1.6ltr 16v GTI - Performance Organic	02/07 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
207 1.6ltr 16v GTI - Performance 4/5 Paddle (Eng ; 5FY) TransmissionType; BE4R	02/07 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
207 1.6ltr 16v Turbo - Performance Organic	02/06 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
207 1.6ltr 16v Turbo - Performance 4/5 Paddle (Eng ; 5FX) TransmissionType; BE4R	02/06 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
207 1.6ltr HDI - Performance Organic	11/09 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
207 1.6ltr HDI - Performance 4/5 Paddle (Eng ; 9HP) TransmissionType; BE4R	11/09 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
207 CC 1.6ltr 16v Turbo - Performance Organic	02/07 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
207 CC 1.6ltr 16v Turbo - Performance 4/5 Paddle (Eng ; 5FX) TransmissionType; BE4R	02/07 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
207 SW 1.6ltr 16v GTI - Performance Organic	02/07 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
207 SW 1.6ltr 16v GTI - Performance 4/5 Paddle (Eng ; 5FY) TransmissionType; BE4R	02/07 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
207 SW 1.6ltr HDI - Performance Organic	11/09 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
207 SW 1.6ltr HDI - Performance 4/5 Paddle (Eng ; 9HP) TransmissionType; BE4R	11/09 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
208 1.6ltr - Performance Organic	03/12 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
208 1.6ltr - Performance Organic Rigid	03/12 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
208 1.6ltr - Performance 4/5 Paddle	03/12 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
208 1.6ltr - Performance 4/5 Paddle Rigid (Eng ; 5FS)	03/12 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
208 1.6ltr GTI - Performance Organic	03/12 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
208 1.6ltr GTI - Performance Organic Rigid	03/12 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
208 1.6ltr GTI - Performance 4/5 Paddle	03/12 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
208 1.6ltr GTI - Performance 4/5 Paddle Rigid (Eng ; 5FU)	03/12 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
208 1.6ltr GTI - Performance Organic	10/14 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
208 1.6ltr GTI - Performance Organic Rigid	10/14 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
208 1.6ltr GTI - Performance 4/5 Paddle	10/14 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
208 1.6ltr GTI - Performance 4/5 Paddle Rigid (Eng ; 5GR)	10/14 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
208 1.6ltr HDI - Performance Organic	03/12 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
208 1.6ltr HDI - Performance 4/5 Paddle (Eng ; 9HJ, 9HP) TransmissionType; BE4R	03/12 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
306 1.6ltr - Performance Organic	1994-98	Road	N 200	60-3874	70-3870	7.60mm	40-5967	21 x 18T	HF 9469	220Nm
306 1.6ltr - Performance 4/5 Paddle	1994-98	Race/Rally	N 200	60-3872	76-3870	7.60mm	40-5967	21 x 18T	HF 9469	290Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PEUGEOT (cont)										
306 1.6ltr - Performance Organic	2/98-00	Road	N 200	60-3874	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
306 1.6ltr - Performance 4/5 Paddle	2/98-00	Race/Rally	N 200	60-3872	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
306 1.6ltr - Performance 6 Paddle	2/98-00	Race/Rally	N 200	60-3872	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
306 1.6ltr - Performance 4 Paddle Rigid	2/98-00	Race/Rally	N 200	60-3872	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
306 1.6ltr - Performance 6 Paddle Rigid	2/98-00	Race/Rally	N 200	60-3872	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	290Nm
306 1.6ltr - Performance Organic	2000-01	Road	N 200	60-3861	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
306 1.6ltr - Performance 4/5 Paddle	2000-01	Race/Rally	N 200	60-3862	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
306 1.6ltr - Performance 6 Paddle	2000-01	Race/Rally	N 200	60-3862	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
306 1.6ltr - Performance 4 Paddle Rigid	2000-01	Race/Rally	N 200	60-3862	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
306 1.6ltr - Performance 6 Paddle Rigid	2000-01	Race/Rally	N 200	60-3862	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
306 S16 2.0ltr - Performance Organic	11/93-96	Road	N 215	60-5104	70-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
306 S16 2.0ltr - Performance Organic Rigid	11/93-96	Road	N 215	60-5104	71-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
306 S16 2.0ltr - Performance 4/5 Paddle	11/93-96	Race/Rally	N 215	60-5105	76-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
306 S16 2.0ltr - Performance 6 Paddle	11/93-96	Race/Rally	N 215	60-5105	77-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
306 S16 2.0ltr - Performance 4/5 Paddle Rigid	11/93-96	Race/Rally	N 215	60-5105	78-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
<i>(Pull type)</i>										
306 GTI-6 2.0ltr - Performance Organic	1996-00	Road	N 215	60-5104	70-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
306 GTI-6 2.0ltr - Performance Organic Rigid	1996-00	Road	N 215	60-5104	71-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
306 GTI-6 2.0ltr - Performance 4/5 Paddle	1996-00	Race/Rally	N 215	60-5105	76-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
306 GTI-6 2.0ltr - Performance 6 Paddle	1996-00	Race/Rally	N 215	60-5105	77-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
306 GTI-6 2.0ltr - Performance 4/5 Paddle Rigid	1996-00	Race/Rally	N 215	60-5105	78-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
306 HDI 2.0ltr Turbo - Performance Organic	1999-01	Road	N 230	60-4939	70-4940	7.20mm	40-5967	21 x 18T	SMF	340Nm
306 HDI 2.0ltr Turbo - Performance 4/5 Paddle	1999-01	Race/Rally	N 230	60-4939	76-4940	7.20mm	40-5967	21 x 18T	SMF	370Nm
306 HDI 2.0ltr Turbo - Performance 6 Paddle	1999-01	Race/Rally	N 230	60-4939	77-4940	7.20mm	40-5967	21 x 18T	SMF	370Nm
306 HDI 2.0ltr Turbo - Performance 4 Paddle Rigid	1999-01	Race/Rally	N 230	60-4939	78-4940	7.20mm	40-5967	21 x 18T	SMF	370Nm
306 HDI 2.0ltr Turbo - Performance 6 Paddle Rigid	1999-01	Race/Rally	N 230	60-4939	78-4940 - 6	7.20mm	40-5967	21 x 18T	SMF	370Nm
307 1.6ltr 16v - Performance Organic	2001 →	Road	N 200	60-3861	70-3873	7.00mm	40-5967	21 x 18T	HF 9469	220Nm
307 1.6ltr 16v - Performance 4/5 Paddle	2001 →	Race/Rally	N 200	60-3862	76-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
307 1.6ltr 16v - Performance 6 Paddle	2001 →	Race/Rally	N 200	60-3862	77-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
307 1.6ltr 16v - Performance 4 Paddle Rigid	2001 →	Race/Rally	N 200	60-3862	78-3873	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
307 1.6ltr 16v - Performance 6 Paddle Rigid	2001 →	Race/Rally	N 200	60-3862	78-3873 - 6	7.00mm	40-5967	21 x 18T	HF 9469	280Nm
<i>(Eng ; TUSJP4)</i>										
307 2.0ltr 16v - Performance Organic	2001 →	Road	N 230	60-4938	70-4936	7.20mm	40-4937	21 x 18T	SMF	340Nm
307 2.0ltr 16v - Performance 4/5 Paddle	2001 →	Race/Rally	N 230	60-4935	76-4936	7.20mm	40-4937	21 x 18T	SMF	370Nm
307 2.0ltr 16v - Performance 6 Paddle	2001 →	Race/Rally	N 230	60-4935	77-4936	7.20mm	40-4937	21 x 18T	SMF	370Nm
307 2.0ltr 16v - Performance 4/5 Paddle Rigid	2001 →	Race/Rally	N 230	60-4935	78-4936	7.20mm	40-4937	21 x 18T	SMF	370Nm
307 HDI 2.0ltr Turbo - Performance Organic	2001 →	Road	N 230	60-4939	70-4940	7.20mm	40-4937	21 x 18T	SMF	340Nm
307 HDI 2.0ltr Turbo - Performance 4/5 Paddle	2001 →	Race/Rally	N 230	60-4939	76-4940	7.20mm	40-4937	21 x 18T	SMF	370Nm
307 HDI 2.0ltr Turbo - Performance 6 Paddle	2001 →	Race/Rally	N 230	60-4939	77-4940	7.20mm	40-4937	21 x 18T	SMF	370Nm
307 HDI 2.0ltr Turbo - Performance 4 Paddle Rigid	2001 →	Race/Rally	N 230	60-4939	78-4940	7.20mm	40-4937	21 x 18T	SMF	370Nm
307 HDI 2.0ltr Turbo - Performance 6 Paddle Rigid	2001 →	Race/Rally	N 230	60-4939	78-4940 - 6	7.20mm	40-4937	21 x 18T	SMF	370Nm
308 1.6ltr 16v - Performance Organic	09/07 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
308 1.6ltr 16v - Performance 4/5 Paddle	09/07 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
<i>(Eng ; 5FX)</i>										
<i>TransmissionType; BE4R</i>										
308 1.6ltr 16v - Performance Organic	10/09 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 1.6ltr 16v - Performance Organic Rigid	10/09 →	Race/Rally	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 1.6ltr 16v - Performance 4/5 Paddle	10/09 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 1.6ltr 16v - Performance 4/5 Paddle Rigid	10/09 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng ; 5FV)</i>										
308 1.6ltr GTI - Performance Organic	07/10 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 1.6ltr GTI - Performance Organic Rigid	07/10 →	Race/Rally	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 1.6ltr GTI - Performance 4/5 Paddle	07/10 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 1.6ltr GTI - Performance 4/5 Paddle Rigid	07/10 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng ; EP6CDTX)</i>										
308 1.6ltr HDI - Performance Organic	11/09 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
308 1.6ltr HDI - Performance 4/5 Paddle	11/09 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
<i>(Eng ; 9HJ, 9HP)</i>										
<i>TransmissionType; BE4R</i>										
308 CC 1.6ltr 16v - Performance Organic	06/09 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
308 CC 1.6ltr 16v - Performance 4/5 Paddle	06/09 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
<i>(Eng ; 5FX)</i>										
<i>TransmissionType; BE4R</i>										
308 CC 1.6ltr 16v - Performance Organic	06/09 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 CC 1.6ltr 16v - Performance Organic Rigid	06/09 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 CC 1.6ltr 16v - Performance 4/5 Paddle	06/09 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 CC 1.6ltr 16v - Performance 4/5 Paddle Rigid	06/09 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng ; 5FV)</i>										
308 CC 1.6ltr THP - Performance Organic	10/10 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 CC 1.6ltr THP - Performance Organic Rigid	10/10 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 CC 1.6ltr THP - Performance 4/5 Paddle	10/10 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 CC 1.6ltr THP - Performance 4/5 Paddle Rigid	10/10 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
<i>(Eng ; EP6CDTX)</i>										



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PEUGEOT (cont)										
308 SW 1.6ltr 16v - Performance Organic	10/09 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 SW 1.6ltr 16v - Performance Organic Rigid	10/09 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 SW 1.6ltr 16v - Performance 4/5 Paddle	10/09 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 SW 1.6ltr 16v - Performance 4/5 Paddle Rigid (Eng ; 5FV)	10/09 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II 1.2ltr THP 130 - Performance Organic	11/13 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II 1.2ltr THP 130 - Performance Organic Rigid	11/13 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II 1.2ltr THP 130 - Performance 4/5 Paddle	11/13 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II 1.2ltr THP 130 - Performance 4/5 Paddle Rigid (Eng ; HNY)	11/13 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II 1.6ltr THP 125 - Performance Organic	09/13 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II 1.6ltr THP 125 - Performance Organic Rigid	09/13 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II 1.6ltr THP 125 - Performance 4/5 Paddle	09/13 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II 1.6ltr THP 125 - Performance 4/5 Paddle Rigid (Eng ; 5FA)	09/13 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II 1.6ltr - Performance Organic	09/13 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II 1.6ltr - Performance Organic Rigid	09/13 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II 1.6ltr - Performance 4/5 Paddle	09/13 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II 1.6ltr - Performance 4/5 Paddle Rigid (Eng ; 5FV)	09/13 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II 1.6ltr HDI - Performance Organic	09/13 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
309 II 1.6ltr HDI - Performance 4/5 Paddle (Eng ; 9HJ, 9HP) TransmissionType; BE4R	09/13 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
308 SW 1.6ltr 16v - Performance Organic	09/07 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
308 SW 1.6ltr 16v - Performance 4/5 Paddle (Eng ; 5FX) TransmissionType; BE4R	09/07 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
308 SW 1.6ltr HDI - Performance Organic	11/09 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
308 SW 1.6ltr HDI - Performance 4/5 Paddle (Eng ; 9HP) TransmissionType; BE4R	11/09 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
308 II GT 205 - Performance Organic	06/14 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II GT 205 - Performance Organic Rigid	06/14 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II GT 205 - Performance 4/5 Paddle	06/14 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II GT 205 - Performance 4/5 Paddle Rigid	06/14 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.2ltr THP 130 - Performance Organic	03/14 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II SW 1.2ltr THP 130 - Performance Organic Rigid	03/14 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II SW 1.2ltr THP 130 - Performance 4/5 Paddle	03/14 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.2ltr THP 130 - Performance 4/5 Paddle Rigid (Eng ; HNY)	03/14 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.6ltr THP 125 - Performance Organic	03/14 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II SW 1.6ltr THP 125 - Performance Organic Rigid	03/14 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II SW 1.6ltr THP 125 - Performance 4/5 Paddle	03/14 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.6ltr THP 125 - Performance 4/5 Paddle Rigid	03/14 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.6ltr THP 155 - Performance Organic	03/14 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II SW 1.6ltr THP 155 - Performance Organic Rigid	03/14 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II SW 1.6ltr THP 155 - Performance 4/5 Paddle	03/14 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.6ltr THP 155 - Performance 4/5 Paddle Rigid (Eng ; 5FV)	03/14 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.6ltr GT 205 - Performance Organic	06/14 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II SW 1.6ltr GT 205 - Performance Organic Rigid	06/14 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
308 II SW 1.6ltr GT 205 - Performance 4/5 Paddle	06/14 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.6ltr GT 205 - Performance 4/5 Paddle Rigid	06/14 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II SW 1.6ltr HDI 92 - Performance Organic	03/14 →	Road	N 228	60-4942	70-4944	7.60mm	40-4937	21 x 18T	HF 9493	340Nm
308 II SW 1.6ltr HDI 92 - Performance 4/5 Paddle	03/14 →	Race/Rally	N 228	60-4942	76-4944	7.60mm	40-4937	21 x 18T	HF 9493	454Nm
309 GTI 1.6ltr & GTI 1.9ltr - Performance Organic	1986-89	Road	N 200	60-3867	70-3868	7.60mm	40-3869	21 x 18T	HF 9395	280Nm
309 GTI 1.6ltr & GTI 1.9ltr - Performance 4/5 Paddle	1986-89	Race/Rally	N 200	60-3867	76-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
309 GTI 1.6ltr & GTI 1.9ltr - Performance 6 Paddle	1986-89	Race/Rally	N 200	60-3867	77-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
309 GTI 1.6ltr & GTI 1.9ltr - Performance 4/5 Paddle Rigid (Fitted With Ball Pin Release Fork Gearbox)	1986-89	Race/Rally	N 200	60-3867	78-3868	7.60mm	40-3869	21 x 18T	HF 9395	390Nm
309 GTI 1.6ltr & GTI 1.9ltr - Performance Organic	1989-92	Road	N 200	60-3867	70-3868	7.60mm	40-1748	21 x 18T	HF 9395	280Nm
309 GTI 1.6ltr & GTI 1.9ltr - Performance 4/5 Paddle	1989-92	Race/Rally	N 200	60-3867	76-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
309 GTI 1.6ltr & GTI 1.9ltr - Performance 6 Paddle	1989-92	Race/Rally	N 200	60-3867	77-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
309 GTI 1.6ltr & GTI 1.9ltr - Performance 4/5 Paddle Rigid (Fitted With Cross Shaft Release Fork Gearbox)	1989-92	Race/Rally	N 200	60-3867	78-3868	7.60mm	40-1748	21 x 18T	HF 9395	390Nm
405 MI 1.9ltr 16v - Performance Organic	1988-92	Road	N 215	60-4802	70-4801	7.60mm	40-1748	21 x 18T	HF 9418	290Nm
405 MI 1.9ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 215	60-4802	76-4801	7.60mm	40-1748	21 x 18T	HF 9418	386Nm
405 MI 1.9ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 215	60-4802	77-4801	7.60mm	40-1748	21 x 18T	HF 9418	386Nm
405 MI 1.9ltr 16v - Performance 4/5 Paddle Rigid (Push type)	1988-92	Race/Rally	N 215	60-4802	78-4801	7.60mm	40-1748	21 x 18T	HF 9418	386Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PEUGEOT (cont)										
405 MI 2.0ltr 16v - Performance Organic	1992-94	Road	N 215	60-5104	70-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
405 MI 2.0ltr 16v - Performance Organic Rigid	1992-94	Road	N 215	60-5104	71-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
405 MI 2.0ltr 16v - Performance 4/5 Paddle	1992-94	Race/Rally	N 215	60-5105	76-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
405 MI 2.0ltr 16v - Performance 6 Paddle	1992-94	Race/Rally	N 215	60-5105	77-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
405 MI 2.0ltr 16v - Performance 4/5 Paddle Rigid (Pull type)	1992-94	Race/Rally	N 215	60-5105	78-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
405 2.0ltr Turbo 16v - Performance Organic	1992-96	Road	N 235	60-5120	70-5121	7.60mm	40-Included	24 x 21T	SMF	360Nm
405 2.0ltr Turbo 16v - Performance 4/5 Paddle	1992-96	Race/Rally	N 235	60-5120	76-5121	7.60mm	40-Included	24 x 21T	SMF	480Nm
406 2.0ltr 16v - Performance Organic	1996-99	Road	N 215	60-5104	70-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
406 2.0ltr 16v - Performance Organic Rigid	1996-99	Road	N 215	60-5104	71-5106	7.60mm	40-3215	21 x 18T	SMF	270Nm
406 2.0ltr 16v - Performance 4/5 Paddle	1996-99	Race/Rally	N 215	60-5105	76-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
406 2.0ltr 16v - Performance 6 Paddle	1996-99	Race/Rally	N 215	60-5105	77-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
406 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; RFV) (Pull type)	1996-99	Race/Rally	N 215	60-5105	78-5106	7.60mm	40-3215	21 x 18T	SMF	430Nm
406 2.0ltr 16v - Performance Organic	1999 →	Road	N 230	60-4938	70-4936	7.20mm	40-4937	21 x 18T	SMF	340Nm
406 2.0ltr 16v - Performance 4/5 Paddle	1999 →	Race/Rally	N 230	60-4935	76-4936	7.20mm	40-4937	21 x 18T	SMF	370Nm
406 2.0ltr 16v - Performance 6 Paddle	1999 →	Race/Rally	N 230	60-4935	77-4936	7.20mm	40-4937	21 x 18T	SMF	370Nm
406 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; RFR,RFN)	1999 →	Race/Rally	N 230	60-4935	78-4936	7.20mm	40-4937	21 x 18T	SMF	370Nm
406 3.0ltr V6 24v - Performance Organic	1996 →	Road	N 240	60-5126	70-5127	7.60mm	40-Included	24 x 21T	SMF	360Nm
406 3.0ltr V6 24v - Performance 4/5 Paddle (Pull type)	1996 →	Race/Rally	N 240	60-5126	76-5127	7.60mm	40-Included	24 x 21T	SMF	460Nm
406 HDI 2.2ltr - Performance Organic Rigid	2000 →	Road	N 240	60-5124	71-5125	7.60mm	40-5126	24 x 21T	SMF	410Nm
406 HDI 2.2ltr - Performance 4/5 Paddle Rigid (Pull type)	2000 →	Race/Rally	N 240	60-5124	78-5125	7.60mm	40-5126	24 x 21T	SMF	556Nm
508 I 1.6ltr THP - Performance Organic	11/10 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
508 I 1.6ltr THP - Performance Organic Rigid	11/10 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
508 I 1.6ltr THP - Performance 4/5 Paddle	11/10 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
508 I 1.6ltr THP - Performance 4/5 Paddle Rigid (Eng ; 5FV)	11/10 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
508 SW I 1.6ltr THP - Performance Organic	11/10 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
508 SW I 1.6ltr THP - Performance Organic Rigid	11/10 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
508 SW I 1.6ltr THP - Performance 4/5 Paddle	11/10 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
508 SW I 1.6ltr THP - Performance 4/5 Paddle Rigid (Eng ; 5FV)	11/10 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
2008 1.2ltr THP 130 - Performance Organic	01/15 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
2008 1.2ltr THP 130 - Performance Organic Rigid	01/15 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
2008 1.2ltr THP 130 - Performance 4/5 Paddle	01/15 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
2008 1.2ltr THP 130 - Performance 4/5 Paddle Rigid (Eng ; HNY)	01/15 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
3008 1.2ltr MPV - Performance Organic	01/15 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
3008 1.2ltr MPV - Performance Organic Rigid	01/15 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
3008 1.2ltr MPV - Performance 4/5 Paddle	01/15 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
3008 1.2ltr MPV - Performance 4/5 Paddle Rigid (Eng ; HNY)	01/15 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
3008 1.6ltr MPV THP - Performance Organic	06/09 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
3008 1.6ltr MPV THP - Performance Organic Rigid	06/09 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
3008 1.6ltr MPV THP - Performance 4/5 Paddle	06/09 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
3008 1.6ltr MPV THP - Performance 4/5 Paddle Rigid (Eng ; 5FV)	06/09 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
5008 1.2ltr - Performance Organic	01/15 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
5008 1.2ltr - Performance Organic Rigid	01/15 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
5008 1.2ltr - Performance 4/5 Paddle	01/15 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
5008 1.2ltr - Performance 4/5 Paddle Rigid (Eng ; HNY)	01/15 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
5008 1.6ltr 16v - Performance Organic	09/09 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
5008 1.6ltr 16v - Performance Organic Rigid	09/09 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
5008 1.6ltr 16v - Performance 4/5 Paddle	09/09 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
5008 1.6ltr 16v - Performance 4/5 Paddle Rigid (Eng ; 5FV)	09/09 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
RCZ 1.6ltr 16v - Performance Organic	03/10 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
RCZ 1.6ltr 16v - Performance Organic Rigid	03/10 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
RCZ 1.6ltr 16v - Performance 4/5 Paddle	03/10 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
RCZ 1.6ltr 16v - Performance 4/5 Paddle Rigid (Eng ; 5FV)	03/10 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
RCZ 1.6ltr 16v - Performance Organic	06/10 →	Road	N 228	60-4501	70-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
RCZ 1.6ltr 16v - Performance Organic Rigid	06/10 →	Road	N 228	60-4501	71-4502	7.20mm	41-4503	22 x 26T	HF 9511	370Nm
RCZ 1.6ltr 16v - Performance 4/5 Paddle	06/10 →	Race/Rally	N 228	60-4501	76-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
RCZ 1.6ltr 16v - Performance 4/5 Paddle Rigid (EP6CDTX)	06/10 →	Race/Rally	N 228	60-4501	78-4502	7.20mm	41-4503	22 x 26T	HF 9511	490Nm
308 II 2.0ltr BlueHdi 150 - Performance Organic	2013-21	Road	N 228	60-5830	70-5831	7.00mm	41-5829	24.85 x 21T	HF 9261	350Nm
308 II 2.0ltr BlueHdi 150 - Performance 4/5 Paddle	2013-21	Road	N 228	60-5830	76-5831	7.00mm	41-5829	24.85 x 21T	HF 9261	440Nm
308 II 2.0ltr BlueHdi 150 - Performance 6 Paddle (Eng ; AHX, DW10F)	2013-21	Race/Rally	N 228	60-5830	77-5831	7.00mm	41-5829	24.85 x 21T	HF 9261	440Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PORSCHE										
911 T/E/S 2.4ltr - Performance Organic	1971-77	Road	N 225	60-4086	70-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	430Nm
911 T/E/S 2.4ltr - Performance 4/5 Paddle	1971-77	Race/Rally	N 225	60-4086	76-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 T/E/S 2.4ltr - Performance 6 Paddle	1971-77	Race/Rally	N 225	60-4086	77-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 T/E/S 2.4ltr - Performance 4/5 Paddle Rigid (Gearbox 915) (Pull type)	1971-77	Race/Rally	N 225	60-4086	78-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 SC 3.0ltr - Performance Organic	1977-79	Road	N 225	60-4086	70-4047	7.20mm	40-2943	22.5 x 20T	HF 9278	430Nm
911 SC 3.0ltr - Performance 4/5 Paddle	1977-79	Race/Rally	N 225	60-4086	76-4047	7.20mm	40-2943	22.5 x 20T	HF 9278	560Nm
911 SC 3.0ltr - Performance 6 Paddle	1977-79	Race/Rally	N 225	60-4086	77-4047	7.20mm	40-2943	22.5 x 20T	HF 9278	560Nm
911 SC 3.0ltr - Performance 4/5 Paddle Rigid (Gearbox 915) (Pull type)	1977-79	Race/Rally	N 225	60-4086	78-4047	7.20mm	40-2943	22.5 x 20T	HF 9278	560Nm
911 SC 3.0ltr - Performance Organic	1980-83	Road	N 225	60-4086	70-4047	7.20mm	40-2943	22.5 x 20T	HF 9279	430Nm
911 SC 3.0ltr - Performance 4/5 Paddle	1980-83	Race/Rally	N 225	60-4086	76-4047	7.20mm	40-2943	22.5 x 20T	HF 9279	560Nm
911 SC 3.0ltr - Performance 6 Paddle	1980-83	Race/Rally	N 225	60-4086	77-4047	7.20mm	40-2943	22.5 x 20T	HF 9279	560Nm
911 SC 3.0ltr - Performance 4/5 Paddle Rigid (Gearbox 915) (Pull type)	1980-83	Race/Rally	N 225	60-4086	78-4047	7.20mm	40-2943	22.5 x 20T	HF 9279	560Nm
911 Carrera 2.7ltr - Performance Organic	1972-76	Road	N 225	60-4086	70-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	430Nm
911 Carrera 2.7ltr - Performance 4/5 Paddle	1972-76	Race/Rally	N 225	60-4086	76-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 Carrera 2.7ltr - Performance 6 Paddle	1972-76	Race/Rally	N 225	60-4086	77-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 Carrera 2.7ltr - Performance 4/5 Paddle Rigid (Gearbox 915) (Pull type)	1972-76	Race/Rally	N 225	60-4086	78-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 Carrera 3.0ltr - Performance Organic	1975-77	Road	N 225	60-4086	70-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	430Nm
911 Carrera 3.0ltr - Performance 4/5 Paddle	1975-77	Race/Rally	N 225	60-4086	76-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 Carrera 3.0ltr - Performance 6 Paddle	1975-77	Race/Rally	N 225	60-4086	77-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 Carrera 3.0ltr - Performance 4/5 Paddle Rigid (Gearbox 915) (Pull type)	1975-77	Race/Rally	N 225	60-4086	78-4047	7.20mm	40-2943	22.5 x 20T	HF 9277	560Nm
911 Carrera 3.2ltr - Performance Organic	1983-87	Road	N 225	60-4086	70-4047	7.20mm	40-2943	22.5 x 20T	HF 9291	430Nm
911 Carrera 3.2ltr - Performance 4/5 Paddle	1983-87	Race/Rally	N 225	60-4086	76-4047	7.20mm	40-2943	22.5 x 20T	HF 9291	560Nm
911 Carrera 3.2ltr - Performance 6 Paddle	1983-87	Race/Rally	N 225	60-4086	77-4047	7.20mm	40-2943	22.5 x 20T	HF 9291	560Nm
911 Carrera 3.2ltr - Performance 4/5 Paddle Rigid (Gearbox 915) (Pull type)	1983-87	Race/Rally	N 225	60-4086	78-4047	7.20mm	40-2943	22.5 x 20T	HF 9291	560Nm
356 1.6ltr - Performance Organic	1956-58	Road	N 180	60-1748	70-1749	8.00mm	40-1752	20.4 x 24T	SMF	200Nm
356 1.6ltr - Performance Organic	1959-63	Road	N 180	60-1750	70-1749	8.00mm	40-1755	20.4 x 24T	SMF	200Nm
356 B,C & SC - Performance Organic	1963-65	Road	N 200	60-1751	70-1753	9.00mm	40-1754	20.4 x 24T	HF 9298	200Nm
356 B,C & SC - Performance Organic Rigid	1963-65	Road	N 200	60-1751	71-1753	9.00mm	40-1754	20.4 x 24T	HF 9298	266Nm
356 B,C & SC - Performance 4/5 Paddle	1963-65	Race/Rally	N 200	60-1751	76-1753	9.00mm	40-1754	20.4 x 24T	HF 9298	266Nm
356 Carrera 2 - Performance Organic	1963-65	Road	N 200	60-1751	70-1753	9.00mm	40-1754	20.4 x 24T	HF 9393	200Nm
356 Carrera 2 - Performance Organic Rigid	1963-65	Road	N 200	60-1751	71-1753	9.00mm	40-1754	20.4 x 24T	HF 9393	266Nm
356 Carrera 2 - Performance 4/5 Paddle	1963-65	Race/Rally	N 200	60-1751	76-1753	9.00mm	40-1754	20.4 x 24T	HF 9393	266Nm
912 1.6ltr - Performance Organic	1965-69	Road	N 200	60-1751	70-1753	9.00mm	40-1754	20.4 x 24T	SMF	200Nm
912 1.6ltr - Performance Organic Rigid	1965-69	Road	N 200	60-1751	71-1753	9.00mm	40-1754	20.4 x 24T	SMF	266Nm
912 1.6ltr - Performance 4/5 Paddle	1965-69	Race/Rally	N 200	60-1751	76-1753	9.00mm	40-1754	20.4 x 24T	SMF	266Nm
911 T/E 2.0ltr - Performance Organic	1966-69	Road	N 215	60-1913	70-1912	9.00mm	40-1914	20.4 x 24T	HF 9409	260Nm
911 T/E 2.0ltr - Performance 4/5 Paddle	1966-69	Race/Rally	N 215	60-1913	76-1912	9.00mm	40-1914	20.4 x 24T	HF 9409	340Nm
911 T/E 2.0ltr - Performance 6 Paddle	1966-69	Race/Rally	N 215	60-1913	77-1912	9.00mm	40-1914	20.4 x 24T	HF 9409	340Nm
911 T/E 2.0ltr - Performance 4 Paddle Rigid	1966-69	Race/Rally	N 215	60-1913	78-1912	9.00mm	40-1914	20.4 x 24T	HF 9409	340Nm
911 T/E 2.0ltr - Performance 6 Paddle Rigid (Gearbox; 901)	1966-69	Race/Rally	N 215	60-1913	78-1912 - 6	9.00mm	40-1914	20.4 x 24T	HF 9409	340Nm
911 T/E 2.2ltr - Performance Organic	1969-71	Road	N 225	60-4079	70-4028	7.60mm	40-2941	20.4 x 24T	HF 9277	370Nm
911 T/E 2.2ltr - Performance 4/5 Paddle	1969-71	Race/Rally	N 225	60-4079	76-4028	7.60mm	40-2941	20.4 x 24T	HF 9277	480Nm
911 T/E 2.2ltr - Performance 6 Paddle (Gearbox; 901)	1969-71	Race/Rally	N 225	60-4079	77-4028	7.60mm	40-2941	20.4 x 24T	HF 9277	480Nm
911 Turbo 3.0ltr - Performance Organic	1974-77	Road	N 240	60-4048	70-4875	9.40mm	40-4306	25.4 x 23T	SMF	600Nm
911 Turbo 3.0ltr - Performance 4/5 Paddle	1974-77	Race/Rally	N 240	60-4048	76-4875	9.40mm	40-4306	25.4 x 23T	SMF	800Nm
911 Turbo 3.0ltr - Performance 6 Paddle	1974-77	Race/Rally	N 240	60-4048	77-4875	9.40mm	40-4306	25.4 x 23T	SMF	800Nm
911 Turbo 3.0ltr - Performance 4/5 Paddle Rigid	1974-77	Race/Rally	N 240	60-4048	78-4875	9.40mm	40-4306	25.4 x 23T	SMF	800Nm
911 Turbo 3.0ltr - Performance Organic	1974-77	Road	N 240	60-4048	70-4875	9.40mm	40-4651	25.4 x 23T	SMF	600Nm
911 Turbo 3.0ltr - Performance 4/5 Paddle	1974-77	Race/Rally	N 240	60-4048	76-4875	9.40mm	40-4651	25.4 x 23T	SMF	800Nm
911 Turbo 3.0ltr - Performance 6 Paddle	1974-77	Race/Rally	N 240	60-4048	77-4875	9.40mm	40-4651	25.4 x 23T	SMF	800Nm
911 Turbo 3.0ltr - Performance 4/5 Paddle Rigid (RUF Conversion)	1974-77	Race/Rally	N 240	60-4048	78-4875	9.40mm	40-4651	25.4 x 23T	SMF	800Nm
912 - Performance Organic	1968-69	Road	N 215	60-1913	70-1912	9.00mm	40-1914	20.4 x 24T	SMF	260Nm
912 - Performance 4/5 Paddle	1968-69	Race/Rally	N 215	60-1913	76-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
912 - Performance 6 Paddle	1968-69	Race/Rally	N 215	60-1913	77-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
912 - Performance 4 Paddle Rigid	1968-69	Race/Rally	N 215	60-1913	78-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
912 - Performance 6 Paddle Rigid	1968-69	Race/Rally	N 215	60-1913	78-1912 - 6	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
912E (USA) - Performance Organic	1975-76	Road	N 215	60-1913	70-1912	9.00mm	40-1914	20.4 x 24T	SMF	260Nm
912E (USA) - Performance 4/5 Paddle	1975-76	Race/Rally	N 215	60-1913	76-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
912E (USA) - Performance 6 Paddle	1975-76	Race/Rally	N 215	60-1913	77-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
912E (USA) - Performance 4 Paddle Rigid	1975-76	Race/Rally	N 215	60-1913	78-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
912E (USA) - Performance 6 Paddle Rigid	1975-76	Race/Rally	N 215	60-1913	78-1912 - 6	9.00mm	40-1914	20.4 x 24T	SMF	340Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PORSCHE (cont)										
914 - Performance Organic		Road	N 215	60-1913	70-1912	9.00mm	40-1914	20.4 x 24T	SMF	260Nm
914 - Performance 4/5 Paddle		Race/Rally	N 215	60-1913	76-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
914 - Performance 6 Paddle		Race/Rally	N 215	60-1913	77-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
914 - Performance 4 Paddle Rigid		Race/Rally	N 215	60-1913	78-1912	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
914 - Performance 6 Paddle Rigid		Race/Rally	N 215	60-1913	78-1912 - 6	9.00mm	40-1914	20.4 x 24T	SMF	340Nm
<i>(1700 VW Eng) (2000 Porsche Eng) (1800 VW Eng)</i>										
924 - Performance Organic	1976-85	Road	N 215	60-1185	70-1916	9.00mm	40-2209	20.4 x 24T	SMF	251Nm
924 - Performance 4/5 Paddle	1976-85	Race/Rally	N 215	60-1185	76-1916	9.00mm	40-2209	20.4 x 24T	SMF	328Nm
924 - Performance 6 Paddle	1976-85	Race/Rally	N 215	60-1185	77-1916	9.00mm	40-2209	20.4 x 24T	SMF	328Nm
<i>(4 & 5 Speed Gearbox)</i>										
924S - Performance Organic	1985-88	Road	N 225	60-4712	70-4429	7.30mm	40-4719	25.4 x 23T	SMF	600Nm
924S - Performance 4/5 Paddle	1985-88	Race/Rally	N 225	60-4712	76-4429	7.30mm	40-4719	25.4 x 23T	SMF	800Nm
924S - Performance 6 Paddle	1985-88	Race/Rally	N 225	60-4712	77-4429	7.30mm	40-4719	25.4 x 23T	SMF	800Nm
962 - Performance 6 Paddle Rigid		Race	N 240	60-5216	78-5217	8.40mm	40-5219	28 x 25T	HF 9343	795Nm
962 - Performance 6 Paddle Rigid		Race	N 240	60-5216	78-5218	8.40mm	40-5219	25.4 x 23T	HF 9343	795Nm
935 3.0ltr - Performance 6 Paddle Rigid	1976-81	Race/Rally	N 240	60-4302	78-5218	8.40mm	40-4306	25.4 x 23T	HF 9362	795Nm
911 Carrera 3.2ltr - Performance Organic	9/86-89	Road	N 240	60-4874	70-4875	9.40mm	40-4651	25.4 x 23T	SMF	723Nm
911 Carrera 3.2ltr - Performance 4/5 Paddle	9/86-89	Race/Rally	N 240	60-4874	76-4875	9.40mm	40-4651	25.4 x 23T	SMF	929Nm
911 Carrera 3.2ltr - Performance 6 Paddle	9/86-89	Race/Rally	N 240	60-4874	77-4875	9.40mm	40-4651	25.4 x 23T	SMF	929Nm
911 Carrera 3.2ltr - Performance 4/5 Paddle Rigid	9/86-89	Race/Rally	N 240	60-4874	78-4875	9.40mm	40-4651	25.4 x 23T	SMF	929Nm
<i>(Eng ; 930.20 / 25) (Gearbox ; G50.00,01,02,50)</i>										
911 Turbo 3.3ltr - Performance Organic	1977-88	Road	N 240	60-4300	70-4875	9.40mm	40-4306	25.4 x 23T	SMF	600Nm
911 Turbo 3.3ltr - Performance 4/5 Paddle	1977-88	Race/Rally	N 240	60-4300	76-4875	9.40mm	40-4306	25.4 x 23T	SMF	800Nm
911 Turbo 3.3ltr - Performance 6 Paddle	1977-88	Race/Rally	N 240	60-4300	76-4875	9.40mm	40-4306	25.4 x 23T	SMF	800Nm
911 Turbo 3.3ltr - Performance 4/5 Paddle Rigid	1977-88	Race/Rally	N 240	60-4300	78-4875	9.40mm	40-4306	25.4 x 23T	SMF	800Nm
<i>(Gearbox ; Getr 930)</i>										
911 Turbo 3.3ltr - Performance Organic	1988-90	Road	N 240	60-4874	70-4875	9.40mm	40-4651	25.4 x 23T	SMF	723Nm
911 Turbo 3.3ltr - Performance 4/5 Paddle	1988-90	Race/Rally	N 240	60-4874	76-4875	9.40mm	40-4651	25.4 x 23T	SMF	929Nm
911 Turbo 3.3ltr - Performance 6 Paddle	1988-90	Race/Rally	N 240	60-4874	77-4875	9.40mm	40-4651	25.4 x 23T	SMF	929Nm
911 Turbo 3.3ltr - Performance 4/5 Paddle Rigid	1988-90	Race/Rally	N 240	60-4874	78-4875	9.40mm	40-4651	25.4 x 23T	SMF	929Nm
<i>(Gearbox ; Getr G50.50)</i>										
911 Carrera 2,4 3.6ltr - Performance Organic	1989-97	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	600Nm
911 Carrera 2,4 3.6ltr - Performance Organic Rigid	1989-97	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	600Nm
911 Carrera 2,4 3.6ltr - Performance 4/5 Paddle	1989-97	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	800Nm
911 Carrera 2,4 3.6ltr - Performance 6 Paddle	1989-97	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	800Nm
911 Carrera 2,4 3.6ltr - Performance 4/5 Paddle Rigid	1989-97	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	800Nm
<i>(964 model)</i>										
911 3.6ltr Turbo - Performance Organic	1990-97	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	600Nm
911 3.6ltr Turbo - Performance Organic Rigid	1990-97	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	600Nm
911 3.6ltr Turbo - Performance 4/5 Paddle	1990-97	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	800Nm
911 3.6ltr Turbo - Performance 6 Paddle	1990-97	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	800Nm
911 3.6ltr Turbo - Performance 4/5 Paddle Rigid	1990-97	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9447	800Nm
<i>(964 model)</i>										
911 Carrera 2 RS - Performance Organic	1992-93	Road	N 240	60-4872	70-4873	8.00mm	40-2627	25.4 x 23T	HF 9447	600Nm
911 Carrera 2 RS - Performance Organic Rigid	1992-93	Road	N 240	60-4872	71-4873	8.00mm	40-2627	25.4 x 23T	HF 9447	600Nm
911 Carrera 2 RS - Performance 4/5 Paddle	1992-93	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-2627	25.4 x 23T	HF 9447	800Nm
911 Carrera 2 RS - Performance 6 Paddle	1992-93	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-2627	25.4 x 23T	HF 9447	800Nm
911 Carrera 2 RS - Performance 4/5 Paddle Rigid	1992-93	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-2627	25.4 x 23T	HF 9447	800Nm
<i>(964 model)</i>										
911 Carrera RS Clubsport - Performance Organic	1995-97	Road	N 240	60-4872	70-4873	8.00mm	40-2627	25.4 x 23T	HF 9448	600Nm
911 Carrera RS Clubsport - Performance Organic Rigid	1995-97	Road	N 240	60-4872	71-4873	8.00mm	40-2627	25.4 x 23T	HF 9448	600Nm
911 Carrera RS Clubsport - Performance 4/5 Paddle	1995-97	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-2627	25.4 x 23T	HF 9448	800Nm
911 Carrera RS Clubsport - Performance 6 Paddle	1995-97	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-2627	25.4 x 23T	HF 9448	800Nm
911 Carrera RS Clubsport - Performance 4/5 Paddle Rigid	1995-97	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-2627	25.4 x 23T	HF 9448	800Nm
<i>(993 model)</i>										
911 Carrera 3.6 & 3.8ltr - Performance Organic	1993-97	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 Carrera 3.6 & 3.8ltr - Performance Organic Rigid	1993-97	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 Carrera 3.6 & 3.8ltr - Performance 4/5 Paddle	1993-97	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 Carrera 3.6 & 3.8ltr - Performance 6 Paddle	1993-97	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 Carrera 3.6 & 3.8ltr - Performance 4/5 Paddle Rigid	1993-97	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
<i>(All models type 993)</i>										
911 3.6ltr Turbo - Performance Organic	1993-97	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 3.6ltr Turbo - Performance Organic Rigid	1993-97	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 3.6ltr Turbo - Performance 4/5 Paddle	1993-97	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 3.6ltr Turbo - Performance 6 Paddle	1993-97	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 3.6ltr Turbo - Performance 4/5 Paddle Rigid	1993-97	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
<i>(993 model)</i>										
911 GT2 3.6ltr Turbo - Performance Organic	1993-97	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT2 3.6ltr Turbo - Performance Organic Rigid	1993-97	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT2 3.6ltr Turbo - Performance 4/5 Paddle	1993-97	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT2 3.6ltr Turbo - Performance 6 Paddle	1993-97	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT2 3.6ltr Turbo - Performance 4/5 Paddle Rigid	1993-97	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
<i>(993 model)</i>										

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PORSCHE (cont)										
911 Carrera 3.4ltr - Performance Organic	1997-01	Road	N 240	60-4880	70-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	548Nm
911 Carrera 3.4ltr - Performance Organic Rigid	1997-01	Road	N 240	60-4880	71-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	548Nm
911 Carrera 3.4ltr - Performance 4/5 Paddle	1997-01	Race/Rally	N 240	60-4880	76-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 3.4ltr - Performance 6 Paddle	1997-01	Race/Rally	N 240	60-4880	77-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 3.4ltr - Performance 4 Paddle Rigid	1997-01	Race/Rally	N 240	60-4880	78-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 3.4ltr - Performance 6 Paddle Rigid (996 model)	1997-01	Race/Rally	N 240	60-4880	78-4881 - 6	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 4 3.4ltr - Performance Organic	1997-01	Road	N 240	60-4880	70-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	548Nm
911 Carrera 4 3.4ltr - Performance Organic Rigid	1997-01	Road	N 240	60-4880	71-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	548Nm
911 Carrera 4 3.4ltr - Performance 4/5 Paddle	1997-01	Race/Rally	N 240	60-4880	76-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 4 3.4ltr - Performance 6 Paddle	1997-01	Race/Rally	N 240	60-4880	77-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 4 3.4ltr - Performance 4 Paddle Rigid	1997-01	Race/Rally	N 240	60-4880	78-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 4 3.4ltr - Performance 6 Paddle Rigid (996 model)	1997-01	Race/Rally	N 240	60-4880	78-4881 - 6	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 3.6ltr - Performance Organic	2001-04	Road	N 240	60-4882	70-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	395Nm
911 Carrera 3.6ltr - Performance Organic Rigid	2001-04	Road	N 240	60-4882	71-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	395Nm
911 Carrera 3.6ltr - Performance 4/5 Paddle	2001-04	Race/Rally	N 240	60-4882	76-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	530Nm
911 Carrera 3.6ltr - Performance 6 Paddle	2001-04	Race/Rally	N 240	60-4882	77-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	530Nm
911 Carrera 3.6ltr - Performance 4 Paddle Rigid	2001-04	Race/Rally	N 240	60-4882	78-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	530Nm
911 Carrera 3.6ltr - Performance 6 Paddle Rigid (996 model)	2001-04	Race/Rally	N 240	60-4882	78-4881 - 6	8.00mm	40-4652	25.4 x 23T	HF 9580	530Nm
911 Carrera 4 3.6ltr - Performance Organic	2001-04	Road	N 240	60-4882	70-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	395Nm
911 Carrera 4 3.6ltr - Performance Organic Rigid	2001-04	Road	N 240	60-4882	71-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	395Nm
911 Carrera 4 3.6ltr - Performance 4/5 Paddle	2001-04	Race/Rally	N 240	60-4882	76-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	530Nm
911 Carrera 4 3.6ltr - Performance 6 Paddle	2001-04	Race/Rally	N 240	60-4882	77-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	530Nm
911 Carrera 4 3.6ltr - Performance 4 Paddle Rigid	2001-04	Race/Rally	N 240	60-4882	78-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	530Nm
911 Carrera 4 3.6ltr - Performance 6 Paddle Rigid (996 model)	2001-04	Race/Rally	N 240	60-4882	78-4881 - 6	8.00mm	40-4652	25.4 x 23T	HF 9580	530Nm
911 GT3 3.6ltr - Performance Organic	1999 →	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT3 3.6ltr - Performance Organic Rigid	1999 →	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT3 3.6ltr - Performance 4/5 Paddle	1999 →	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT3 3.6ltr - Performance 6 Paddle	1999 →	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT3 3.6ltr - Performance 4/5 Paddle Rigid (996 model) (Eng ; 265kw,280kw)	1999 →	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT3 Clubsport 3.6ltr - Performance 4/5 Paddle Rigid (996 model) (Eng ; 280kw) (Pull type)	2003 →	Race	N 240	60-4872	78-4877	8.00mm	40-2627	25.4 x 23T	HF 9448	800Nm
911 4 3.6ltr Turbo - Performance Organic	2000-05	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 4 3.6ltr Turbo - Performance Organic Rigid	2000-05	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 4 3.6ltr Turbo - Performance 4/5 Paddle	2000-05	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 4 3.6ltr Turbo - Performance 6 Paddle	2000-05	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 4 3.6ltr Turbo - Performance 4/5 Paddle Rigid (996 model)	2000-05	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 4S 3.6ltr Turbo - Performance Organic	2003-05	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 4S 3.6ltr Turbo - Performance Organic Rigid	2003-05	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 4S 3.6ltr Turbo - Performance 4/5 Paddle	2003-05	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 4S 3.6ltr Turbo - Performance 6 Paddle	2003-05	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 4S 3.6ltr Turbo - Performance 4/5 Paddle Rigid (996 model)	2003-05	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT2 3.6ltr - Performance Organic	2001-05	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT2 3.6ltr - Performance Organic Rigid	2001-05	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT2 3.6ltr - Performance 4/5 Paddle	2001-05	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT2 3.6ltr - Performance 6 Paddle	2001-05	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT2 3.6ltr - Performance 4/5 Paddle Rigid (996 model)	2001-05	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 Carrera 3.6ltr - Performance Organic	2004 →	Road	N 240	60-4880	70-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	548Nm
911 Carrera 3.6ltr - Performance Organic Rigid	2004 →	Road	N 240	60-4880	71-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	548Nm
911 Carrera 3.6ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-4880	76-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 3.6ltr - Performance 6 Paddle	2004 →	Race/Rally	N 240	60-4880	77-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 3.6ltr - Performance 4 Paddle Rigid	2004 →	Race/Rally	N 240	60-4880	78-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 3.6ltr - Performance 6 Paddle Rigid (997 model) (325 BHP/239kw)	2004 →	Race/Rally	N 240	60-4880	78-4881 - 6	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 4 3.6ltr - Performance Organic	2004 →	Road	N 240	60-4880	70-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	548Nm
911 Carrera 4 3.6ltr - Performance Organic Rigid	2004 →	Road	N 240	60-4880	71-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	548Nm
911 Carrera 4 3.6ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-4880	76-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 4 3.6ltr - Performance 6 Paddle	2004 →	Race/Rally	N 240	60-4880	77-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 4 3.6ltr - Performance 4 Paddle Rigid	2004 →	Race/Rally	N 240	60-4880	78-4881	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 4 3.6ltr - Performance 6 Paddle Rigid (997 model) (325 BHP/239kw)	2004 →	Race/Rally	N 240	60-4880	78-4881 - 6	8.00mm	40-4652	25.4 x 23T	HF 9580	804Nm
911 Carrera 3.6ltr - Performance Organic	2008 →	Road	N 240	60-4886	70-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera 3.6ltr - Performance Organic Rigid	2008 →	Road	N 240	60-4886	71-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera 3.6ltr - Performance 4/5 Paddle Rigid (997 model) (345 BHP/254kw)	2008 →	Race/Rally	N 240	60-4886	78-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	670Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PORSCHE (cont)										
911 Carrera 4 3.6ltr - Performance Organic	2008 →	Road	N 240	60-4886	70-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera 4 3.6ltr - Performance Organic Rigid	2008 →	Road	N 240	60-4886	71-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera 4 3.6ltr - Performance 4/5 Paddle Rigid (997 model) (345 BHP/254kw)	2008 →	Race/Rally	N 240	60-4886	78-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	670Nm
911 Carrera S 3.8ltr - Performance Organic	2004 →	Road	N 240	60-4886	70-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera S 3.8ltr - Performance Organic Rigid	2004 →	Road	N 240	60-4886	71-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera S 3.8ltr - Performance 4/5 Paddle Rigid (997 model) (356 BHP/261kw)	2004 →	Race/Rally	N 240	60-4886	78-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	670Nm
911 Carrera S - Performance Organic	2005 →	Road	N 240	60-4886	70-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera S - Performance Organic Rigid	2005 →	Road	N 240	60-4886	71-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera S - Performance 4/5 Paddle Rigid (997 model) (380 BHP/280kw)	2005 →	Race/Rally	N 240	60-4886	78-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	670Nm
911 Carrera 4S - Performance Organic	2005 →	Road	N 240	60-4886	70-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera 4S - Performance Organic Rigid	2005 →	Road	N 240	60-4886	71-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera 4S - Performance 4/5 Paddle Rigid (997 model) (380 BHP/280kw)	2005 →	Race/Rally	N 240	60-4886	78-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	670Nm
911 Carrera S 3.8ltr - Performance Organic	2008 →	Road	N 240	60-4886	70-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera S 3.8ltr - Performance Organic Rigid	2008 →	Road	N 240	60-4886	71-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera S 3.8ltr - Performance 4/5 Paddle Rigid (997 model) (385 BHP/ 283kw)	2008 →	Race/Rally	N 240	60-4886	78-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	670Nm
911 Carrera 4S 3.8ltr - Performance Organic	2008 →	Road	N 240	60-4886	70-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera 4S 3.8ltr - Performance Organic Rigid	2008 →	Road	N 240	60-4886	71-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	500Nm
911 Carrera 4S 3.8ltr - Performance 4/5 Paddle Rigid (997 model) (385 BHP/ 283kw)	2008 →	Race/Rally	N 240	60-4886	78-4887	7.80mm	40-4888	25.4 x 23T	HF 9445	670Nm
911 3.6ltr Turbo - Performance Organic	2005 →	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 3.6ltr Turbo - Performance Organic Rigid	2005 →	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 3.6ltr Turbo - Performance 4/5 Paddle	2005 →	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 3.6ltr Turbo - Performance 6 Paddle	2005 →	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 3.6ltr Turbo - Performance 4/5 Paddle Rigid (997 model)	2005 →	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT2 3.6ltr Turbo - Performance Organic	2007 →	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT2 3.6ltr Turbo - Performance Organic Rigid	2007 →	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT2 3.6ltr Turbo - Performance 4/5 Paddle	2007 →	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT2 3.6ltr Turbo - Performance 6 Paddle	2007 →	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT2 3.6ltr Turbo - Performance 4/5 Paddle Rigid (997 model)	2007 →	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT3 RS 3.8ltr - Performance Organic	2009 →	Road	N 240	60-4872	70-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT3 RS 3.8ltr - Performance Organic Rigid	2009 →	Road	N 240	60-4872	71-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	600Nm
911 GT3 RS 3.8ltr - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-4872	76-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT3 RS 3.8ltr - Performance 6 Paddle	2009 →	Race/Rally	N 240	60-4872	77-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
911 GT3 RS 3.8ltr - Performance 4/5 Paddle Rigid (997 model)	2009 →	Race/Rally	N 240	60-4872	78-4873	8.00mm	40-4651	25.4 x 23T	HF 9448	800Nm
Boxster 2.5ltr - Performance Organic	1996-99	Road	N 240	60-4882	70-4883	8.00mm	40-4654	24.2 x 23T	HF 9446	395Nm
Boxster 2.5ltr - Performance Organic Rigid	1996-99	Road	N 240	60-4882	71-4883	8.00mm	40-4654	24.2 x 23T	HF 9446	395Nm
Boxster 2.5ltr - Performance 4/5 Paddle	1996-99	Race/Rally	N 240	60-4882	76-4883	8.00mm	40-4654	24.2 x 23T	HF 9446	530Nm
Boxster 2.5ltr - Performance 6 Paddle	1996-99	Race/Rally	N 240	60-4882	77-4883	8.00mm	40-4654	24.2 x 23T	HF 9446	530Nm
Boxster 2.5ltr - Performance 4/5 Paddle Rigid (986 model) (Eng ; M96.20)	1996-99	Race/Rally	N 240	60-4882	78-4883	8.00mm	40-4654	24.2 x 23T	HF 9446	530Nm
Boxster 2.7ltr - Performance Organic	1999-04	Road	N 240	60-4882	70-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	395Nm
Boxster 2.7ltr - Performance Organic Rigid	1999-04	Road	N 240	60-4882	71-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	395Nm
Boxster 2.7ltr - Performance 4/5 Paddle	1999-04	Race/Rally	N 240	60-4882	76-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	530Nm
Boxster 2.7ltr - Performance 6 Paddle	1999-04	Race/Rally	N 240	60-4882	77-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	530Nm
Boxster 2.7ltr - Performance 4/5 Paddle Rigid (986 model) (Eng ; M96.22,M96.23)	1999-04	Race/Rally	N 240	60-4882	78-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	530Nm
Boxster 2.7ltr - Performance Organic	11/04 →	Road	N 240	60-4882	70-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	395Nm
Boxster 2.7ltr - Performance Organic Rigid	11/04 →	Road	N 240	60-4882	71-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	395Nm
Boxster 2.7ltr - Performance 4/5 Paddle	11/04 →	Race/Rally	N 240	60-4882	76-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	530Nm
Boxster 2.7ltr - Performance 6 Paddle	11/04 →	Race/Rally	N 240	60-4882	77-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	530Nm
Boxster 2.7ltr - Performance 4/5 Paddle Rigid (987 model) (Eng ; M96.25) (5,6 speed gearbox)	11/04 →	Race/Rally	N 240	60-4882	78-4883	8.00mm	40-4653	24.2 x 23T	HF 9446	530Nm
Boxster S 3.2ltr - Performance Organic	1999-04	Road	N 240	60-4882	70-4881	8.00mm	40-4652	25.4 x 23T	SMF	395Nm
Boxster S 3.2ltr - Performance Organic Rigid	1999-04	Road	N 240	60-4882	71-4881	8.00mm	40-4652	25.4 x 23T	DMF	395Nm
Boxster S 3.2ltr - Performance 4/5 Paddle	1999-04	Race/Rally	N 240	60-4882	76-4881	8.00mm	40-4652	25.4 x 23T	SMF	530Nm
Boxster S 3.2ltr - Performance 6 Paddle	1999-04	Race/Rally	N 240	60-4882	77-4881	8.00mm	40-4652	25.4 x 23T	SMF	530Nm
Boxster S 3.2ltr - Performance 4 Paddle Rigid	1999-04	Race/Rally	N 240	60-4882	78-4881	8.00mm	40-4652	25.4 x 23T	SMF	530Nm
Boxster S 3.2ltr - Performance 6 Paddle Rigid (986 model) (Eng ; M96.21,M96.24)	1999-04	Race/Rally	N 240	60-4882	78-4881 - 6	8.00mm	40-4652	25.4 x 23T	SMF	530Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PORSCHE (cont)										
Boxster S 3.2ltr - Performance Organic	11/04 →	Road	N 240	60-4882	70-4883	8.00mm	40-4652	24.2 x 23T	SMF	395Nm
Boxster S 3.2ltr - Performance Organic Rigid	11/04 →	Road	N 240	60-4882	71-4883	8.00mm	40-4652	24.2 x 23T	DMF	395Nm
Boxster S 3.2ltr - Performance 4/5 Paddle	11/04 →	Race/Rally	N 240	60-4882	76-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Boxster S 3.2ltr - Performance 6 Paddle	11/04 →	Race/Rally	N 240	60-4882	77-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Boxster S 3.2ltr - Performance 4/5 Paddle Rigid (987 model) (Eng ; M96.26)	11/04 →	Race/Rally	N 240	60-4882	78-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Boxster S 3.4ltr - Performance Organic	11/04 →	Road	N 240	60-4882	70-4883	8.00mm	40-4652	24.2 x 23T	SMF	395Nm
Boxster S 3.4ltr - Performance Organic Rigid	11/04 →	Road	N 240	60-4882	71-4883	8.00mm	40-4652	24.2 x 23T	DMF	395Nm
Boxster S 3.4ltr - Performance 4/5 Paddle	11/04 →	Race/Rally	N 240	60-4882	76-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Boxster S 3.4ltr - Performance 6 Paddle	11/04 →	Race/Rally	N 240	60-4882	77-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Boxster S 3.4ltr - Performance 4/5 Paddle Rigid (987 model) (Eng ; M97.20)	11/04 →	Race/Rally	N 240	60-4882	78-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Cayman 2.7ltr - Performance Organic	2006 →	Road	N 240	60-4882	70-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	395Nm
Cayman 2.7ltr - Performance Organic Rigid	2006 →	Road	N 240	60-4882	71-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	395Nm
Cayman 2.7ltr - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-4882	76-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	530Nm
Cayman 2.7ltr - Performance 6 Paddle	2006 →	Race/Rally	N 240	60-4882	77-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	530Nm
Cayman 2.7ltr - Performance 4/5 Paddle Rigid	2006 →	Race/Rally	N 240	60-4882	78-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	530Nm
Cayman 2.9ltr - Performance Organic	2009 →	Road	N 240	60-4882	70-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	395Nm
Cayman 2.9ltr - Performance Organic Rigid	2009 →	Road	N 240	60-4882	71-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	395Nm
Cayman 2.9ltr - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-4882	76-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	530Nm
Cayman 2.9ltr - Performance 6 Paddle	2009 →	Race/Rally	N 240	60-4882	77-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	530Nm
Cayman 2.9ltr - Performance 4/5 Paddle Rigid	2009 →	Race/Rally	N 240	60-4882	78-4883	8.00mm	40-4652	24.2 x 23T	HF 9446	530Nm
Cayman S 3.4ltr - Performance Organic	11/05 →	Road	N 240	60-4882	70-4883	8.00mm	40-4652	24.2 x 23T	SMF	395Nm
Cayman S 3.4ltr - Performance Organic Rigid	11/05 →	Road	N 240	60-4882	71-4883	8.00mm	40-4652	24.2 x 23T	DMF	395Nm
Cayman S 3.4ltr - Performance 4/5 Paddle	11/05 →	Race/Rally	N 240	60-4882	76-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Cayman S 3.4ltr - Performance 6 Paddle	11/05 →	Race/Rally	N 240	60-4882	77-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Cayman S 3.4ltr - Performance 4/5 Paddle Rigid	11/05 →	Race/Rally	N 240	60-4882	78-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Cayman S Sport 3.4ltr - Performance Organic	2008 →	Road	N 240	60-4886	70-4883	8.00mm	40-4652	24.2 x 23T	SMF	395Nm
Cayman S Sport 3.4ltr - Performance Organic Rigid	2008 →	Road	N 240	60-4886	71-4883	8.00mm	40-4652	24.2 x 23T	DMF	395Nm
Cayman S Sport 3.4ltr - Performance 4/5 Paddle	2008 →	Race/Rally	N 240	60-4886	76-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Cayman S Sport 3.4ltr - Performance 6 Paddle	2008 →	Race/Rally	N 240	60-4886	77-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Cayman S Sport 3.4ltr - Performance 4/5 Paddle Rigid 987.2 Cayman 3.4ltr	2008 →	Race/Rally	N 240	60-4886	78-4883	8.00mm	40-4652	24.2 x 23T	SMF	530Nm
Cayman S Sport 3.4ltr - Performance Organic Heavy Duty	2008 →	Road	N 240	60-6050	70-4883	8.00mm	40-4652	24.2 x 23T	SMF	400Nm
Cayman S Sport 3.4ltr - Performance Organic Rigid Heavy Duty	2008 →	Road	N 240	60-6050	71-4883	8.00mm	40-4652	24.2 x 23T	DMF	400Nm
Cayman S Sport 3.4ltr - Performance 4/5 Paddle Heavy Duty	2008 →	Race/Rally	N 240	60-6050	76-4883	8.00mm	40-4652	24.2 x 23T	SMF	527Nm
Cayman S Sport 3.4ltr - Performance 6 Paddle Heavy Duty	2008 →	Race/Rally	N 240	60-6050	77-4883	8.00mm	40-4652	24.2 x 23T	SMF	527Nm
Cayman S Sport 3.4ltr - Performance 4/5 Paddle Rigid Heavy Duty 987.2 Cayman 3.4ltr	2008 →	Race/Rally	N 240	60-6050	78-4883	8.00mm	40-4652	24.2 x 23T	SMF	527Nm
924 - Performance Organic	1976-85	Road	N 215	60-1185	70-1916	9.00mm	40-2209	20.4 x 24T	SMF	251Nm
924 - Performance 4/5 Paddle	1976-85	Race/Rally	N 215	60-1185	76-1916	9.00mm	40-2209	20.4 x 24T	SMF	328Nm
924 - Performance 6 Paddle (4 & 5 Speed Gearboxes)	1976-85	Race/Rally	N 215	60-1185	77-1916	9.00mm	40-2209	20.4 x 24T	SMF	328Nm
924 S - Performance Organic	1985-88	Road	N 225	60-4712	70-4429	7.30mm	40-4719	25.4 x 23T	SMF	600Nm
924 S - Performance 4/5 Paddle	1985-88	Race/Rally	N 225	60-4712	76-4429	7.30mm	40-4719	25.4 x 23T	SMF	800Nm
924 S - Performance 6 Paddle	1985-88	Race/Rally	N 225	60-4712	77-4429	7.30mm	40-4719	25.4 x 23T	SMF	800Nm
924 Carrera GT - Performance Organic	1980-85	Road	N 225	60-4086	70-4303	7.30mm	40-4719	25.4 x 23T	SMF	430Nm
924 Carrera GT - Performance 4/5 Paddle	1980-85	Race/Rally	N 225	60-4086	76-4303	7.30mm	40-4719	25.4 x 23T	SMF	560Nm
944 2.5ltr & 2.7ltr - Performance Organic	1981-90	Road	N 225	60-4712	70-4429	7.30mm	40-4719	25.4 x 23T	SMF	600Nm
944 2.5ltr & 2.7ltr - Performance 4/5 Paddle	1981-90	Race/Rally	N 225	60-4712	76-4429	7.30mm	40-4719	25.4 x 23T	SMF	800Nm
944 2.5ltr & 2.7ltr - Performance 6 Paddle	1981-90	Race/Rally	N 225	60-4712	77-4429	7.30mm	40-4719	25.4 x 23T	SMF	800Nm
944 S2 3.0ltr - Performance Organic	1990-92	Road	N 225	60-4430	70-4429	7.30mm	40-4719	25.4 x 23T	SMF	600Nm
944 S2 3.0ltr - Performance 4/5 Paddle	1990-92	Race/Rally	N 225	60-4430	76-4429	7.30mm	40-4719	25.4 x 23T	SMF	800Nm
944 S2 3.0ltr - Performance 6 Paddle	1990-92	Race/Rally	N 225	60-4430	76-4429	7.30mm	40-4719	25.4 x 23T	SMF	800Nm
944 2.5ltr Turbo - Performance Organic	1985-92	Road	N 240	60-4828	70-4813	8.00mm	40-2980	25.4 x 23T	SMF	432Nm
944 2.5ltr Turbo - Performance 4/5 Paddle	1985-92	Race/Rally	N 240	60-4828	76-4813	8.00mm	40-2980	25.4 x 23T	SMF	512Nm
944 2.5ltr Turbo - Performance 6 Paddle	1985-92	Race/Rally	N 240	60-4828	76-4813	8.00mm	40-2980	25.4 x 23T	SMF	512Nm
968 3.0ltr - Performance Organic Rigid	1992-96	Road	N 240	60-4876	71-2626	7.80mm	40-2627	25.4 x 23T	HF 9449	470Nm
968 3.0ltr - Performance 4/5 Paddle Rigid	1992-96	Race/Rally	N 240	60-4876	78-2626	7.80mm	40-2627	25.4 x 23T	HF 9449	541Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
PROTON										
Persona Compact 1.6ltr - Performance Organic	1997-00	Road	N 200	60-2970	70-6005	7.60mm	40-1820	22.5 x 20T	SMF	240Nm
Persona Compact 1.6ltr - Performance 4/5 Paddle	1997-00	Race/Rally	N 200	60-2970	76-6005	7.60mm	40-1820	22.5 x 20T	SMF	332Nm
Persona Compact 1.6ltr - Performance 4/5 Paddle Rigid	1997-00	Race/Rally	N 200	60-2970	78-6005	7.60mm	40-1820	22.5 x 20T	SMF	332Nm
Coupe 1.8ltr - Performance Organic	1997-01	Road	N 215	60-4423	70-2268	7.60mm	40-1820	22.5 x 20T	SMF	203Nm
Coupe 1.8ltr - Performance 4/5 Paddle	1997-01	Race/Rally	N 215	60-4423	76-2268	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
Coupe 1.8ltr - Performance 4/5 Paddle Rigid	1997-01	Race/Rally	N 215	60-4423	78-2268	7.60mm	40-1820	22.5 x 20T	SMF	250Nm
RENAULT										
RS GT 1.4ltr Turbo - Performance Organic	1985-92	Road	N 200	60-4331	70-4333	7.60mm	40-3990	22 x 26T	HF 9428	260Nm
RS GT 1.4ltr Turbo - Performance 4/5 Paddle	1985-92	Race/Rally	N 200	60-4332	76-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
RS GT 1.4ltr Turbo - Performance 6 Paddle	1985-92	Race/Rally	N 200	60-4332	77-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
RS GT 1.4ltr Turbo - Performance 4/5 Paddle Rigid	1985-92	Race/Rally	N 200	60-4332	78-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
RS Turbo RWD - Performance Organic (Mid engine model R8220) (Twin plate clutch)	1980-86	Road	N 190	80-4088 80-4188	70-2120 70-2121	7.20mm 7.20mm	40-2943	24 x 21T	HF 9533	340Nm
RS Turbo RWD - Performance 4/5 Paddle (Mid engine model R8220) (Twin plate clutch)	1980-86	Race/Rally	N 190	80-4088 80-4188	76-2120 76-2121	7.20mm 7.20mm	40-2943	24 x 21T	HF 9533	450Nm
RS Turbo RWD - Performance Organic Heavy Duty (Mid engine model R8220) (Twin plate clutch)	1980-86	Road	N 190	80-4088 80-4188	70-2120 70-2121	7.20mm 7.20mm	40-2943	24 x 21T	HF 9533	440Nm
RS Turbo RWD - Performance 4/5 Paddle Heavy Duty (Mid engine model R8220) (Twin plate clutch)	1980-86	Race/Rally	N 190	80-4088 80-4188	76-2120 76-2121	7.20mm 7.20mm	40-2943	24 x 21T	HF 9533	578Nm
RS Turbo RWD - Performance Organic	1980-86	Road	N 190	35-4088						340Nm
RS Turbo RWD - Performance 4/5 Paddle	1980-86	Race/Rally	N 190	95-4088						450Nm
RS Turbo RWD - Performance Organic Heavy Duty	1980-86	Road	N 190	35-4088HD						440Nm
RS Turbo RWD - Performance 4/5 Paddle Heavy Duty	1980-86	Race/Rally	N 190	95-4088HD						578Nm
RS Turbo RWD - Performance Organic No Bearing	1980-86	Road	N 190	35-4088NB						340Nm
RS Turbo RWD - Performance 4/5 Paddle No Bearing	1980-86	Race/Rally	N 190	95-4088NB						450Nm
Clio 1.8ltr 16v - Performance Organic	1991-97	Road	N 200	60-4331	70-4333	7.60mm	40-3990	22 x 26T	HF 9428	260Nm
Clio 1.8ltr 16v - Performance 4/5 Paddle	1991-97	Race/Rally	N 200	60-4332	76-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
Clio 1.8ltr 16v - Performance 6 Paddle	1991-97	Race/Rally	N 200	60-4332	77-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
Clio 1.8ltr 16v - Performance 4/5 Paddle Rigid	1991-97	Race/Rally	N 200	60-4332	78-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
Clio Williams 2.0ltr - Performance Organic	1993-96	Road	N 200	60-4331	70-4333	7.60mm	40-3990	22 x 26T	HF 9428	260Nm
Clio Williams 2.0ltr - Performance 4/5 Paddle	1993-96	Race/Rally	N 200	60-4332	76-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
Clio Williams 2.0ltr - Performance 6 Paddle	1993-96	Race/Rally	N 200	60-4332	77-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
Clio Williams 2.0ltr - Performance 4/5 Paddle Rigid	1993-96	Race/Rally	N 200	60-4332	78-4333	7.60mm	40-3990	22 x 26T	HF 9428	332Nm
Clio 2 2.0ltr 16v Sport 172 - Performance Organic	2000-05	Road	N 215	60-5112	70-5117	6.70mm	40-5109	22 x 26T	HF 9559	300Nm
Clio 2 2.0ltr 16v Sport 172 - Performance 4/5 Paddle	2000-05	Race/Rally	N 215	60-5116	76-5117	6.70mm	40-5109	22 x 26T	HF 9559	400Nm
Clio 2 2.0ltr 16v Sport 172 - Performance 6 Paddle	2000-05	Race/Rally	N 215	60-5116	77-5117	6.70mm	40-5109	22 x 26T	HF 9559	400Nm
Clio 2 2.0ltr 16v Sport 172 - Performance 4/5 Paddle Rigid	2000-05	Race/Rally	N 215	60-5116	78-5117	6.70mm	40-5109	22 x 26T	HF 9559	400Nm
Clio 2 2.0ltr 16v Sport 172 Cup - Performance 4/5 Paddle	2000-04	Race	N 215	60-5114	76-5115	8.00mm	40-5109	22 x 26T	HF 9559	400Nm
Clio 2 2.0ltr 16v Sport 172 Cup - Performance 4/5 Paddle (Renaultsport 172 cup race series only)	2000-04	Race	N 215	60-5122	76-5123	8.00mm	40-5109	22 x 26T	HF 9559	400Nm
Clio 2 RS 182 2.0ltr 16v - Performance Organic	2001-05	Road	N 215	60-5112	70-5117	6.70mm	40-5109	22 x 26T	HF 9559	300Nm
Clio 2 RS 182 2.0ltr 16v - Performance 4/5 Paddle	2001-05	Race/Rally	N 215	60-5116	76-5117	6.70mm	40-5109	22 x 26T	HF 9559	400Nm
Clio 2 RS 182 2.0ltr 16v - Performance 6 Paddle	2001-05	Race/Rally	N 215	60-5116	77-5117	6.70mm	40-5109	22 x 26T	HF 9559	400Nm
Clio 2 RS 182 2.0ltr 16v - Performance 4/5 Paddle Rigid	2001-05	Race/Rally	N 215	60-5116	78-5117	6.70mm	40-5109	22 x 26T	HF 9559	400Nm
Clio 2 2.0ltr 16v Sport 172 & RS 182 - Performance Organic	2000-05	Race/Rally	A 184	63-210R	57-1020	7.20mm	43-5109	22 x 26T	HF 9560	216Nm
Clio 2 2.0ltr 16v Sport 172 & RS 182 - Performance 4 Paddle	2000-05	Race/Rally	A 184	63-210R	56-2020	7.20mm	43-5109	22 x 26T	HF 9560	299Nm
Clio 2 2.0ltr 16v Sport 172 & RS 182 - Performance 6 Paddle Rigid	2000-05	Race/Rally	A 184	63-210R	49-1020	7.20mm	43-5109	22 x 26T	HF 9560	299Nm
Clio 2 1.6Ltr 16V - Performance Organic	1999-08	Road	N 200	60-4335	70-4336	7.60mm	40-5109	22 x 26T	SMF	260Nm
Clio 2 1.6Ltr 16V - Performance 4/5 Paddle	1999-08	Race/Rally	N 200	60-4337	76-4336	7.60mm	40-5109	22 x 26T	SMF	332Nm
Clio 2 1.6Ltr 16V - Performance 6 Paddle (Eng ; K4M)	1999-08	Race/Rally	N 200	60-4337	77-4336	7.60mm	40-5109	22 x 26T	SMF	332Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance Organic	2006 →	Road	N 228	60-5148	70-5149	7.60mm	41-5118	24.5 x 21T	HF 9478	280Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 4/5 Paddle	2006 →	Race/Rally	N 228	60-5148	76-5149	7.60mm	41-5118	24.5 x 21T	HF 9478	370Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 6 Paddle	2006 →	Race/Rally	N 228	60-5148	77-5149	7.60mm	41-5118	24.5 x 21T	HF 9478	370Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 4/5 Paddle Rigid	2006 →	Race/Rally	N 228	60-5148	78-5149	7.60mm	41-5118	24.5 x 21T	HF 9478	370Nm
Clio 3 197 2.0ltr - Performance 4/5 Paddle	2007 →	Race	N 228	60-5148	76-5154	8.00mm	41-5118	24 x 21T	HF 9478	280Nm
Clio 3 197 2.0ltr - Performance 4/5 Paddle Rigid (Renaultsport Cup Race Series Only)	2007 →	Race	N 228	60-5148	78-5154	8.00mm	41-5118	24 x 21T	HF 9478	370Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance Organic	2006 →	Race/Rally	A 184	63-210GC	57-1001 CS	7.20mm	41-5118	25.4 x 23T	HF 9857	324Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 3 Paddle	2006 →	Race/Rally	A 184	63-210GC	56-1001 CS	7.20mm	41-5118	25.4 x 23T	HF 9857	445Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 4 Paddle	2006 →	Race/Rally	A 184	63-210GC	56-2001 CS	7.20mm	41-5118	25.4 x 23T	HF 9857	445Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 6 Paddle Rigid	2006 →	Race/Rally	A 184	63-210GC	49-1001 CS	7.20mm	41-5118	25.4 x 23T	HF 9857	445Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance Organic	2006 →	Race/Rally	A 184	63-210GC	57-1049 CS	7.20mm	41-5118	24.5 x 21T	HF 9857	324Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 3 Paddle	2006 →	Race/Rally	A 184	63-210GC	56-1049 CS	7.20mm	41-5118	24.5 x 21T	HF 9857	445Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 4 Paddle	2006 →	Race/Rally	A 184	63-210GC	56-2049 CS	7.20mm	41-5118	24.5 x 21T	HF 9857	445Nm
Clio 3 2.0ltr 16v RS 197 & RS 200 - Performance 6 Paddle Rigid	2006 →	Race/Rally	A 184	63-210GC	49-1049 CS	7.20mm	41-5118	24.5 x 21T	HF 9857	445Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
RENAULT (cont)										
Clio 2 3.0ltr 24v - Performance Organic	2001-03	Road	N 240	60-5140	70-5141	8.00mm	41-5111	24 x 21T	HF 9285	420Nm
Clio 2 3.0ltr 24v - Performance 4/5 Paddle <i>(Chassis No ; CB1A)</i>	2001-03	Race/Rally	N 240	60-5140	76-5141	8.00mm	41-5111	24 x 21T	HF 9285	550Nm
Clio 2 3.0ltr 24v - Performance Organic	2001-03	Road	N 240	60-5144	70-5145	8.00mm	41-5111	24 x 21T	HF 9285	420Nm
Clio 2 3.0ltr 24v - Performance 4/5 Paddle <i>(Chassis No ; CB1H/U)</i>	2001-03	Road	N 240	60-5144	76-5145	8.00mm	41-5111	24 x 21T	HF 9285	550Nm
Megane Coupe 2.0ltr 16v - Performance Organic	1996-02	Road	N 215	60-5107	70-5108	7.60mm	40-5109	22 x 26T	SMF	290Nm
Megane Coupe 2.0ltr 16v - Performance 4/5 Paddle	1996-02	Race/Rally	N 215	60-5110	76-5108	7.60mm	40-5109	22 x 26T	SMF	400Nm
Megane Coupe 2.0ltr 16v - Performance 4/5 Paddle Rigid	1996-02	Race/Rally	N 215	60-5110	78-5108 - 6	7.60mm	40-5109	22 x 26T	SMF	400Nm
Megane Sport 225 - Performance Organic	2005-08	Road	N 240	60-5146	70-5147	8.00mm	41-5113	24 x 21T	HF 9229	440Nm
Megane Sport 225 - Performance Organic Rigid	2005-08	Road	N 240	60-5146	71-5147	8.00mm	41-5113	24 x 21T	HF 9229	440Nm
Megane Sport 225 - Performance 4/5 Paddle	2005-08	Race/Rally	N 240	60-5146	76-5147	8.00mm	41-5113	24 x 21T	HF 9229	590Nm
Megane Sport 225 - Performance 6 Paddle	2005-08	Race/Rally	N 240	60-5146	77-5147	8.00mm	41-5113	24 x 21T	HF 9229	590Nm
Megane Sport 225 - Performance 4/5 Paddle Rigid	2005-08	Race/Rally	N 240	60-5146	78-5147	8.00mm	41-5113	24 x 21T	HF 9229	590Nm
Megane Sport Cup 225 - Performance Organic	2006-08	Road	N 240	60-5146	70-5147	8.00mm	41-5113	24 x 21T	HF 9229	440Nm
Megane Sport Cup 225 - Performance Organic Rigid	2006-08	Road	N 240	60-5146	71-5147	8.00mm	41-5113	24 x 21T	HF 9229	440Nm
Megane Sport Cup 225 - Performance 4/5 Paddle	2006-08	Race/Rally	N 240	60-5146	76-5147	8.00mm	41-5113	24 x 21T	HF 9229	590Nm
Megane Sport Cup 225 - Performance 6 Paddle	2006-08	Race/Rally	N 240	60-5146	77-5147	8.00mm	41-5113	24 x 21T	HF 9229	590Nm
Megane Sport Cup 225 - Performance 4/5 Paddle Rigid	2006-08	Race/Rally	N 240	60-5146	78-5147	8.00mm	41-5113	24 x 21T	HF 9229	590Nm
Spider 2.0ltr 16v - Performance Organic	1996-00	Road	N 200	60-4497	70-4805	7.60mm	40-3990	22 x 26T	SMF	218Nm
Spider 2.0ltr 16v - Performance 4/5 Paddle	1996-00	Race/Rally	N 200	60-4497	76-4805	7.60mm	40-3990	22 x 26T	SMF	270Nm
Spider Championship 2.0ltr 16v - Performance 4/5 Paddle	1998-00	Race/Rally	N 200	60-4499	76-4498	8.00mm	40-3990	22 x 26T	SMF	218Nm
Spider Championship 2.0ltr 16v - Performance 6 Paddle <i>(Must be fitted to pre 1998 cars as a set)</i>	1998-00	Race/Rally	N 200	60-4499	77-4498	8.00mm	40-3990	22 x 26T	SMF	270Nm
Formula Renault 1.7ltr - Performance 4/5 Paddle	1994 →	Race/Rally	N 200	60-1207	76-2250	7.60mm	40-4330	24 x 21T	SMF	218Nm
Formula Renault 1.7ltr - Performance 4/5 Paddle Rigid	1994 →	Race/Rally	N 200	60-1207	78-2250	7.60mm	40-4330	24 x 21T	SMF	270Nm
Formula Renault 2.0ltr - Performance Twin Sintered	1998 →	Race	A 184	63-120B	53-1002 x 2	2.66mm	N/A	22.5 x 20T	SMF	469Nm
21 2.0ltr Turbo & Turbo 4x4 - Performance Organic	1988-92	Road	N 235	60-4695	70-4696	7.60mm	43-4330	24 x 21T	SMF	350Nm
21 2.0ltr Turbo & Turbo 4x4 - Performance 4/5 Paddle	1988-92	Race/Rally	N 235	60-4695	76-4696	7.60mm	43-4330	24 x 21T	SMF	460Nm
21 2.0ltr Turbo & Turbo 4x4 - Performance 6 Paddle	1988-92	Race/Rally	N 235	60-4695	77-4696	7.60mm	43-4330	24 x 21T	SMF	460Nm
21 2.0ltr Turbo & Turbo 4x4 - Performance 4/5 Paddle Rigid <i>(L485, L48L)</i>	1988-92	Race/Rally	N 235	60-4695	78-4696	7.60mm	43-4330	24 x 21T	SMF	460Nm
Megane 4 RS - Performance Organic	2016 →	Road	N 240	60-5156	70-5147	8.00mm	41-5119	24 x 21T	HF 9450	476Nm
Megane 4 RS - Performance Organic Rigid	2016 →	Road	N 240	60-5156	71-5147	8.00mm	41-5119	24 x 21T	HF 9450	476Nm
Megane 4 RS - Performance 4/5 Paddle	2016 →	Race/Rally	N 240	60-5156	76-5147	8.00mm	41-5119	24 x 21T	HF 9450	635Nm
Megane 4 RS - Performance 6 Paddle	2016 →	Race/Rally	N 240	60-5156	77-5147	8.00mm	41-5119	24 x 21T	HF 9450	635Nm
Megane 4 RS - Performance 4/5 Paddle Rigid <i>(280/ 300/ Trophy/ Trophy R)</i>	2016 →	Race/Rally	N 240	60-5156	78-5147	8.00mm	41-5119	24 x 21T	HF 9450	635Nm
Clio 4 RS 200 - Performance Organic	2013-15	Race/Rally	A 184	63-210GU	57-1001	7.20mm	N/A	25.4 x 23T	HF 9813	324Nm
Clio 4 RS 200 - Performance 3 Paddle	2013-15	Race/Rally	A 184	63-210GU	56-1001	7.20mm	N/A	25.4 x 23T	HF 9813	445Nm
Clio 4 RS 200 - Performance 4 Paddle	2013-15	Race/Rally	A 184	63-210GU	56-2001	7.20mm	N/A	25.4 x 23T	HF 9813	445Nm
Clio 4 RS 200 - Performance 6 Paddle Rigid	2013-15	Race/Rally	A 184	63-210GU	49-1001	7.20mm	N/A	25.4 x 23T	HF 9813	445Nm
Alpine 1.3ltr - Performance Organic	1969-77	Road	N 180	60-3916	70-1980	7.60mm	40-1043	17.3 x 20T	SMF	218Nm
Alpine 1.3ltr - Performance 4/5 Paddle <i>(A110)</i>	1969-77	Race/Rally	N 180	60-3916	76-1980	7.60mm	40-1043	17.3 x 20T	SMF	270Nm
Alpine 1.6ltr - Performance Organic	1971-75	Road	N 215	60-1083	70-3985	7.20mm	43-1043	24 x 21T	SMF	261Nm
Alpine 1.6ltr - Performance 4/5 Paddle	1971-75	Race/Rally	N 215	60-1083	76-3985	7.20mm	43-1043	25 x 21T	SMF	346Nm
Alpine 1.6ltr - Performance 4/5 Paddle Rigid <i>(A310)</i>	1971-75	Race/Rally	N 215	60-1083	78-3985	7.20mm	43-1043	26 x 21T	SMF	346Nm
Megane 250, 265, 275 - Performance Organic	2008-16	Road	N 240	60-5146	70-5147	8.00mm	41-5119	24 x 21T	HF 9229	440Nm
Megane 250, 265, 275 - Performance Organic Rigid	2008-16	Road	N 240	60-5146	71-5147	8.00mm	41-5119	24 x 21T	HF 9229	440Nm
Megane 250, 265, 275 - Performance 4/5 Paddle	2008-16	Race/Rally	N 240	60-5146	76-5147	8.00mm	41-5119	24 x 21T	HF 9229	590Nm
Megane 250, 265, 275 - Performance 6 Paddle	2008-16	Race/Rally	N 240	60-5146	77-5147	8.00mm	41-5119	24 x 21T	HF 9229	590Nm
Megane 250, 265, 275 - Performance 4/5 Paddle Rigid	2008-16	Race/Rally	N 240	60-5146	78-5147	8.00mm	41-5119	24 x 21T	HF 9229	590Nm
Clio V 1.3ltr TCe - Performance Organic	2019 →	Road	N 225	60-4100	70-4149	8.00mm	41-6011	24.5 x 21T	SMF	335Nm
Clio V 1.3ltr TCe - Performance Organic Rigid	2019 →	Road	N 225	60-4100	71-4149	8.00mm	41-6011	24.5 x 21T	DMF	335Nm
Clio V 1.3ltr TCe - Performance 4/5 Paddle	2019 →	Race/Rally	N 225	60-4100	76-4149	8.00mm	41-6011	24.5 x 21T	SMF	445Nm
Clio V 1.3ltr TCe - Performance 4/5 Paddle Rigid <i>(H5H 470, H5H 450, H5H 490)</i>	2019 →	Race/Rally	N 225	60-4100	78-4149	8.00mm	41-6011	24.5 x 21T	DMF	445Nm
Clio V 1.3ltr TCe - Performance Organic Heavy Duty	2019 →	Road	N 225	60-4101	70-4149	8.00mm	41-6011	24.5 x 21T	SMF	375Nm
Clio V 1.3ltr TCe - Performance Organic Rigid Heavy Duty	2019 →	Road	N 225	60-4101	71-4149	8.00mm	41-6011	24.5 x 21T	DMF	375Nm
Clio V 1.3ltr TCe - Performance 4/5 Paddle Heavy Duty	2019 →	Race/Rally	N 225	60-4101	76-4149	8.00mm	41-6011	24.5 x 21T	SMF	485Nm
Clio V 1.3ltr TCe - Performance 4/5 Paddle Rigid Heavy Duty <i>(H5H 470, H5H 450, H5H 490)</i>	2019 →	Race/Rally	N 225	60-4101	78-4149	8.00mm	41-6011	24.5 x 21T	DMF	485Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
RILEY										
One-Point-Five - Performance Organic	1957-60	Road	N 215	60-3331	70-3552	7.20mm	40-1069	1" x 10T	HF 9335	280Nm
One-Point-Five - Performance 4/5 Paddle	1957-60	Race/Rally	N 215	60-3331	76-3552	7.20mm	40-1069	1" x 10T	HF 9335	380Nm
One-Point-Five - Performance 6 Paddle	1957-60	Race/Rally	N 215	60-3331	77-3552	7.20mm	40-1069	1" x 10T	HF 9335	380Nm
One-Point-Five - Performance 4/5 Paddle Rigid (B Series engine)	1957-60	Race/Rally	N 215	60-3331	78-3552	7.20mm	40-1069	1" x 10T	HF 9335	380Nm
One-Point-Five - Performance Organic	1961-65	Road	N 215	60-4787	70-2619	7.20mm	40-1069	25.4 x 23T	HF 9335	273Nm
One-Point-Five - Performance Organic	1961-65	Race/Rally	N 215	60-4787	71-2619	7.20mm	40-1069	25.4 x 23T	HF 9335	273Nm
One-Point-Five - Performance 4/5 Paddle	1961-65	Race/Rally	N 215	60-4787	76-2619	7.20mm	40-1069	25.4 x 23T	HF 9335	360Nm
One-Point-Five - Performance 6 Paddle	1961-65	Race/Rally	N 215	60-4787	77-2619	7.20mm	40-1069	25.4 x 23T	HF 9335	360Nm
One-Point-Five - Performance 4/5 Paddle Rigid	1961-65	Race/Rally	N 215	60-4787	78-2619	7.20mm	40-1069	25.4 x 23T	HF 9335	360Nm
ROVER										
214 1.4ltr 16v - Performance Organic	1990-95	Road	N 190	60-5143	70-4680	6.80mm	40-5096	21 x 18T	SMF	177Nm
214 1.4ltr 16v - Performance 4/5 Paddle	1990-95	Race/Rally	N 190	60-5143	76-4680	6.80mm	40-5096	21x 18T	SMF	215Nm
Metro 1.4ltr 16v - Performance Organic	1990-95	Road	N 190	60-5143	70-4680	6.80mm	40-5096	21 x 18T	SMF	117Nm
Metro 1.4ltr 16v - Performance 4/5 Paddle	1990-95	Race/Rally	N 190	60-5143	76-4680	6.80mm	40-5096	21 x 18T	SMF	215Nm
216 GTI - Performance Organic	1989-94	Road	N 200	60-3228	70-3229	7.60mm	40-5312	22 x 20T	SMF	200Nm
216 GTI - Performance 4/5 Paddle	1989-94	Race/Rally	N 200	60-3228	76-3229	7.60mm	40-5312	22 x 20T	SMF	265Nm
416 GTI - Performance Organic	1989-94	Road	N 200	60-3228	70-3229	7.60mm	40-5312	22 x 20T	SMF	200Nm
416 GTI - Performance 4/5 Paddle	1989-94	Race/Rally	N 200	60-3228	76-3229	7.60mm	40-5312	22 x 20T	SMF	265Nm
216 GTI - Performance Organic	1995-00	Road	N 200	60-3871	70-3876	7.00mm	40-5096	21 x 18T	SMF	220Nm
216 GTI - Performance 4/5 Paddle	1995-00	Race/Rally	N 200	60-3878	76-3876	7.00mm	40-5096	21 x 18T	SMF	290Nm
216 GTI - Performance 6 Paddle	1995-00	Race/Rally	N 200	60-3878	77-3876	7.00mm	40-5096	21 x 18T	SMF	290Nm
416 GTI - Performance Organic	1995-00	Road	N 200	60-3871	70-3876	7.00mm	40-5096	21 x 18T	SMF	220Nm
416 GTI - Performance 4/5 Paddle	1995-00	Race/Rally	N 200	60-3878	76-3876	7.00mm	40-5096	21 x 18T	SMF	290Nm
416 GTI - Performance 6 Paddle	1995-00	Race/Rally	N 200	60-3878	77-3876	7.00mm	40-5096	21 x 18T	SMF	290Nm
3500 SDI - Performance Organic	1976-86	Road	N 240	60-2498	70-3380	8.40mm	40-3264	25.4 x 23T	SMF	436Nm
3500 SDI - Performance 4/5 Paddle	1976-86	Race/Rally	N 240	60-2501	76-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
3500 SDI - Performance 6 Paddle	1976-86	Race/Rally	N 240	60-2501	77-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
3500 SDI - Performance 4 Paddle Rigid	1976-86	Race/Rally	N 240	60-2501	78-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
3500 SDI - Performance 6 Paddle Rigid	1976-86	Race/Rally	N 240	60-2501	78-3380 - 6	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
220 Coupe 2.0ltr Turbo - Performance Organic	1992-96	Road	N 228	60-6062	70-6063	7.20mm	40-3821	25.4 x 24T	SMF	320Nm
220 Coupe 2.0ltr Turbo - Performance 4/5 Paddle	1992-96	Race/Rally	N 228	60-6064	76-6063	7.20mm	40-3821	25.4 x 24T	SMF	430Nm
220 Coupe 2.0ltr Turbo - Performance 6 Paddle	1992-96	Race/Rally	N 228	60-6064	77-6063	7.20mm	40-3821	25.4 x 24T	SMF	430Nm
60,75,80,90,95,100 & 110 - Performance Organic	1949-64	Road	N 240	12-4694	70-1358	8.40mm	N/A	1 1/8" x 10T	SMF	370Nm
60,75,80,90,95,100 & 110 - Performance 4/5 Paddle	1949-64	Race/Rally	N 240	12-4694	76-1358	8.40mm	N/A	1 1/8" x 10T	SMF	530Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SAAB										
99 2.0ltr Turbo - Performance Organic	1977-81	Road	N 215	60-5132	70-2620	7.20mm	40-1238	19 x 17T	SMF	280nm
99 2.0ltr Turbo - Performance 4/5 Paddle	1977-81	Race/Rally	N 215	60-5132	76-2620	7.20mm	40-1238	19 x 17T	SMF	380Nm
900 2.0ltr Turbo 16s - Performance Organic	1984-93	Road	N 215	60-5132	70-2620	7.20mm	N/A	19 x 17T	SMF	280nm
900 2.0ltr Turbo 16s - Performance 4/5 Paddle (Chassis No ; F1002757 → K*****) Use release bearing 40-4941 if slave cylinder No 87 22 209 is used	1984-93	Race/Rally	N 215	60-5132	76-2620	7.20mm	N/A	19 x 17T	SMF	380Nm
900 2.0ltr Turbo 16s - Performance Organic	1984-93	Road	N 228	60-4313	70-4329	7.25mm	N/A	19 x 17T	SMF	300Nm
900 2.0ltr Turbo 16s - Performance 4/5 Paddle	1984-93	Race/Rally	N 228	60-4313	76-4329	7.25mm	N/A	19 x 17T	SMF	410Nm
900 2.0ltr Turbo 16s - Performance 4/5 Paddle Rigid (Chassis No L***** →) Use release bearing 40-4941 if slave cylinder No 87 22 209 is used	1984-93	Race/Rally	N 228	60-4313	78-4329	7.25mm	N/A	19 x 17T	SMF	410Nm
900 2.0ltr Turbo 16s - Performance Organic	1993-98	Road	N 228	60-4313	70-4315	7.20mm	40-3684	25 x 14T	HF 9436	300Nm
900 2.0ltr Turbo 16s - Performance 4/5 Paddle	1993-98	Race/Rally	N 228	60-4313	76-4315	7.20mm	40-3684	25 x 14T	HF 9436	410Nm
900 2.0ltr Turbo 16s - Performance 6 Paddle (Eng ; B204L) (185 BHP/136kw) (To chassis No. → V)	1993-98	Race/Rally	N 228	60-4313	77-4315	7.20mm	40-3684	25 x 14T	HF 9436	410Nm
900 2.0ltr Turbo 16s - Performance Organic	1993-98	Road	N 228	60-4313	70-4315	7.20mm	41-3686	25 x 14T	HF 9436	300Nm
900 2.0ltr Turbo 16s - Performance 4/5 Paddle	1993-98	Race/Rally	N 228	60-4313	76-4315	7.20mm	41-3686	25 x 14T	HF 9436	410Nm
900 2.0ltr Turbo 16s - Performance 6 Paddle (Eng ; B204L) (185 BHP/136kw) (Chassis No ; W →)	1993-98	Race/Rally	N 228	60-4313	77-4315	7.20mm	41-3686	25 x 14T	HF 9436	410Nm
95 & 96 (V4 Eng) - Performance Organic	1966-76	Road	N 190	12-1182	70-1065	7.20mm	N/A	7/8" x 10T	SMF	177Nm
95 & 96 (V4 Eng) - Performance 4/5 Paddle	1966-76	Race/Rally	N 190	12-1182	76-1065	7.20mm	N/A	7/8" x 10T	SMF	215Nm
SIMCA										
1000 Rallye 1 & 2 - Performance Organic	1972-77	Road	N 180	60-1212	70-1934	7.60mm	40-1043	18" x 21T	SMF	170Nm
1000 Rallye 1 & 2 - Performance 4/5 Paddle	1972-77	Race/Rally	N 180	60-1212	76-1934	7.60mm	40-1043	18" x 21T	SMF	225Nm
1000 Rallye 3 - Performance Organic	1977-78	Road	N 180	60-1212 A	70-1934	7.60mm	40-1043	18" x 21T	SMF	170Nm
1000 Rallye 3 - Performance 4/5 Paddle	1977-78	Race/Rally	N 180	60-1212 A	76-1934	7.60mm	40-1043	18" x 21T	SMF	225Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SEAT										
Altea 1.8ltr TFSI - Performance Organic	2007 →	Road	N 240	60-3318	70-3317	9.30mm	40-4717	24.2 x 23T	SMF	476Nm
Altea 1.8ltr TFSI - Performance Organic Rigid	2007 →	Road	N 240	60-3318	71-3317	9.30mm	40-4717	24.2 x 23T	Sachs DMF	476Nm
Altea 1.8ltr TFSI - Performance 4/5 Paddle	2007 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	40-4717	24.2 x 23T	SMF	635Nm
Altea 1.8ltr TFSI - Performance 4/5 Paddle Rigid (Eng ; CDAA)	2007 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	40-4717	24.2 x 23T	Sachs DMF	635Nm
Altea 2.0ltr TFSI - Performance Organic	2006-07	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Altea 2.0ltr TFSI - Performance Organic Rigid	2006-07	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	Sachs DMF	476Nm
Altea 2.0ltr TFSI - Performance 4/5 Paddle	2006-07	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Altea 2.0ltr TFSI - Performance 4/5 Paddle Rigid (Eng ; BWA)	2006-07	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	Sachs DMF	635Nm
Altea 2.0ltr TFSI - Performance Organic	2006 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Altea 2.0ltr TFSI - Performance Organic Rigid	2006 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Altea 2.0ltr TFSI - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Altea 2.0ltr TFSI - Performance 4/5 Paddle Rigid (Eng ; BWA)	2006 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Altea 2.0ltr TFSI - Performance Organic	2006 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Altea 2.0ltr TFSI - Performance Organic Rigid	2006 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	Sachs DMF	476Nm
Altea 2.0ltr TFSI - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Altea 2.0ltr TFSI - Performance 4/5 Paddle Rigid (Eng ; CCZB)	2006 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	Sachs DMF	635Nm
Altea TDI 2.0ltr - Performance Organic	2004 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Altea TDI 2.0ltr - Performance Organic Rigid	2004 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	Sachs DMF	476Nm
Altea TDI 2.0ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Altea TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD,BMN,BMM)	2004 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	Sachs DMF	635Nm
Altea TDI 2.0ltr - Performance Organic	2004 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Altea TDI 2.0ltr - Performance Organic Rigid	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Altea TDI 2.0ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Altea TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD,BMN,BMM)	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Altea TDI 2.0ltr - Performance Organic	2004 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Altea TDI 2.0ltr - Performance Organic Rigid	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Altea TDI 2.0ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Altea TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; CFHC,CEGA)	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Ibiza 1.8ltr 16v - Performance Organic	1993-96	Road	N 210	60-4574	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	250Nm
Ibiza 1.8ltr 16v - Performance 4/5 Paddle	1993-96	Race/Rally	N 210	60-4574	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Ibiza 1.8ltr 16v - Performance 6 Paddle	1993-96	Race/Rally	N 210	60-4574	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Ibiza 1.8ltr 16v - Performance 4/5 Paddle Rigid (Eng ; ADL,AGG,2E)	1993-96	Race/Rally	N 210	60-4574	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
(To chassis No → 6K-ZR002744)										
Ibiza 2.0ltr 16v - Performance Organic	1993-99	Road	N 210	60-4574	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	250Nm
Ibiza 2.0ltr 16v - Performance 4/5 Paddle	1993-99	Race/Rally	N 210	60-4574	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Ibiza 2.0ltr 16v - Performance 6 Paddle	1993-99	Race/Rally	N 210	60-4574	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Ibiza 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; ADL,AGG,2E)	1993-99	Race/Rally	N 210	60-4574	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
(To chassis No → 6K-ZR002744)										
Ibiza 1.8ltr 16v - Performance Organic	1993-96	Road	N 210	60-4575	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	298Nm
Ibiza 1.8ltr 16v - Performance 4/5 Paddle	1993-96	Race/Rally	N 210	60-4575	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Ibiza 1.8ltr 16v - Performance 6 Paddle	1993-96	Race/Rally	N 210	60-4575	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Ibiza 1.8ltr 16v - Performance 4/5 Paddle Rigid (Eng ; ADL,AGG,2E)	1993-96	Race/Rally	N 210	60-4575	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
(From chassis No 6K-XR002745 →)										
Ibiza 2.0ltr 16v - Performance Organic	1993-99	Road	N 210	60-4574	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	250Nm
Ibiza 2.0ltr 16v - Performance 4/5 Paddle	1993-99	Race/Rally	N 210	60-4574	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Ibiza 2.0ltr 16v - Performance 6 Paddle	1993-99	Race/Rally	N 210	60-4574	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Ibiza 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; ADL,AGG,2E)	1993-99	Race/Rally	N 210	60-4574	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
(From chassis No 6K-XR002745 →)										
Ibiza Cupra Sport 2.0ltr 16v - Performance Organic	1997-99	Road	N 228	60-4856	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	245Nm
Ibiza Cupra Sport 2.0ltr 16v - Performance Organic Rigid	1997-99	Road	N 228	60-4856	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	245Nm
Ibiza Cupra Sport 2.0ltr 16v - Performance 4/5 Paddle	1997-99	Race/Rally	N 228	60-4856	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Ibiza Cupra Sport 2.0ltr 16v - Performance 6 Paddle	1997-99	Race/Rally	N 228	60-4856	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Ibiza Cupra Sport 2.0ltr 16v - Performance 4 Paddle Rigid	1997-99	Race/Rally	N 228	60-4856	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Ibiza Cupra Sport 2.0ltr 16v - Performance 6 Paddle Rigid (Eng ; ABF,AHU,1Z)	1997-99	Race/Rally	N 228	60-4856	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Ibiza Cupra 1.8ltr Turbo 20v - Performance Organic	2000-02	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Ibiza Cupra 1.8ltr Turbo 20v - Performance Organic Rigid	2000-02	Road	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Ibiza Cupra 1.8ltr Turbo 20v - Performance 4/5 Paddle	2000-02	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Ibiza Cupra 1.8ltr Turbo 20v - Performance 6 Paddle	2000-02	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Ibiza Cupra 1.8ltr Turbo 20v - Performance 4 Paddle Rigid	2000-02	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Ibiza Cupra 1.8ltr Turbo 20v - Performance 6 Paddle Rigid (Eng ; AQX,AYP)	2000-02	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
(156 BHP/115kw)										

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SEAT (cont)										
Ibiza Cupra R/FR 1.8ltr Turbo - Performance Organic	12/03-08	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Ibiza Cupra R/FR 1.8ltr Turbo - Performance Organic Rigid	12/03-08	Road	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Ibiza Cupra R/FR 1.8ltr Turbo - Performance 4/5 Paddle	12/03-08	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Ibiza Cupra R/FR 1.8ltr Turbo - Performance 6 Paddle	12/03-08	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Ibiza Cupra R/FR 1.8ltr Turbo - Performance 4 Paddle Rigid	12/03-08	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Ibiza Cupra R/FR 1.8ltr Turbo - Performance 6 Paddle Rigid	12/03-08	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
<i>(Eng ; BBU,BJX,BKV)</i> <i>(180 BHP/132kw)</i>										
Ibiza TDI 1.9ltr - Performance Organic	2002 →	Road	N 228	60-4603	70-4606	8.40mm	40-4717	22.1 x 28T	SMF	422Nm
Ibiza TDI 1.9ltr - Performance Organic Rigid	2002 →	Race/Rally	N 228	60-4603	71-4606	8.40mm	40-4717	22.1 x 28T	SMF	422Nm
Ibiza TDI 1.9ltr - Performance 4/5 Paddle	2002 →	Race/Rally	N 228	60-4603	76-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Ibiza TDI 1.9ltr - Performance 6 Paddle	2002 →	Race/Rally	N 228	60-4603	77-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Ibiza TDI 1.9ltr - Performance 4 Paddle Rigid	2002 →	Race/Rally	N 228	60-4603	78-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Ibiza TDI 1.9ltr - Performance 6 Paddle Rigid	2002 →	Race/Rally	N 228	60-4603	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
<i>(Eng ; ATD,AXR)</i> <i>(100 BHP/74kw)</i>										
Ibiza TDI 1.9ltr - Performance Organic Rigid	2002 →	Road	N 240	60-3312	71-3313	7.80mm	41-4621	22.1 x 28T	Sachs DMF	415Nm
Ibiza TDI 1.9ltr - Performance 4/5 Paddle	2002 →	Race/Rally	N 240	60-3312	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Ibiza TDI 1.9ltr - Performance 6 Paddle	2002 →	Race/Rally	N 240	60-3312	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Ibiza TDI 1.9ltr - Performance 4/5 Paddle Rigid	2002 →	Race/Rally	N 240	60-3312	78-3313	7.80mm	41-4621	22.1 x 28T	Sachs DMF	486Nm
<i>(Eng ; ASZ,BPX)</i> <i>(130 BHP/96kw)</i>										
Ibiza TDI 1.9ltr - Performance Organic	2002 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Ibiza TDI 1.9ltr - Performance 4/5 Paddle	2002 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Ibiza TDI 1.9ltr - Performance 6 Paddle	2002 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Ibiza TDI 1.9ltr - Performance 4/5 Paddle Rigid	2002 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
<i>(Eng ; ASZ,BPX)</i> <i>(130 BHP/96kw)</i>										
Ibiza Cupra TDI 160 1.9ltr - Performance Organic Rigid	2004 →	Road	N 240	60-3312	71-3313	7.80mm	41-4621	22.1 x 28T	Sachs DMF	415Nm
Ibiza Cupra TDI 160 1.9ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3312	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Ibiza Cupra TDI 160 1.9ltr - Performance 6 Paddle	2004 →	Race/Rally	N 240	60-3312	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Ibiza Cupra TDI 160 1.9ltr - Performance 4/5 Paddle Rigid	2004 →	Race/Rally	N 240	60-3312	78-3313	7.80mm	41-4621	22.1 x 28T	Sachs DMF	486Nm
<i>(Eng ; ASZ,BPX)</i> <i>(160 BHP/118kw)</i>										
Ibiza Cupra TDI 160 1.9ltr - Performance Organic	2004 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Ibiza Cupra TDI 160 1.9ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Ibiza Cupra TDI 160 1.9ltr - Performance 6 Paddle	2004 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Ibiza Cupra TDI 160 1.9ltr - Performance 4/5 Paddle Rigid	2004 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
<i>(Eng ; ASZ,BPX)</i> <i>(160 BHP/118kw)</i>										
Leon 1.8ltr 20v - Performance Organic	2000 →	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Leon 1.8ltr 20v - Performance Organic Rigid	2000 →	Road	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Leon 1.8ltr 20v - Performance 4/5 Paddle	2000 →	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Leon 1.8ltr 20v - Performance 6 Paddle	2000 →	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Leon 1.8ltr 20v - Performance 4 Paddle Rigid	2000 →	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Leon 1.8ltr 20v - Performance 6 Paddle Rigid	2000 →	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
<i>(Eng ; AGN,APG)</i> <i>(125 BHP/92kw)</i>										
Leon Cupra 1.8ltr Turbo 20v - Performance Organic Rigid	2000-06	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Leon Cupra 1.8ltr Turbo 20v - Performance 4/5 Paddle	2000-06	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Leon Cupra 1.8ltr Turbo 20v - Performance 6 Paddle	2000-06	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Leon Cupra 1.8ltr Turbo 20v - Performance 4/5 Paddle Rigid	2000-06	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
<i>(Eng ; APP,AUQ)</i> <i>(180 BHP/132kw)</i>										
Leon Cupra 1.8ltr Turbo 20v - Performance Organic	2000-06	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Leon Cupra 1.8ltr Turbo 20v - Performance 4/5 Paddle	2000-06	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Leon Cupra 1.8ltr Turbo 20v - Performance 6 Paddle	2000-06	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Leon Cupra 1.8ltr Turbo 20v - Performance 4/5 Paddle Rigid	2000-06	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
<i>(Eng ; APP,AUQ)</i> <i>(180 BHP/132kw)</i>										
Leon Cupra R 1.8ltr Turbo 20v - Performance Organic Rigid	2003 →	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Leon Cupra R 1.8ltr Turbo 20v - Performance 4/5 Paddle	2003 →	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Leon Cupra R 1.8ltr Turbo 20v - Performance 6 Paddle	2003 →	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Leon Cupra R 1.8ltr Turbo 20v - Performance 4/5 Paddle Rigid	2003 →	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
<i>(Eng ; AMK,AJQ,ARY,BAM)</i> <i>(225 BHP/165kw)</i>										
Leon Cupra R 1.8ltr Turbo 20v - Performance Organic	2003 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Leon Cupra R 1.8ltr Turbo 20v - Performance 4/5 Paddle	2003 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Leon Cupra R 1.8ltr Turbo 20v - Performance 6 Paddle	2003 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Leon Cupra R 1.8ltr Turbo 20v - Performance 4/5 Paddle Rigid	2003 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
<i>(Eng ; AMK,AJQ,ARY,BAM)</i> <i>(225 BHP/165kw)</i>										



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SEAT (cont)										
Leon 2.0ltr TFSI - Performance Organic	9/2005 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Leon 2.0ltr TFSI - Performance Organic Rigid	9/2005 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle	9/2005 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle Rigid	9/2005 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
<i>(Eng ; BWA,CCZB)</i> <i>(200 BHP/147kw)</i>										
Leon 2.0ltr TFSI - Performance Organic	9/2005 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Leon 2.0ltr TFSI - Performance Organic Rigid	9/2005 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle	9/2005 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle Rigid	9/2005 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
<i>(Eng ; BWA,CCZB)</i> <i>(200 BHP/147kw)</i>										
Leon 2.0ltr TFSI - Performance Organic	11/06 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Leon 2.0ltr TFSI - Performance Organic Rigid	11/06 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle	11/06 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle Rigid	11/06 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
<i>(Eng ; BWJ,CDLD)</i> <i>(240 BHP/177kw)</i>										
Leon 2.0ltr TFSI - Performance Organic	11/06 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Leon 2.0ltr TFSI - Performance Organic Rigid	11/06 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle	11/06 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle Rigid	11/06 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
<i>(Eng ; BWJ,CDLD)</i> <i>(240 BHP/177kw)</i>										
Leon 2.0ltr TFSI - Performance Organic	11/06 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	475Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle	11/06 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Leon 2.0ltr TFSI - Performance 6 Paddle	11/06 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	688Nm
Leon 2.0ltr TFSI - Performance 4/5 Paddle Rigid	11/06 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
<i>(Eng ; BWJ,CDLD)</i> <i>(240BHP/177kw)</i>										
Leon 2.0ltr TFSI - Performance Twin Organic Rigid	11/06 →	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	498Nm
Leon 2.0ltr TFSI - Performance Twin 3 Paddle Rigid	11/06 →	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Leon 2.0ltr TFSI - Performance Twin 4 Paddle Rigid	11/06 →	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Leon 2.0ltr TFSI - Performance Twin 6 Paddle Rigid	11/06 →	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
<i>(Eng ; BWJ,CDLD)</i> <i>(240BHP/177kw)</i>										
Leon Cupra R 2.0ltr TFSI - Performance Organic	2009 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Leon Cupra R 2.0ltr TFSI - Performance Organic Rigid	2009 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Leon Cupra R 2.0ltr TFSI - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Leon Cupra R 2.0ltr TFSI - Performance 4/5 Paddle Rigid	2009 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
<i>(Eng ; CDLA)</i> <i>(265 BHP/195kw)</i>										
Leon Cupra R 2.0ltr TFSI - Performance Organic	2009 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Leon Cupra R 2.0ltr TFSI - Performance Organic Rigid	2009 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Leon Cupra R 2.0ltr TFSI - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Leon Cupra R 2.0ltr TFSI - Performance 4/5 Paddle Rigid	2009 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
<i>(Eng ; CDLA)</i> <i>(265 BHP/195kw)</i>										
Leon Cupra 2.0ltr - Performance Organic	10/13 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Leon Cupra 2.0ltr - Performance Organic Rigid	10/13 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Leon Cupra 2.0ltr - Performance 4/5 Paddle	10/13 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Leon Cupra 2.0ltr - Performance 4/5 Paddle Rigid	10/13 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
<i>(Eng ; C1X)</i> <i>(Model ; 5F)</i>										
Leon SC Cupra 2.0ltr - Performance Organic	10/13 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Leon SC Cupra 2.0ltr - Performance Organic Rigid	10/13 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Leon SC Cupra 2.0ltr - Performance 4/5 Paddle	10/13 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Leon SC Cupra 2.0ltr - Performance 4/5 Paddle Rigid	10/13 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
<i>(Eng ; C1X)</i> <i>(Model ; 5F)</i>										
Leon ST Cupra 2.0ltr - Performance Organic	10/13 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Leon ST Cupra 2.0ltr - Performance Organic Rigid	10/13 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Leon ST Cupra 2.0ltr - Performance 4/5 Paddle	10/13 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Leon ST Cupra 2.0ltr - Performance 4/5 Paddle Rigid	10/13 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
<i>(Eng ; C1X)</i> <i>(Model ; 5F)</i>										
Leon Cupra 2.0ltr - Performance Organic	10/13 →	Road	N 240	60-4610	70-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	475Nm
Leon Cupra 2.0ltr - Performance 4/5 Paddle	10/13 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Leon Cupra 2.0ltr - Performance 6 Paddle	10/13 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Leon Cupra 2.0ltr - Performance 4/5 Paddle Rigid	10/13 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
<i>(Eng ; C1X)</i> <i>(Model ; 5F)</i>										



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SEAT (cont)										
Leon SC Cupra 2.0ltr - Performance Organic	10/13 →	Road	N 240	60-4610	70-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	475Nm
Leon SC Cupra 2.0ltr - Performance 4/5 Paddle	10/13 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Leon SC Cupra 2.0ltr - Performance 6 Paddle	10/13 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Leon SC Cupra 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; C1X) (Model ; 5F)	10/13 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Leon ST Cupra 2.0ltr - Performance Organic	10/13 →	Road	N 240	60-4610	70-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	475Nm
Leon ST Cupra 2.0ltr - Performance 4/5 Paddle	10/13 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Leon ST Cupra 2.0ltr - Performance 6 Paddle	10/13 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Leon ST Cupra 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; C1X) (Model ; 5F)	10/13 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Leon Cupra 4 2.8ltr - Performance Organic Rigid	2001-06	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Leon Cupra 4 2.8ltr - Performance 4/5 Paddle	2001-06	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Leon Cupra 4 2.8ltr - Performance 6 Paddle	2001-06	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Leon Cupra 4 2.8ltr - Performance 4/5 Paddle Rigid (Eng ; AUE) (204 BHP/150kw)	2001-06	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Leon TDI 1.9ltr - Performance Organic Rigid	1999 →	Road	N 216	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	277Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR,ALH) (90 BHP/66kw) (Chassis No → 1M-1R023 000) (Chassis No → 1M-1R028 000)	1999 →	Race/Rally	N 216	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	329Nm
Leon TDI 1.9ltr - Performance Organic Rigid	1999 →	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	326Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR,ALH) (90 BHP/66kw) (Chassis No → 1M-1B023 000) (Chassis No → 1M-1R028 000)	1999 →	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	385Nm
Leon TDI 1.9ltr - Performance Organic Rigid	1999 →	Road	N 228	60-3224	71-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	324Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR) (90 BHP/66kw) (Chassis No 1M-1B023 001 →) (Chassis No 1M-1R028 001 →)	1999 →	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	384Nm
Leon TDI 1.9ltr - Performance Organic Rigid	1999 →	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	326Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ALH) (90 BHP/66kw) (Chassis No 1M-1R023 001 →) (Chassis No 1M-1R028 001 →)	1999 →	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	385Nm
Leon TDI 1.9ltr - Performance Organic Rigid	1999 →	Road	N 216	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	277Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AHF,ASV) (110 BHP/81kw) (Chassis No → 1M-1B023 000) (Chassis No → 1M-1R028 000)	1999 →	Race/Rally	N 216	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	329Nm
Leon TDI 1.9ltr - Performance Organic Rigid	1999 →	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	Sachs DMF	326Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AHF,ASV) (110 BHP/81kw) (Chassis No → 1M-1B023 000) (Chassis No → 1M-1R028 000)	1999 →	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	Sachs DMF	385Nm
Leon TDI 1.9ltr - Performance Organic Rigid	1999 →	Road	N 228	60-3224	71-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	324Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AHF,ASV) (110 BHP/81kw) (Chassis No 1M-1B023 000 →) (Chassis No 1M-1R028 001 →)	1999 →	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	384Nm
Leon TDI 1.9ltr - Performance Organic Rigid	1999 →	Road	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle	1999 →	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Leon TDI 1.9ltr - Performance 6 Paddle	1999 →	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Leon TDI 1.9ltr - Performance 4 Paddle Rigid	1999 →	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Leon TDI 1.9ltr - Performance 6 Paddle Rigid (Eng ; AGR,ALH) (90 BHP/66kw) (Eng ; AHF,ASV) (110 BHP/81kw)	1999 →	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Leon TDI 1.9ltr - Performance Organic Rigid	2001 →	Road	N 240	60-3312	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle	2001 →	Race/Rally	N 240	60-3312	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Leon TDI 1.9ltr - Performance 6 Paddle	2001 →	Race/Rally	N 240	60-3312	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ARL,ASZ) (130 BHP/96kw) (Eng ; ARL,ASZ) (150 BHP/110kw)	2001 →	Race/Rally	N 240	60-3312	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SEAT (cont)										
Leon TDI 1.9ltr - Performance Organic	2001 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle	2001 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Leon TDI 1.9ltr - Performance 6 Paddle	2001 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Leon TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ARL,ASZ) (130 BHP/96kw) (Eng ; ARL,ASZ) (150 BHP/110kw)	2001 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Leon TDI 1.9ltr - Performance Twin Organic Rigid	2001 →	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	498Nm
Leon TDI 1.9ltr - Performance Twin 3 Paddle Rigid	2001 →	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Leon TDI 1.9ltr - Performance Twin 4 Paddle Rigid	2001 →	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Leon TDI 1.9ltr - Performance Twin 6 Paddle Rigid (Eng ; ARL,ASZ) (130 BHP/96kw) (Eng ; ARL,ASZ) (150 BHP/110kw)	2001 →	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9552	688Nm
Leon TDI 2.0ltr - Performance Organic	2005 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Leon TDI 2.0ltr - Performance Organic Rigid	2005 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Leon TDI 2.0ltr - Performance 4/5 Paddle	2005 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Leon TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD) (136 BHP/100kw) (Eng ; BMN,CEGA) (170 BHP/125kw) (Eng ; BMM) (140 BHP/103kw)	2005 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Leon TDI 2.0ltr - Performance Organic	2006 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Leon TDI 2.0ltr - Performance Organic Rigid	2006 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Leon TDI 2.0ltr - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Leon TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD) (136 BHP/100kw) (Eng ; BMN,CEGA) (170 BHP/125kw) (Eng ; BMM) (140 BHP/103kw)	2006 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Toledo 1.2.0ltr - Performance Organic	1991-99	Road	N 210	60-4574	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	250Nm
Toledo 1.2.0ltr - Performance 4/5 Paddle	1991-99	Race/Rally	N 210	60-4574	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Toledo 1.2.0ltr - Performance 6 Paddle	1991-99	Race/Rally	N 210	60-4574	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Toledo 1.2.0ltr - Performance 4/5 Paddle Rigid (Eng ; 2E,AGG) (Chassis No → 1LZD241120)	1991-99	Race/Rally	N 210	60-4574	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Toledo 1.2.0ltr - Performance Organic	1991-99	Road	N 210	60-4575	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	298Nm
Toledo 1.2.0ltr - Performance 4/5 Paddle	1991-99	Race/Rally	N 210	60-4575	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo 1.2.0ltr - Performance 6 Paddle	1991-99	Race/Rally	N 210	60-4575	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo 1.2.0ltr - Performance 4/5 Paddle Rigid (Eng ; 2E,AGG) (Chassis No ; 1LZD241121 →)	1991-99	Race/Rally	N 210	60-4575	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo 2.0ltr 16v - Performance Organic	1993-99	Road	N 228	60-4603	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	422Nm
Toledo 2.0ltr 16v - Performance Organic Rigid	1993-99	Race/Rally	N 228	60-4603	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	422Nm
Toledo 2.0ltr 16v - Performance 4/5 Paddle	1993-99	Race/Rally	N 228	60-4603	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	560Nm
Toledo 2.0ltr 16v - Performance 6 Paddle	1993-99	Race/Rally	N 228	60-4603	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	560Nm
Toledo 2.0ltr 16v - Performance 4 Paddle Rigid	1993-99	Race/Rally	N 228	60-4603	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	560Nm
Toledo 2.0ltr 16v - Performance 6 Paddle Rigid (Eng ; ABF)	1993-99	Race/Rally	N 228	60-4603	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9227	560Nm
Toledo TDI,SDI 1.9ltr - Performance Organic	1991-99	Road	N 210	60-4574	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	250Nm
Toledo TDI,SDI 1.9ltr - Performance 4/5 Paddle	1991-99	Race/Rally	N 210	60-4574	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Toledo TDI,SDI 1.9ltr - Performance 6 Paddle	1991-99	Race/Rally	N 210	60-4574	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Toledo TDI,SDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; 1Y) (Chassis No → 1LZD241120)	1991-99	Race/Rally	N 210	60-4574	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Toledo TDI,SDI 1.9ltr - Performance Organic	1991-99	Road	N 210	60-4575	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	298Nm
Toledo TDI,SDI 1.9ltr - Performance 4/5 Paddle	1991-99	Race/Rally	N 210	60-4575	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo TDI,SDI 1.9ltr - Performance 6 Paddle	1991-99	Race/Rally	N 210	60-4575	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo TDI,SDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; 1Y) (Chassis No ; 1LZD241121 →)	1991-99	Race/Rally	N 210	60-4575	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo TDI 1.9ltr - Performance Organic	1995-99	Road	N 228	60-4603	70-4606	8.40mm	40-4717	22.1 x 28T	SMF	422Nm
Toledo TDI 1.9ltr - Performance Organic Rigid	1995-99	Race/Rally	N 228	60-4603	71-4606	8.40mm	40-4717	22.1 x 28T	DMF	422Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle	1995-99	Race/Rally	N 228	60-4603	76-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Toledo TDI 1.9ltr - Performance 6 Paddle	1995-99	Race/Rally	N 228	60-4603	77-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Toledo TDI 1.9ltr - Performance 4 Paddle Rigid	1995-99	Race/Rally	N 228	60-4603	78-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Toledo TDI 1.9ltr - Performance 6 Paddle Rigid (Eng ; 1Z,AHU)	1995-99	Race/Rally	N 228	60-4603	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	SMF	560Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SEAT (cont)										
Toledo TDI 1.9ltr - Performance Organic Rigid	1996-99	Road	N 216	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	277Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AFN)	1996-99	Race/Rally	N 216	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	329Nm
Toledo TDI 1.9ltr - Performance Organic Rigid	1995-99	Road	N 228	60-3310	71-3324	7.60mm	40-4717	22.1 x 28T	SACHS DMF	326Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AFN)	1995-99	Race/Rally	N 228	60-3310	78-3324	7.60mm	40-4717	22.1 x 28T	SACHS DMF	385Nm
Toledo 1.6ltr 16v - Performance Organic	2000-06	Road	N 210	60-4575	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	298Nm
Toledo 1.6ltr 16v - Performance 4/5 Paddle	2000-06	Race/Rally	N 210	60-4575	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo 1.6ltr 16v - Performance 6 Paddle	2000-06	Race/Rally	N 210	60-4575	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo 1.6ltr 16v - Performance 4/5 Paddle Rigid (Eng ; AUS,AZD,BCB)	2000-06	Race/Rally	N 210	60-4575	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Toledo 1.8ltr 20v - Performance Organic	1999-06	Road	N 215	60-4730	70-4731	7.60mm	40-4717	22.1 x 28T	SMF	245Nm
Toledo 1.8ltr 20v - Performance 4/5 Paddle	1999-06	Race/Rally	N 215	60-4730	76-4731	7.60mm	40-4717	22.1 x 28T	SMF	320Nm
Toledo 1.8ltr 20v - Performance 4/5 Paddle Rigid (Eng ; APN,APG)	1999-06	Race/Rally	N 215	60-4730	78-4731	7.60mm	40-4717	22.1 x 28T	SMF	320Nm
Toledo 1.8ltr Turbo 20v - Performance Organic Rigid	1999-06	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Toledo 1.8ltr Turbo 20v - Performance 4/5 Paddle	1999-06	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Toledo 1.8ltr Turbo 20v - Performance 6 Paddle	1999-06	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Toledo 1.8ltr Turbo 20v - Performance 4/5 Paddle Rigid (Eng ; AUQ)	1999-06	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Toledo 1.8ltr Turbo 20v - Performance Organic	1999-06	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Toledo 1.8ltr Turbo 20v - Performance 4/5 Paddle	1999-06	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Toledo 1.8ltr Turbo 20v - Performance 6 Paddle	1999-06	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Toledo 1.8ltr Turbo 20v - Performance 4/5 Paddle Rigid (Eng ; AUQ)	1999-06	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Toledo TDI 1.9ltr - Performance Organic Rigid	1999-06	Road	N 216	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	277Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR,ALH) (90 BHP/66kw) (Eng ; AHF, ASV) (110 BHP/81kw) (Chassis No → 1M-1R023 000) (Chassis No → 1M-1R028 000)	1999-06	Race/Rally	N 216	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	329Nm
Toledo TDI 1.9ltr - Performance Organic Rigid	1999-06	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	326Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR,ALH) (90 BHP/66kw) (Eng ; AHF, ASV) (110 BHP/81kw) (Chassis No → 1M-1B023 000) (Chassis No → 1M-1R028 000)	1999-06	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	385Nm
Toledo TDI 1.9ltr - Performance Organic Rigid	1999-06	Road	N 228	60-3224	71-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	324Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR) (90 BHP/66kw) (Eng ; AHF, ASV) (110 BHP/81kw) (Chassis No ; 1M-1B023 001 →) (Chassis No ; 1M-1R028 001 →)	1999-06	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	384Nm
Toledo TDI 1.9ltr - Performance Organic Rigid	1999-06	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	326Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ALH) (90 BHP/66kw) (Chassis No ; 1M-1R023 001 →) (Chassis No ; 1M-1R028 001 →)	1999-06	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	385Nm
Toledo TDI 1.9ltr - Performance Organic	1999 →	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Toledo TDI 1.9ltr - Performance Organic Rigid	1999 →	Race/Rally	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle	1999 →	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Toledo TDI 1.9ltr - Performance 6 Paddle	1999 →	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Toledo TDI 1.9ltr - Performance 4 Paddle Rigid	1999 →	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Toledo TDI 1.9ltr - Performance 6 Paddle Rigid (Eng ; AGR,ALH) (90 BHP/66kw) (Eng ; AHF, ASV) (110 BHP/81kw)	1999 →	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Toledo TDI 1.9ltr - Performance Organic	2001 →	Road	N 240	60-3312	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle	2001 →	Race/Rally	N 240	60-3312	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Toledo TDI 1.9ltr - Performance 6 Paddle	2001 →	Race/Rally	N 240	60-3312	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ARL,ASZ) (130 BHP/96kw) (150 BHP/110kw)	2001 →	Race/Rally	N 240	60-3312	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SEAT (cont)										
Toledo TDI 1.9ltr - Performance Organic	2001 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle	2001 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Toledo TDI 1.9ltr - Performance 6 Paddle	2001 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Toledo TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ARL,ASZ) (130 BHP/96kw) (150 BHP/110kw)	2001 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Toledo TDI 2.0ltr - Performance Organic	2004 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Toledo TDI 2.0ltr - Performance Organic Rigid	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Toledo TDI 2.0ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Toledo TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD,BMM) (140BHP/103kw → 136 BHP/100kw) (Eng ; BMN,CEGA) (170 BHP/125kw)	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Toledo TDI 2.0ltr - Performance Organic	2004 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Toledo TDI 2.0ltr - Performance Organic Rigid	2004 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Toledo TDI 2.0ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Toledo TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD,BMM) (140BHP/103kw → 136 BHP/100kw) (Eng ; BMN,CEGA) (170 BHP/125kw)	2004 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SKODA										
Octavia VRS 2.0ltr TSI - Performance Organic	2013 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia VRS 2.0ltr TSI - Performance Organic Rigid	2013 →	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Octavia VRS 2.0ltr TSI - Performance 4/5 Paddle	2013 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia VRS 2.0ltr TSI - Performance 4/5 Paddle Rigid (Eng ; CHH)	2013 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
Fabia RS TDI 1.9ltr - Performance Organic	2003-08	Road	N 240	60-3312	70-3313	7.80mm	41-4621	22.1 x 28T	SMF	415Nm
Fabia RS TDI 1.9ltr - Performance Organic Rigid	2003-08	Road	N 240	60-3312	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Fabia RS TDI 1.9ltr - Performance 4/5 Paddle	2003-08	Race/Rally	N 240	60-3312	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Fabia RS TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ASZ,BLT) (130 BHP/96kw)	2003-08	Race/Rally	N 240	60-3312	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Fabia RS TDI 1.9ltr - Performance Organic	2003-08	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Fabia RS TDI 1.9ltr - Performance Organic Rigid	2003-08	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Fabia RS TDI 1.9ltr - Performance 4/5 Paddle	2003-08	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Fabia RS TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ASZ,BLT) (130 BHP/96kw)	2003-08	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Favorit 1.3ltr - Performance Organic	1989-95	Road	N 190	60-3393	70-3394	7.60mm	40-4197	20 x 18T	SMF	140Nm
Favorit 1.3ltr - Performance 4/5 Paddle	1989-95	Race/Rally	N 190	60-3393	76-3394	7.60mm	40-4197	20 x 18T	SMF	190Nm
Favorit 1.3ltr - Performance 4/5 Paddle Rigid	1989-95	Race/Rally	N 190	60-3393	78-3394	7.60mm	40-4197	20 x 18T	SMF	190Nm
Felicia 1.3ltr - Performance Organic	1994-01	Road	N 190	60-3393	70-3394	7.60mm	40-4197	20 x 18T	SMF	140Nm
Felicia 1.3ltr - Performance 4/5 Paddle	1994-01	Race/Rally	N 190	60-3393	76-3394	7.60mm	40-4197	20 x 18T	SMF	190Nm
Felicia 1.3ltr - Performance 4/5 Paddle Rigid	1994-01	Race/Rally	N 190	60-3393	78-3394	7.60mm	40-4197	20 x 18T	SMF	190Nm
Octavia RS 1.8ltr Turbo - Performance Organic	2001 →	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Octavia RS 1.8ltr Turbo - Performance Organic Rigid	2001 →	Race/Rally	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Octavia RS 1.8ltr Turbo - Performance 4/5 Paddle	2001 →	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Octavia RS 1.8ltr Turbo - Performance 6 Paddle	2001 →	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Octavia RS 1.8ltr Turbo - Performance 4 Paddle Rigid	2001 →	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Octavia RS 1.8ltr Turbo - Performance 6 Paddle Rigid (Eng ; AUQ) (180 BHP/132kw)	2001 →	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Octavia RS 2.0ltr TFSI - Performance Organic	2006 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia RS 2.0ltr TFSI - Performance Organic Rigid	2006 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Octavia RS 2.0ltr TFSI - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia RS 2.0ltr TFSI - Performance 4/5 Paddle Rigid (Eng ; BWA,CCZA)	2006 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Octavia RS 2.0ltr TFSI - Performance Organic	2006 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia RS 2.0ltr TFSI - Performance Organic Rigid	2006 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Octavia RS 2.0ltr TFSI - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia RS 2.0ltr TFSI - Performance 4/5 Paddle Rigid (Eng ; BWA,CCZA)	2006 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Octavia TDI 1.9ltr - Performance Organic	1997-00	Road	N 228	60-4603	70-4606	8.40mm	40-4717	22.1 x 28T	SMF	422Nm
Octavia TDI 1.9ltr - Performance Organic Rigid	1997-00	Race/Rally	N 228	60-4603	71-4606	8.40mm	40-4717	22.1 x 28T	DMF	422Nm
Octavia TDI 1.9ltr - Performance 4/5 Paddle	1997-00	Race/Rally	N 228	60-4603	76-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Octavia TDI 1.9ltr - Performance 6 Paddle	1997-00	Race/Rally	N 228	60-4603	77-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Octavia TDI 1.9ltr - Performance 4 Paddle Rigid	1997-00	Race/Rally	N 228	60-4603	78-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Octavia TDI 1.9ltr - Performance 6 Paddle Rigid (Eng ; AGR → 035000)	1997-00	Race/Rally	N 228	60-4603	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Octavia TDI 1.9ltr - Performance Organic Rigid	1997-00	Road	N 216	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	277Nm
Octavia TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR 035001 →) (Eng ; AHF,ASV)	1997-00	Race/Rally	N 216	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	329Nm
Octavia TDI 1.9ltr - Performance Organic Rigid	1997-00	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	326Nm
Octavia TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR) (Eng ; AHF,ASV)	1997-00	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	385Nm
Octavia TDI 1.9ltr - Performance Organic Rigid	2000-04	Road	N 228	60-3224	71-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	324Nm
Octavia TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR) (Eng ; AHF,ASV)	2000-04	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	384Nm
Octavia TDI 1.9ltr - Performance Organic Rigid	2000-04	Road	N 228	60-3310	71-3319	8.00mm	40-4717	22.1 x 28T	LUK DMF	326Nm
Octavia TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ALH)	2000-04	Race/Rally	N 228	60-3310	78-3319	8.00mm	40-4717	22.1 x 28T	LUK DMF	385Nm
Octavia TDI 1.9ltr 4wd - Performance Organic	2004 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia TDI 1.9ltr 4wd - Performance Organic Rigid	2004 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Octavia TDI 1.9ltr 4wd - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia TDI 1.9ltr 4wd - Performance 4/5 Paddle Rigid (Eng ; BKC)	2004 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Octavia TDI 1.9ltr 4wd - Performance Organic	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia TDI 1.9ltr 4wd - Performance Organic Rigid	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Octavia TDI 1.9ltr 4wd - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia TDI 1.9ltr 4wd - Performance 4/5 Paddle Rigid (Eng ; BKC)	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SKODA (cont)										
Octavia TDI 2.0ltr - Performance Organic	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia TDI 2.0ltr - Performance Organic Rigid	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Octavia TDI 2.0ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia TDI 2.0ltr - Performance 4/5 Paddle Rigid <i>(Eng ; AZV)</i>	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Octavia TDI 2.0ltr - Performance Organic	2004 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia TDI 2.0ltr - Performance Organic Rigid	2004 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Octavia TDI 2.0ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia TDI 2.0ltr - Performance 4/5 Paddle Rigid <i>(Eng ; AZV)</i>	2004 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Octavia TDI 2.0ltr 16v - Performance Organic	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia TDI 2.0ltr 16v - Performance Organic Rigid	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Octavia TDI 2.0ltr 16v - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia TDI 2.0ltr 16v - Performance 4/5 Paddle Rigid <i>(Eng ; BKD,BMN,BMM,CEGA)</i>	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Octavia TDI 2.0ltr 16v - Performance Organic	2004 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Octavia TDI 2.0ltr 16v - Performance Organic Rigid	2004 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Octavia TDI 2.0ltr 16v - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Octavia TDI 2.0ltr 16v - Performance 4/5 Paddle Rigid <i>(Eng ; BKD,BMN,BMM,CEGA)</i>	2004 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Octavia TDI 2.0ltr & 2ltr 16v - Performance Organic	2004 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Octavia TDI 2.0ltr & 2ltr 16v - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Octavia TDI 2.0ltr & 2ltr 16v - Performance 6 Paddle	2004 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Octavia TDI 2.0ltr & 2ltr 16v - Performance 4/5 Paddle Rigid <i>(Eng ; ASV,BKD,BMM)</i>	2004 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
100,105,110,120 & 130 - Performance Organic	1985-90	Road	N 190	60-4899	70-4893	7.60mm	40-2801	20 x 10T	OE	147Nm
100,105,110,120 & 130 - Performance 4/5 Paddle	1985-90	Race/Rally	N 190	60-4899	76-4893	7.60mm	40-2801	20 x 10T	OE	190Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SUBARU										
BRZ 2.0ltr - Performance Organic	2012 →	Road	N 230	60-3855	70-3857	8.00mm	40-3858	25.2 x 24T	HF 9300	320Nm
BRZ 2.0ltr - Performance 4/5 Paddle	2012 →	Race/Rally	N 230	60-3856	76-3857	8.00mm	40-3858	25.2 x 24T	HF 9300	410Nm
BRZ 2.0ltr - Performance 6 Paddle	2012 →	Race/Rally	N 230	60-3856	77-3857	8.00mm	40-3858	25.2 x 24T	HF 9300	410Nm
BRZ 2.0ltr - Performance 4/5 Paddle Rigid	2012 →	Race/Rally	N 230	60-3856	78-3857	8.00mm	40-3858	25.2 x 24T	HF 9300	410Nm
BRZ 2.0ltr - Performance Organic	2012 →	Road	N 240	60-3904	70-3905	8.00mm	40-3858	25.2 x 24T	HF 9300 A	408Nm
BRZ 2.0ltr - Performance 4/5 Paddle	2012 →	Race/Rally	N 240	60-3904	76-3905	8.00mm	40-3858	25.2 x 24T	HF 9300 A	490Nm
BRZ 2.0ltr - Performance 6 Paddle	2012 →	Race/Rally	N 240	60-3904	77-3905	8.00mm	40-3858	25.2 x 24T	HF 9300 A	490Nm
BRZ 2.0ltr - Performance 4/5 Paddle Rigid	2012 →	Race/Rally	N 240	60-3904	78-3905	8.00mm	40-3858	25.2 x 24T	HF 9300 A	490Nm
BRZ 2.0ltr - Performance Twin Organic Rigid	2012 →	Race/Rally	A 184	63-220G	55-2031 x 2	7.20mm	43-3858	25.2 x 24T	HF 9329	453Nm
BRZ 2.0ltr - Performance Twin 4 Paddle Rigid	2012 →	Race/Rally	A 184	63-220G	52-2031 x 2	7.20mm	43-3858	25.2 x 24T	HF 9329	626Nm
BRZ 2.0ltr - Performance Twin 6 Paddle Rigid	2012 →	Race/Rally	A 184	63-220G	49-2031 x 2	7.20mm	43-3858	25.2 x 24T	HF 9329	626Nm
Legacy 2.0ltr Turbo 4wd - Performance Organic	1990-94	Road	N 225	60-2934	70-2936	7.60mm	40-2937	25.2 x 24T	SMF	402Nm
Legacy 2.0ltr Turbo 4wd - Performance 4/5 Paddle	1990-94	Race/Rally	N 225	60-2935	76-2936	7.60mm	40-2937	25.2 x 24T	SMF	537Nm
Legacy 2.0ltr Turbo 4wd - Performance 4/5 Paddle Rigid	1990-94	Race/Rally	N 225	60-2935	78-2936	7.60mm	40-2937	25.2 x 24T	SMF	537Nm
Impreza 2.0ltr Turbo - Performance Organic	1993 →	Road	N 230	60-2934	70-2939	7.60mm	40-2937	25.2 x 24T	HF 9209	402Nm
Impreza 2.0ltr Turbo - Performance 4/5 Paddle	1993 →	Race/Rally	N 230	60-2935	76-2939	7.60mm	40-2937	25.2 x 24T	HF 9209	537Nm
Impreza 2.0ltr Turbo - Performance 4/5 Paddle Rigid	1993 →	Race/Rally	N 230	60-2935	78-2939	7.60mm	40-2937	25.2 x 24T	HF 9209	537Nm
Impreza 2.0ltr WRX - Performance Organic	1993-06	Road	N 230	60-2934	70-2939	7.60mm	40-2937	25.2 x 24T	HF 9209	402Nm
Impreza 2.0ltr WRX - Performance 4/5 Paddle	1993-06	Race/Rally	N 230	60-2935	76-2939	7.60mm	40-2937	25.2 x 24T	HF 9209	537Nm
Impreza 2.0ltr WRX - Performance 6 Paddle	1993-06	Race/Rally	N 230	60-2935	77-2942	7.60mm	40-2937	25.2 x 24T	HF 9209	537Nm
Impreza 2.0ltr WRX - Performance 4/5 Paddle Rigid	1993-06	Race/Rally	N 230	60-2935	78-2939	7.60mm	40-2937	25.2 x 24T	HF 9209	537Nm
Impreza 2.0ltr WRX - Performance 6 Paddle Rigid (Pull Type)	1993-06	Race/Rally	N 230	60-2935	78-2942	7.60mm	40-2937	25.2 x 24T	HF 9209	537Nm
Impreza 2.0ltr Turbo - Performance Organic	1993-06	Road	N 230	60-2940	70-2941	7.60mm	40-2937	25.2 x 24T	HF 9209	474Nm
Impreza 2.0ltr Turbo - Performance 4/5 Paddle	1993-06	Race/Rally	N 230	60-2940	76-2941	7.60mm	40-2937	25.2 x 24T	HF 9209	633Nm
Impreza 2.0ltr Turbo - Performance 6 Paddle	1993-06	Race/Rally	N 230	60-2940	77-2942	7.60mm	40-2937	25.2 x 24T	HF 9209	633Nm
Impreza 2.0ltr Turbo - Performance 4/5 Paddle Rigid	1993-06	Race/Rally	N 230	60-2940	78-2939	7.60mm	40-2937	25.2 x 24T	HF 9209	633Nm
Impreza 2.0ltr Turbo - Performance 6 Paddle Rigid	1993-06	Race/Rally	N 230	60-2940	78-2942	7.60mm	40-2937	25.2 x 24T	HF 9209	633Nm
Impreza 2.0ltr WRX - Performance Organic	1993-06	Road	N 230	60-2940	70-2941	7.60mm	40-2937	25.2 x 24T	HF 9209	474Nm
Impreza 2.0ltr WRX - Performance 4/5 Paddle	1993-06	Race/Rally	N 230	60-2940	76-2941	7.60mm	40-2937	25.2 x 24T	HF 9209	633Nm
Impreza 2.0ltr WRX - Performance 6 Paddle	1993-06	Race/Rally	N 230	60-2940	77-2942	7.60mm	40-2937	25.2 x 24T	HF 9209	633Nm
Impreza 2.0ltr WRX - Performance 4/5 Paddle Rigid	1993-06	Race/Rally	N 230	60-2940	78-2939	7.60mm	40-2937	25.2 x 24T	HF 9209	633Nm
Impreza 2.0ltr WRX - Performance 6 Paddle Rigid	1993-06	Race/Rally	N 230	60-2940	78-2942	7.60mm	40-2937	25.2 x 24T	HF 9209	633Nm
Impreza STI WRX - Performance Organic	2002-06	Road	N 240	60-2938	70-2945	7.60mm	40-2937	25.2 x 24T	HF 9286	450Nm
Impreza STI WRX - Performance 4/5 Paddle	2002-06	Race/Rally	N 240	60-2944	76-2945	7.60mm	40-2937	25.2 x 24T	HF 9286	633Nm
Impreza STI WRX - Performance 6 Paddle	2002-06	Race/Rally	N 240	60-2944	77-2946	7.60mm	40-2937	25.2 x 24T	HF 9286	633Nm
Impreza STI WRX - Performance 4/5 Paddle Rigid	2002-06	Race/Rally	N 240	60-2944	78-2945	7.60mm	40-2937	25.2 x 24T	HF 9286	633Nm
Impreza STI WRX - Performance 6 Paddle Rigid	2002-06	Race/Rally	N 240	60-2944	78-2946	7.60mm	40-2937	25.2 x 24T	HF 9286	633Nm
Impreza 2.5ltr WRX - Performance Organic	2006 →	Road	N 230	60-2947	70-2939	7.60mm	40-2948	25.2 x 24T	SMF	387Nm
Impreza 2.5ltr WRX - Performance 4/5 Paddle	2006 →	Race/Rally	N 230	60-2947	76-2939	7.60mm	40-2948	25.2 x 24T	SMF	515Nm
Impreza 2.5ltr WRX - Performance 6 Paddle	2006 →	Race/Rally	N 230	60-2947	77-2942	7.60mm	40-2948	25.2 x 24T	SMF	515Nm
Impreza 2.5ltr WRX - Performance 4/5 Paddle Rigid	2006 →	Race/Rally	N 230	60-2947	78-2939	7.60mm	40-2948	25.2 x 24T	SMF	515Nm
Impreza 2.5ltr WRX - Performance 6 Paddle Rigid (Chassis No ; GD)	2006 →	Race/Rally	N 230	60-2947	78-2942	7.60mm	40-2948	25.2 x 24T	SMF	515Nm
(Eng ; EJ25)										
(Push type)										
Impreza 2.5ltr WRX - Performance Organic	2005 →	Road	N 225	60-2949	70-2933	8.00mm	40-2948	25.2 x 24T	SMF	250Nm
Impreza 2.5ltr WRX - Performance 4/5 Paddle	2005 →	Race/Rally	N 225	60-2949	76-2933	8.00mm	40-2948	25.2 x 24T	SMF	335Nm
Impreza 2.5ltr WRX - Performance 6 Paddle	2005 →	Race/Rally	N 225	60-2949	77-2933	8.00mm	40-2948	25.2 x 24T	SMF	335Nm
(Chassis No ; G11)										
(Eng ; EJ255)										
(Push type)										
Impreza STI 2.5ltr WRX - Performance Organic	2006 →	Road	N 240	60-2938	70-2945	7.60mm	40-2937	25.2 x 24T	HF 9286	450Nm
Impreza STI 2.5ltr WRX - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-2944	76-2945	7.60mm	40-2937	25.2 x 24T	HF 9286	633Nm
Impreza STI 2.5ltr WRX - Performance 6 Paddle	2006 →	Race/Rally	N 240	60-2944	77-2946	7.60mm	40-2937	25.2 x 24T	HF 9286	633Nm
Impreza STI 2.5ltr WRX - Performance 4/5 Paddle Rigid	2006 →	Race/Rally	N 240	60-2944	78-2945	7.60mm	40-2937	25.2 x 24T	HF 9286	633Nm
Impreza STI 2.5ltr WRX - Performance 6 Paddle Rigid (Pull type)	2006 →	Race/Rally	N 240	60-2944	78-2946	7.60mm	40-2937	25.2 x 24T	HF 9286	633Nm
Impreza 2.0ltr Turbo - Performance Organic Rigid (Organic Twin Plate Clutch)	1993-06	Road	N 215	60-2950/O	71-2951	7.20mm	40-2937	25.2 x 24T	HF 9205	740Nm
(Pull Type)					71-2952	7.20mm				
Impreza 2.0ltr Turbo - Performance 4/5 Paddle Rigid (6 Paddle Twin Plate Clutch)	1993-06	Race/Rally	N 215	60-2950/P	78-2951	7.20mm	40-2937	25.2 x 24T	HF 9205	850Nm
(Pull Type)					78-2952	7.20mm				

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
SUNBEAM										
Alpine Series 1 - Performance Organic	1959-60	Road	N 215	12-2515	70-3552	7.20mm	N/A	1" x 10T	OE	200Nm
Alpine Series 1 - Performance 4/5 Paddle	1959-60	Race/Rally	N 215	12-2515	76-3552	7.20mm	N/A	1" x 10T	OE	300Nm
Alpine Series 1 - Performance 6 Paddle	1959-60	Race/Rally	N 215	12-2515	77-3552	7.20mm	N/A	1" x 10T	OE	300Nm
Alpine Series 1 - Performance 4/5 Paddle Rigid (1494cc) (Diaphragm Spring Conversion)	1959-60	Race/Rally	N 215	12-2515	78-3552	7.20mm	N/A	1" x 10T	OE	300Nm
Alpine Series II - Performance Organic	1960-63	Road	N 190	60-2490	70-1316	7.20mm	N/A	1" x 10T	OE	190Nm
Alpine Series II - Performance 4/5 Paddle	1960-63	Race/Rally	N 190	60-2490	76-1316	7.20mm	N/A	1" x 10T	OE	250Nm
Alpine Series II - Performance 4/5 Paddle Rigid (1592cc) (Diaphragm Spring Conversion)	1960-63	Race/Rally	N 190	60-2490	76-1316	7.20mm	N/A	1" x 10T	OE	250Nm
Alpine Holbay - Performance Organic		Road	N 215	60-3331	70-3552	7.20mm	N/A	1" x 10T	OE	280Nm
Alpine Holbay - Performance 4/5 Paddle		Race/Rally	N 215	60-3331	76-3552	7.20mm	N/A	1" x 10T	OE	380Nm
Alpine Holbay - Performance 6 Paddle		Race/Rally	N 215	60-3331	77-3552	7.20mm	N/A	1" x 10T	OE	380Nm
Alpine Holbay - Performance 4/5 Paddle Rigid (1725cc)		Race/Rally	N 215	60-3331	78-3552	7.20mm	N/A	1" x 10T	OE	380Nm
SUZUKI										
Baleno 1.6ltr 4wd - Performance Organic	1995-01	Road	N 200	60-4053	70-4054	7.60mm	40-1303	22.5 x 20T	SMF	195Nm
Baleno 1.6ltr 4wd - Performance 4/5 Paddle	1995-01	Race/Rally	N 200	60-4053	76-4054	7.60mm	40-1303	22.5 x 20T	SMF	260Nm
Baleno 1.6ltr 4wd - Performance 6 Paddle (Eng ; G16B)	1995-01	Race/Rally	N 200	60-4053	77-4054	7.60mm	40-1303	22.5 x 20T	SMF	260Nm
Ignis 1.3ltr - Performance Organic	2000 →	Road	N 190	60-4051	70-2378	7.60mm	40-2911	19.3 x 18T	SMF	195Nm
Ignis 1.3ltr - Performance 4/5 Paddle	2000 →	Race/Rally	N 190	60-4052	76-2378	7.60mm	40-2911	19.3 x 18T	SMF	260Nm
Ignis 1.3ltr - Performance 6 Paddle (Eng ; M13A)	2000 →	Race/Rally	N 190	60-4052	77-2378	7.60mm	40-2911	19.3 x 18T	SMF	260Nm
Swift GTI 1.3ltr - Performance Organic	1986-88	Road	N 190	60-4051	70-2378	7.60mm	40-1301	19.3 x 18T	SMF	195Nm
Swift GTI 1.3ltr - Performance 4/5 Paddle	1986-88	Race/Rally	N 190	60-4052	76-2378	7.60mm	40-1301	19.3 x 18T	SMF	260Nm
Swift GTI 1.3ltr - Performance 6 Paddle (Eng ; G13BA,G13BB)	1986-88	Race/Rally	N 190	60-4052	77-2378	7.60mm	40-1301	19.3 x 18T	SMF	260Nm
Swift GTI 1.3ltr - Performance Organic	1989-05	Road	N 190	60-4051	70-2378	7.60mm	40-1302	19.3 x 18T	SMF	195Nm
Swift GTI 1.3ltr - Performance 4/5 Paddle	1989-05	Race/Rally	N 190	60-4052	76-2378	7.60mm	40-1302	19.3 x 18T	SMF	260Nm
Swift GTI 1.3ltr - Performance 6 Paddle (Eng ; G13BA,G13BB)	1989-05	Race/Rally	N 190	60-4052	77-2378	7.60mm	40-1302	19.3 x 18T	SMF	260Nm
Swift Sport VVTI 1.6ltr - Performance Organic	2006 →	Road	N 200	60-4053	70-4054	7.60mm	40-1303	22.5 x 20T	HF 9440	195Nm
Swift Sport VVTI 1.6ltr - Performance 4/5 Paddle	2006 →	Race/Rally	N 200	60-4053	76-4054	7.60mm	40-1303	22.5 x 20T	HF 9440	260Nm
Swift Sport VVTI 1.6ltr - Performance 6 Paddle (Eng ; M16A)	2006 →	Race/Rally	N 200	60-4053	77-4054	7.60mm	40-1303	22.5 x 20T	HF 9440	260Nm
TALBOT (Inc. Hillman, Sunbeam)										
Hillman Imp 1.0ltr - Performance Organic Rigid	1965-76	Road	N 160	60-2881	71-1664	7.20mm	40-3315H	7/8" x 10T	HF 9254	140Nm
Hillman Imp 1.0ltr - Performance 4/5 Paddle Rigid (4 Bolt Crank For Flywheel)	1965-76	Race/Rally	N 160	60-2881	78-1664	7.20mm	40-3315H	7/8" x 10T	HF 9254	180Nm
Hillman Imp 1.0ltr - Performance Triple Sintered	1965-76	Race/Rally	A 140	67-130R	58-4023 x 3	2.66mm	N/A	7/8" x 10T	HF 9427	1200Nm
Hillman Imp 1.0ltr - Performance Triple Sintered	1965-76	Race/Rally	A 140	67-130G	58-4023 x 3	2.66mm	N/A	7/8" x 10T	HF 9427	1450Nm
Hillman Imp 1.0ltr - Performance Twin Sintered	1965-76	Race/Rally	A 184	63-120B	53-1023 54-1023	2.66mm 2.66mm	43-3315H	7/8" x 10T	HF 9427 A	469Nm
Hillman Imp 1.0ltr - Performance 4 Paddle	1965-76	Race/Rally	A 184	63-210R	56-2023	7.20mm	CSC	7/8" x 10T	HF 9843	299Nm
Hillman Imp 1.0ltr - Performance 6 Paddle Rigid	1965-76	Race/Rally	A 184	63-210R	49-1023	7.20mm	CSC	7/8" x 10T	HF 9843	299Nm
Hillman Imp 1.0ltr - Performance 4 Paddle	1965-76	Race/Rally	A 184	63-210Y	56-2023	7.20mm	CSC	7/8" x 10T	HF 9843	490Nm
Hillman Imp 1.0ltr - Performance 6 Paddle Rigid	1965-76	Race/Rally	A 184	63-210Y	49-1023	7.20mm	CSC	7/8" x 10T	HF 9843	490Nm
Sunbeam 1.3ltr & 1.6ltr - Performance Organic	1977-81	Road	N 190	60-3329	70-2604	7.20mm	40-2482	25.4 x 23T	OE	200Nm
Sunbeam 1.3ltr & 1.6ltr - Performance 4/5 Paddle	1977-81	Race/Rally	N 190	60-3329	76-2604	7.20mm	40-2482	25.4 x 23T	OE	270Nm
Sunbeam Lotus 2.0ltr - Performance Organic	1979-83	Road	N 215	60-3518	70-3552	7.20mm	40-2044 A	1" x 10T	OE	245Nm
Sunbeam Lotus 2.0ltr - Performance 4/5 Paddle	1979-83	Race/Rally	N 215	60-3518	76-3552	7.20mm	40-2044 A	1" x 10T	OE	320Nm
Sunbeam Lotus 2.0ltr - Performance 6 Paddle	1979-83	Race/Rally	N 215	60-3518	77-3552	7.20mm	40-2044 A	1" x 10T	OE	320Nm
Sunbeam Lotus 2.0ltr - Performance 4/5 Paddle Rigid	1979-83	Race/Rally	N 215	60-3518	78-3552	7.20mm	40-2044 A	1" x 10T	OE	320Nm
Sunbeam Lotus 2.0ltr - Performance Organic	1979-83	Road	N 215	60-3518	70-2619	7.20mm	40-2044 A	25.4 x 23T	OE	245Nm
Sunbeam Lotus 2.0ltr - Performance Organic Rigid	1979-83	Race/Rally	N 215	60-3518	71-2619	7.20mm	40-2044 A	25.4 x 23T	OE	245Nm
Sunbeam Lotus 2.0ltr - Performance 4/5 Paddle	1979-83	Race/Rally	N 215	60-3518	76-2619	7.20mm	40-2044 A	25.4 x 23T	OE	320Nm
Sunbeam Lotus 2.0ltr - Performance 6 Paddle	1979-83	Race/Rally	N 215	60-3518	77-2619	7.20mm	40-2044 A	25.4 x 23T	OE	320Nm
Sunbeam Lotus 2.0ltr - Performance 4/5 Paddle Rigid	1979-83	Race/Rally	N 215	60-3518	78-2619	7.20mm	40-2044 A	25.4 x 23T	OE	320Nm
Sunbeam Tiger - Performance Organic	1964-67	Road	N 267	N/A	70-2307	8.40mm	N/A	N/A	OE	N/A
Sunbeam Tiger - Performance 5/6 Paddle (V8 4.2ltr)	1964-67	Race/Rally	N 267	N/A	76-2307	8.40mm	N/A	N/A	OE	N/A
Talbot - OE Flywheel (No Ring Gear)	1903-38	Road	N 250	N/A	N/A	N/A	N/A	N/A	HF 9355	N/A
Talbot - OE Flywheel (With Ring Gear)	1903-38	Road	N 250	N/A	N/A	N/A	N/A	N/A	HF 9356	N/A

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
TOYOTA										
2000 GT 2.0ltr - Performance Organic	1967-70	Road	N 225	60-2326	70-2327	7.60mm	40-2429	24 x 21T	SMF	306Nm
2000 GT 2.0ltr - Performance 4/5 Paddle (Gearbox; Crown 2.3ltr)	1967-70	Race/Rally	N 225	60-2326	76-2327	7.60mm	40-2429	24 x 21T	SMF	390Nm
Altezza RS200 2.0ltr - Performance Organic	1998 →	Road	N 225	60-2326	70-3600	7.60mm	40-4239	29 x 21T	SMF	306Nm
Altezza RS200 2.0ltr - Performance 4/5 Paddle	1998 →	Race/Rally	N 225	60-2326	76-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm
Altezza RS200 2.0ltr - Performance 6 Paddle	1998 →	Race/Rally	N 225	60-2326	77-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm
Altezza RS200 2.0ltr - Performance 4/5 Paddle Rigid	1998 →	Race/Rally	N 225	60-2326	78-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm
Lexus IS200 2.0ltr - Performance Organic	1999 →	Road	N 225	60-2326	70-3600	7.60mm	40-4239	29 x 21T	SMF	306Nm
Lexus IS200 2.0ltr - Performance 4/5 Paddle	1999 →	Race/Rally	N 225	60-2326	76-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm
Lexus IS200 2.0ltr - Performance 6 Paddle	1999 →	Race/Rally	N 225	60-2326	77-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm
Lexus IS200 2.0ltr - Performance 4/5 Paddle Rigid	1999 →	Race/Rally	N 225	60-2326	78-3600	7.60mm	40-4239	29 x 21T	SMF	390Nm
Aygo 1.0ltr - Performance Organic	2005 →	Road	N 190	60-3840	70-3831	7.60mm	40-3707	22.5 x 19T	SMF	150Nm
Aygo 1.0ltr - Performance 4/5 Paddle (Eng ; 1KR-FE)	2005 →	Race/Rally	N 190	60-3842	76-3831	7.60mm	40-3707	22.5 x 19T	SMF	193Nm
Corolla GT 1.6ltr 16v - Performance Organic	1984-87	Road	N 200	60-3820	70-3823	7.60mm	40-2429	24 x 21T	HF 9312	250Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle	1984-87	Race/Rally	N 200	60-3822	76-3823	7.60mm	40-2429	24 x 21T	HF 9312	350Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle Rigid (Model ; AE86 RWD)	1984-87	Race/Rally	N 200	60-3822	78-3823	7.60mm	40-2429	24 x 21T	HF 9312	350Nm
Corolla GT 1.6ltr 16v - Performance Organic	1984-87	Road	N 200	60-3820	70-3824	7.60mm	40-2482	25.4 x 23T	HF 9312	250Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle	1984-87	Race/Rally	N 200	60-3822	76-3824	7.60mm	40-2482	25.4 x 23T	HF 9312	350Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle Rigid	1984-87	Race/Rally	N 200	60-3822	78-3824	7.60mm	40-2482	25.4 x 23T	HF 9312	350Nm
Corolla GT 1.6ltr 16v - Performance 6 Paddle Rigid (Model ; AE86 RWD) (Fitted With Ford 5 Speed Gearbox)	1984-87	Race/Rally	N 200	60-3822	78-3824 - 6	7.60mm	40-2482	25.4 x 23T	HF 9312	350Nm
Corolla GT 1.6ltr 16v - Performance Organic	1984-87	Road	N 215	60-3849	70-3848	7.60mm	40-2482	25.4 x 23T	HF 9312	290Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle	1984-87	Race/Rally	N 215	60-3851	76-3848	7.60mm	40-2482	25.4 x 23T	HF 9312	400Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle Rigid	1984-87	Race/Rally	N 215	60-3851	77-3848	7.60mm	40-2482	25.4 x 23T	HF 9312	400Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle Rigid (Model ; AE86 RWD Fitted With AE92 Eng 1989 →) (Fitted With Ford 5 Speed Gearbox)	1984-87	Race/Rally	N 215	60-3851	78-3848	7.60mm	40-2482	25.4 x 23T	HF 9312	400Nm
Corolla GT 1.6ltr 16v - Performance Organic	1987-89	Road	N 200	60-3820	70-3823	7.60mm	40-4238	24 x 21T	HF 9312	250Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle	1987-89	Race/Rally	N 200	60-3822	76-3823	7.60mm	40-4238	24 x 21T	HF 9312	350Nm
Corolla GT 1.6ltr 16v - Performance 4/5 Paddle Rigid (Model ; AE92 FWD)	1987-89	Race/Rally	N 200	60-3822	78-3823	7.60mm	40-4238	24 x 21T	HF 9312	350Nm
Corolla GTI 1.6ltr 16v - Performance Organic	1989-91	Road	N 215	60-3849	70-3847	7.60mm	40-4238	24 x 21T	HF 9312	290Nm
Corolla GTI 1.6ltr 16v - Performance 4/5 Paddle	1989-91	Race/Rally	N 215	60-3851	76-3847	7.60mm	40-4238	24 x 21T	HF 9312	400Nm
Corolla GTI 1.6ltr 16v - Performance 6 Paddle	1989-91	Race/Rally	N 215	60-3851	77-3847	7.60mm	40-4238	24 x 21T	HF 9312	400Nm
Corolla GTI 1.6ltr 16v - Performance 4/5 Paddle Rigid (Model ; AE92 FWD)	1989-91	Race/Rally	N 215	60-3851	78-3847	7.60mm	40-4238	24 x 21T	HF 9312	400Nm
Corolla GTI 1.6ltr 16v - Performance Organic	1991-97	Road	N 215	60-3849	70-3847	7.60mm	40-5889	24 x 21T	HF 9312	290Nm
Corolla GTI 1.6ltr 16v - Performance 4/5 Paddle	1991-97	Race/Rally	N 215	60-3851	76-3847	7.60mm	40-5889	24 x 21T	HF 9312	400Nm
Corolla GTI 1.6ltr 16v - Performance 6 Paddle	1991-97	Race/Rally	N 215	60-3851	77-3847	7.60mm	40-5889	24 x 21T	HF 9312	400Nm
Corolla GTI 1.6ltr 16v - Performance 4/5 Paddle Rigid (Model ; AE92,AE101)	1991-97	Race/Rally	N 215	60-3851	78-3847	7.60mm	40-5889	24 x 21T	HF 9312	400Nm
Celica SS-11 2.0ltr - Performance Organic	1993-00	Road	N 225	60-2816	70-3600	7.60mm	40-5542	29 x 21T	SMF	250Nm
Celica SS-11 2.0ltr - Performance 4/5 Paddle	1993-00	Race/Rally	N 225	60-2817	76-3600	7.60mm	40-5542	29 x 21T	SMF	350Nm
Celica SS-11 2.0ltr - Performance 6 Paddle	1993-00	Race/Rally	N 225	60-2817	77-3600	7.60mm	40-5542	29 x 21T	SMF	350Nm
Celica SS-11 2.0ltr - Performance 4/5 Paddle Rigid (Model ; ST 202)	1993-00	Race/Rally	N 225	60-2817	78-3600	7.60mm	40-5542	29 x 21T	SMF	350Nm
Celica GT 2.0ltr - Performance Organic	1993-00	Road	N 225	60-2816	70-2818	7.60mm	40-5890	28 x 20T	SMF	250Nm
Celica GT 2.0ltr - Performance 4/5 Paddle	1993-00	Race/Rally	N 225	60-2817	76-2818	7.60mm	40-5890	28 x 20T	SMF	350Nm
Celica GT 2.0ltr - Performance 6 Paddle	1993-00	Race/Rally	N 225	60-2817	77-2818	7.60mm	40-5890	28 x 20T	SMF	350Nm
Celica GT 2.0ltr - Performance 4/5 Paddle Rigid (Model ; ST 202)	1993-00	Race/Rally	N 225	60-2817	78-2818	7.60mm	40-5890	28 x 20T	SMF	350Nm
Celica VVTI 190 1.8ltr - Performance Organic	2000 →	Road	N 215	60-3849	70-3853	7.60mm	40-5889	24 x 21T	HF 9313	290Nm
Celica VVTI 190 1.8ltr - Performance 4/5 Paddle	2000 →	Race/Rally	N 215	60-3851	76-3853	7.60mm	40-5889	24 x 21T	HF 9313	400Nm
Celica VVTI 190 1.8ltr - Performance 4/5 Paddle Rigid (Model ; Z2T 230) (Eng ; 1ZZ-FE)	2000 →	Race/Rally	N 215	60-3851	78-3853	7.60mm	40-5889	24 x 21T	HF 9313	400Nm
Celica VVTI 190 1.8ltr - Performance Organic	2000 →	Road	N 215	60-3849	70-3853	7.60mm	40-5889	24 x 21T	HF 9313	290Nm
Celica VVTI 190 1.8ltr - Performance 4/5 Paddle	2000 →	Race/Rally	N 215	60-3851	76-3853	7.60mm	40-5889	24 x 21T	HF 9313	400Nm
Celica VVTI 190 1.8ltr - Performance 4/5 Paddle Rigid (Model ; Z2T 231) (Eng ; 2ZZ-GE)	2000 →	Race/Rally	N 215	60-3851	78-3853	7.60mm	40-5889	24 x 21T	HF 9313	400Nm
Celica VVTI 190 1.8ltr - Performance Twin Organic Rigid	2000 →	Race/Rally	A 184	63-220G	55-2007 A&B	7.20mm	43-5889	24 x 21T	HF 9238	453Nm
Celica VVTI 190 1.8ltr - Performance Twin 4 Paddle Rigid	2000 →	Race/Rally	A 184	63-220G	52-2007 A&B	7.20mm	43-5889	24 x 21T	HF 9238	626Nm
Celica VVTI 190 1.8ltr - Performance Twin 6 Paddle Rigid (Model ; Z2T 230) (Model ; Z2T 231) (Eng ; 1ZZ-FE) (Eng ; 2ZZ-GE)	2000 →	Race/Rally	A 184	63-220G	49-2007 A&B	7.20mm	43-5889	24 x 21T	HF 9238	626Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
TOYOTA (cont)										
Celica GT4 Turbo - Performance Organic	1988-96	Road	N 236	60-3549	70-3551	7.60mm	40-5542	29 x 21T	SMF	350Nm
Celica GT4 Turbo - Performance 4/5 Paddle	1988-96	Race/Rally	N 236	60-3549	76-3551	7.60mm	40-5542	29 x 21T	SMF	470Nm
Celica GT4 Turbo - Performance 6 Paddle	1988-96	Race/Rally	N 236	60-3549	77-3551	7.60mm	40-5542	29 x 21T	SMF	470Nm
Celica GT4 Turbo - Performance 4/5 Paddle Rigid (Model ; ST165,ST185,ST205) (Eng ; 3SGTE)	1988-96	Race/Rally	N 236	60-3549	78-3551	7.60mm	40-5542	29 x 21T	SMF	470Nm
Celica GT4 Turbo - Performance Triple Sintered (Model ; ST165,ST185,ST205) (Eng ; 3SGTE)	1988-96	Race	A 184	63-130G	53-1004 x 3	2.66mm	40-5542	29 x 21T	HF 9295	1466Nm
Celica GT4 Turbo - Performance Twin 4 Paddle Rigid	1988-96	Race/Rally	A 184	63-220G	52-2004 x 2	7.20mm	40-5542	29 x 21T	HF 9295	626Nm
Celica GT4 Turbo - Performance Twin 6 Paddle Rigid (Model ; ST165,ST185,ST205) (Eng ; 3SGTE)	1988-96	Race/Rally	A 184	63-220G	49-2004 x 2	7.20mm	40-5542	29 x 21T	HF 9295	626Nm
Celica GT4 Turbo - Performance Twin 4 Paddle Rigid	1988-96	Race/Rally	A 184	63-230GS	52-3004 x 3	5.50mm	40-5542	29 x 21T	HF 9297	1250Nm
Celica GT4 Turbo - Performance Twin 6 Paddle Rigid (Model ; ST165,ST185,ST205) (Eng ; 3SGTE)	1988-96	Race/Rally	A 184	63-230GS	49-3004 x 3	5.50mm	40-5542	29 x 21T	HF 9297	1250Nm
Celica GT4 Turbo - Performance 4 Paddle	1988-96	Race/Rally	A 200	68-110G	77-1004	7.20mm	40-5542	29 x 21T	HF 9214	514Nm
Celica GT4 Turbo - Performance 6 Paddle (Model ; ST165,ST185,ST205) (Eng ; 3SGTE)	1988-96	Race/Rally	A 200	68-110G	77-1104	7.20mm	40-5542	29 x 21T	HF 9214	514Nm
GT 86 - Performance Organic	2012 →	Road	N 230	60-3855	70-3857	8.00mm	40-3858	25.2 x 24T	HF 9300	320Nm
GT 86 - Performance 4/5 Paddle	2012 →	Race/Rally	N 230	60-3856	76-3857	8.00mm	40-3858	25.2 x 24T	HF 9300	410Nm
GT 86 - Performance 6 Paddle	2012 →	Race/Rally	N 230	60-3856	77-3857	8.00mm	40-3858	25.2 x 24T	HF 9300	410Nm
GT 86 - Performance 4/5 Paddle Rigid	2012 →	Race/Rally	N 230	60-3856	78-3857	8.00mm	40-3858	25.2 x 24T	HF 9300	410Nm
MR2 1.6ltr Supercharged - Performance Organic	1986-89	Road	N 225	60-2819	70-3600	7.60mm	40-5542	29 x 21T	SMF	270Nm
MR2 1.6ltr Supercharged - Performance 4/5 Paddle	1986-89	Race/Rally	N 225	60-2819	76-3600	7.60mm	40-5542	29 x 21T	SMF	360Nm
MR2 1.6ltr Supercharged - Performance 6 Paddle	1986-89	Race/Rally	N 225	60-2819	77-3600	7.60mm	40-5542	29 x 21T	SMF	360Nm
MR2 1.6ltr Supercharged - Performance 4/5 Paddle Rigid (Model ; AW11) (Eng ; 4AGZE)	1986-89	Race/Rally	N 225	60-2819	78-3600	7.60mm	40-5542	29 x 21T	SMF	360Nm
MR2 1.6ltr Supercharged - Performance Organic	1989-90	Road	N 230	60-2821	70-3602	7.60mm	40-5542	29 x 21T	SMF	230Nm
MR2 1.6ltr Supercharged - Performance 4/5 Paddle (Model ; AW11) (Eng ; 4AFE)	1989-90	Race/Rally	N 230	60-2821	76-3602	7.60mm	40-5542	29 x 21T	SMF	307Nm
MR2 2.0ltr 16v - Performance Organic	1990-90	Road	N 225	60-2816	70-2818	7.60mm	40-4237	28 x 20T	SMF	250Nm
MR2 2.0ltr 16v - Performance 4/5 Paddle	1990-90	Race/Rally	N 225	60-2817	76-2818	7.60mm	40-4237	28 x 20T	SMF	350Nm
MR2 2.0ltr 16v - Performance 6 Paddle	1990-90	Race/Rally	N 225	60-2817	77-2818	7.60mm	40-4237	28 x 20T	SMF	350Nm
MR2 2.0ltr 16v - Performance 4/5 Paddle Rigid (Chassis No → 0017549)	1990-90	Race/Rally	N 225	60-2817	78-2818	7.60mm	40-4237	28 x 20T	SMF	350Nm
MR2 2.0ltr 16v - Performance Organic	1990-99	Road	N 225	60-2816	70-2818	7.60mm	40-5890	28 x 20T	SMF	250Nm
MR2 2.0ltr 16v - Performance 4/5 Paddle	1990-99	Race/Rally	N 225	60-2817	76-2818	7.60mm	40-5890	28 x 20T	SMF	350Nm
MR2 2.0ltr 16v - Performance 6 Paddle	1990-99	Race/Rally	N 225	60-2817	77-2818	7.60mm	40-5890	28 x 20T	SMF	350Nm
MR2 2.0ltr 16v - Performance 4/5 Paddle Rigid (Chassis No ; 0017550 →)	1990-99	Race/Rally	N 225	60-2817	78-2818	7.60mm	40-5890	28 x 20T	SMF	350Nm
MR2 2.0ltr Turbo - Performance Organic	1989-99	Road	N 236	60-3549	70-3551	7.60mm	40-5542	29 x 21T	SMF	350Nm
MR2 2.0ltr Turbo - Performance 4/5 Paddle	1989-99	Race/Rally	N 236	60-3549	76-3551	7.60mm	40-5542	29 x 21T	SMF	470Nm
MR2 2.0ltr Turbo - Performance 6 Paddle	1989-99	Race/Rally	N 236	60-3549	77-3551	7.60mm	40-5542	29 x 21T	SMF	470Nm
MR2 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Twin Entry Turbo)	1989-99	Race/Rally	N 236	60-3549	78-3551	7.60mm	40-5542	29 x 21T	SMF	470Nm
MR2 VVTI 1.8ltr 16v - Performance Organic	1999-05	Road	N 215	60-3849	70-3853	7.60mm	40-5889	24 x 21T	HF 9313	290Nm
MR2 VVTI 1.8ltr 16v - Performance 4/5 Paddle	1999-05	Race/Rally	N 215	60-3851	76-3853	7.60mm	40-5889	24 x 21T	HF 9313	400Nm
MR2 VVTI 1.8ltr 16v - Performance 4/5 Paddle Rigid (Model ; AW30) (Eng ; 1ZZ-FE)	1999-05	Race/Rally	N 215	60-3851	78-3853	7.60mm	40-5889	24 x 21T	HF 9313	400Nm
Starlet 1.3ltr Turbo - Performance Organic	1995 →	Road	N 215	60-3849	70-3847	7.60mm	40-4238	24 x 21T	SMF	290Nm
Starlet 1.3ltr Turbo - Performance 4/5 Paddle	1995 →	Race/Rally	N 215	60-3851	76-3847	7.60mm	40-4238	24 x 21T	SMF	400Nm
Starlet 1.3ltr Turbo - Performance 6 Paddle	1995 →	Race/Rally	N 215	60-3851	77-3847	7.60mm	40-4238	24 x 21T	SMF	400Nm
Starlet 1.3ltr Turbo - Performance 4/5 Paddle Rigid (Model ; EP81,EP91)	1995 →	Race/Rally	N 215	60-3851	78-3847	7.60mm	40-4238	24 x 21T	SMF	400Nm
Supra 2.0ltr Turbo - Performance Organic	1989-93	Road	N 240	60-4514	70-4512	8.00mm	40-2904	29 x 21T	SMF	413Nm
Supra 2.0ltr Turbo - Performance 4/5 Paddle (Model ; MA70R)	1989-93	Race/Rally	N 240	60-4514	76-4512	8.00mm	40-2904	29 x 21T	SMF	550Nm
Supra 3.0ltr Twin Turbo - Performance Organic	1993-99	Road	N 250	60-4516	71-4517	8.00mm	40-4518	32.5 x 14T	SMF	525NM
Supra 3.0ltr Twin Turbo - Performance 4/5 Paddle (Model ; JZA80R)	1993-99	Race/Rally	N 250	60-4516	78-4517	8.00mm	40-4518	32.5 x 14T	SMF	700Nm
Yaris GR 1.6ltr 4WD - Performance Organic	2020 →	Road	N 240	60-4521	70-4522	8.00mm	OE	25.4 x 23T	HF 9540	370Nm
Yaris GR 1.6ltr 4WD - Performance Organic Rigid	2020 →	Road	N 240	60-4521	71-4522	8.00mm	OE	25.4 x 23T	HF 9540	370Nm
Yaris GR 1.6ltr 4WD - Performance 4/5 Paddle	2020 →	Race/Rally	N 240	60-4523	76-4522	8.00mm	OE	25.4 x 23T	HF 9540	490Nm
Yaris GR 1.6ltr 4WD - Performance 6 Paddle	2020 →	Race/Rally	N 240	60-4523	77-4522	8.00mm	OE	25.4 x 23T	HF 9540	490Nm
Yaris GR 1.6ltr 4WD - Performance 4/5 Paddle Rigid (Eng ; G16e-GTS)	2020 →	Race/Rally	N 240	60-4523	78-4522	8.00mm	OE	25.4 x 23T	HF 9540	490Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
TRIUMPH										
Dolomite Sprint 2.0ltr 16v - Performance Organic	1973-80	Road	N 215	60-5132	70-3552	7.20mm	40-3264	1" x 10T	HF 9412	280Nm
Dolomite Sprint 2.0ltr 16v - Performance 4/5 Paddle	1973-80	Race/Rally	N 215	60-5132	76-3552	7.20mm	40-3264	1" x 10T	HF 9412	380Nm
Dolomite Sprint 2.0ltr 16v - Performance 6 Paddle	1973-80	Race/Rally	N 215	60-5132	77-3552	7.20mm	40-3264	1" x 10T	HF 9412	380Nm
Dolomite Sprint 2.0ltr 16v - Performance 4/5 Paddle Rigid	1973-80	Race/Rally	N 215	60-5132	78-3552	7.20mm	40-3264	1" x 10T	HF 9412	380Nm
GT6 - Performance Organic	1966-73	Road	N 215	60-5132	70-3552	7.20mm	40-3264	1" x 10T	SMF	280Nm
GT6 - Performance 4/5 Paddle	1966-73	Race/Rally	N 215	60-5132	76-3552	7.20mm	40-3264	1" x 10T	SMF	380Nm
GT6 - Performance 6 Paddle	1966-73	Race/Rally	N 215	60-5132	77-3552	7.20mm	40-3264	1" x 10T	SMF	380Nm
GT6 - Performance 4/5 Paddle Rigid	1966-73	Race/Rally	N 215	60-5132	78-3552	7.20mm	40-3264	1" x 10T	SMF	380Nm
TR3 & TR4 - Performance Organic	1955-65	Road	N 215	60-3331	70-2613	7.20mm	40-3264	1 1/4" x 10T	SMF	280Nm
TR3 & TR4 - Performance 4/5 Paddle	1955-65	Race/Rally	N 215	60-3331	76-2613	7.20mm	40-3264	1 1/4" x 10T	SMF	380Nm
TR3 & TR4 - Performance 6 Paddle <i>(Diaphragm Spring Conversion)</i>	1955-65	Race/Rally	N 215	60-3331	77-2613	7.20mm	40-3264	1 1/4" x 10T	SMF	380Nm
TR4 A, TR5 & TR6 - Performance Organic	1965-75	Road	N 215	60-5132	70-2613	7.20mm	40-3269	1 1/4" x 10T	SMF	280Nm
TR4 A, TR5 & TR6 - Performance 4/5 Paddle	1965-75	Race/Rally	N 215	60-5132	76-2613	7.20mm	40-3269	1 1/4" x 10T	SMF	380Nm
TR4 A, TR5 & TR6 - Performance 6 Paddle	1965-75	Race/Rally	N 215	60-5132	77-2613	7.20mm	40-3269	1 1/4" x 10T	SMF	380Nm
TR7 2.0ltr - Performance Organic	1976-81	Road	N 215	60-5132	70-2619	7.20mm	40-3264	25.4 x 23T	SMF	280Nm
TR7 2.0ltr - Performance 4/5 Paddle	1976-81	Race/Rally	N 215	60-5132	76-2619	7.20mm	40-3264	25.4 x 23T	SMF	380Nm
TR7 2.0ltr - Performance 6 Paddle	1976-81	Race/Rally	N 215	60-5132	77-2619	7.20mm	40-3264	25.4 x 23T	SMF	380Nm
TR8 3.5ltr V8 - Performance Organic	1979-81	Road	N 240	60-2498	70-3380	8.40mm	40-3264	25.4 x 23T	SMF	436Nm
TR8 3.5ltr V8 - Performance 4/5 Paddle	1979-81	Race/Rally	N 240	60-2501	76-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
TR8 3.5ltr V8 - Performance 6 Paddle	1979-81	Race/Rally	N 240	60-2501	77-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Spitfire 1500 - Performance Organic	1974-80	Road	N 190	60-2830	70-2603	7.20mm	40-3268	22.5 x 20T	SMF	180Nm
Spitfire 1500 - Performance 4/5 Paddle <i>(Chassis No FH75001 →)</i>	1974-80	Race/Rally	N 190	60-2830	76-2603	7.20mm	40-3268	22.5 x 20T	SMF	250Nm
Vitesse 2.0ltr Mrk 1 & Mrk 2 - Performance Organic	1966-71	Road	N 215	60-5132	70-3552	7.20mm	40-3264	1" x 10T	SMF	280Nm
Vitesse 2.0ltr Mrk 1 & Mrk 2 - Performance 4/5 Paddle	1966-71	Race/Rally	N 215	60-5132	76-3552	7.20mm	40-3264	1" x 10T	SMF	380Nm
Vitesse 2.0ltr Mrk 1 & Mrk 2 - Performance 6 Paddle	1966-71	Race/Rally	N 215	60-5132	77-3552	7.20mm	40-3264	1" x 10T	SMF	380Nm
Vitesse 2.0ltr Mrk 1 & Mrk 2 - Performance 4/5 Paddle Rigid	1966-71	Race/Rally	N 215	60-5132	78-3552	7.20mm	40-3264	1" x 10T	SMF	380Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
TVR										
1800S - Performance Organic	1966-68	Road	N 215	60-3331	70-2619	7.20mm	40-3291	25.4 x 23T	SMF	280Nm
1800S - Performance Organic Rigid	1966-68	Road	N 215	60-3331	71-2619	7.20mm	40-3291	25.4 x 23T	SMF	280Nm
1800S - Performance 4/5 Paddle	1966-68	Race/Rally	N 215	60-3331	76-2619	7.20mm	40-3291	25.4 x 23T	SMF	380Nm
1800S - Performance 6 Paddle	1966-68	Race/Rally	N 215	60-3331	77-2619	7.20mm	40-3291	25.4 x 23T	SMF	380Nm
1800S - Performance 4/5 Paddle Rigid (MGB Eng)	1966-68	Race/Rally	N 215	60-3331	78-2619	7.20mm	40-3291	25.4 x 23T	SMF	380Nm
2500 & M - Performance Organic	1971-75	Road	N 215	60-5132	70-2619	7.20mm	40-3269	25.4 x 23T	SMF	280nm
2500 & M - Performance Organic Rigid	1971-75	Race/Rally	N 215	60-5132	71-2619	7.20mm	40-3269	25.4 x 23T	SMF	280nm
2500 & M - Performance 4/5 Paddle	1971-75	Race/Rally	N 215	60-5132	76-2619	7.20mm	40-3269	25.4 x 23T	SMF	380Nm
2500 & M - Performance 6 Paddle	1971-75	Race/Rally	N 215	60-5132	77-2619	7.20mm	40-3269	25.4 x 23T	SMF	380Nm
2500 & M - Performance 4/5 Paddle Rigid (Triumph TR6 eng)	1971-75	Race/Rally	N 215	60-5132	78-2619	7.20mm	40-3269	25.4 x 23T	SMF	380Nm
M 3.0ltr - Performance Organic	1972-81	Road	N 240	60-4708	70-4710	8.40mm	40-2482	25.4 x 23T	SMF	445Nm
M 3.0ltr - Performance 4/5 Paddle	1972-81	Race/Rally	N 240	60-4709	76-4710	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
M 3.0ltr - Performance 6 Paddle	1972-81	Race/Rally	N 240	60-4709	77-4710	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
M 3.0ltr - Performance 4/5 Paddle Rigid	1972-81	Race/Rally	N 240	60-4709	78-4710	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
M 3.0ltr - Performance 6 Paddle Rigid (Ford V6 eng)	1972-81	Race/Rally	N 240	60-4709	78-4710 - 6	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
420 SEAC - Performance Organic	1998 →	Road	N 240	60-2498	70-3380	8.40mm	40-3264	25.4 x 23T	SMF	436Nm
420 SEAC - Performance 4/5 Paddle	1998 →	Race/Rally	N 240	60-2501	76-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
420 SEAC - Performance 6 Paddle	1998 →	Race/Rally	N 240	60-2501	77-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
420 SEAC - Performance 4/5 Paddle Rigid	1998 →	Race/Rally	N 240	60-2501	78-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
420 SEAC - Performance 6 Paddle Rigid	1998 →	Race/Rally	N 240	60-2501	78-3380 - 6	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Cerbera - Performance Organic Rigid (Eng ; 4,4,2,4,5ltr) (Ø215mm Twin Plate)	1994-04	Road	N 215	12-3100	70-6101 A 70-6101 B	7.20mm 7.20mm	40-3103	25.4 x 23T	HF 9402	411Nm
Cerbera - Performance 4/5 Paddle (Eng ; 4,4,2,4,5ltr) (Ø215mm Twin Plate)	1994-04	Race/Rally	N 215	60-3100	76-6101 A 76-6101 B	7.20mm 7.20mm	40-3103	25.4 x 23T	HF 9402	460Nm
Cerbera - Performance 4/5 Paddle Rigid (Eng ; 4,4,2,4,5ltr) (Ø215mm Twin Plate)	1994-04	Race	N 215	60-3100	78-6101 A 78-6101 B	7.20mm 7.20mm	40-3103	25.4 x 23T	HF 9402	536Nm
Griffiths 4.2,4.7,5.0ltr - Performance Organic	1963-65	Road	N 240	60-2498	70-3380	8.40mm	40-3264	25.4 x 23T	SMF	436Nm
Griffiths 4.2,4.7,5.0ltr - Performance 4/5 Paddle	1963-65	Race/Rally	N 240	60-2501	76-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Griffiths 4.2,4.7,5.0ltr - Performance 6 Paddle	1963-65	Race/Rally	N 240	60-2501	77-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Griffiths 4.2,4.7,5.0ltr - Performance 4/5 Paddle Rigid	1963-65	Race/Rally	N 240	60-2501	78-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Griffiths 4.2,4.7,5.0ltr - Performance 6 Paddle Rigid (Rover V8)	1963-65	Race/Rally	N 240	60-2501	78-3380 - 6	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Chimera - Performance Organic		Road	N 240	60-2498	70-3380	8.40mm	40-3264	25.4 x 23T	HF 9473	436Nm
Chimera - Performance 4/5 Paddle		Race/Rally	N 240	60-2501	76-3380	8.40mm	40-3264	25.4 x 23T	HF 9473	590Nm
Chimera - Performance 6 Paddle		Race/Rally	N 240	60-2501	77-3380	8.40mm	40-3264	25.4 x 23T	HF 9473	590Nm
Chimera - Performance 4/5 Paddle Rigid		Race/Rally	N 240	60-2501	78-3380	8.40mm	40-3264	25.4 x 23T	HF 9473	590Nm
Chimera - Performance 6 Paddle Rigid (Rover V8)		Race/Rally	N 240	60-2501	78-3380 - 6	8.40mm	40-3264	25.4 x 23T	HF 9473	590Nm
Tuscan - Performance Organic	1969-71	Road	N 240	60-4708	70-4710	8.40mm	40-2482	25.4 x 23T	SMF	446Nm
Tuscan - Performance 4/5 Paddle	1969-71	Race/Rally	N 240	60-4709	76-4710	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
Tuscan - Performance 6 Paddle	1969-71	Race/Rally	N 240	60-4709	77-4710	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
Tuscan - Performance 4/5 Paddle Rigid	1969-71	Race/Rally	N 240	60-4709	78-4710	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
Tuscan - Performance 6 Paddle Rigid (Ford V6)	1969-71	Race/Rally	N 240	60-4709	78-4710 - 6	8.40mm	40-2482	25.4 x 23T	SMF	590Nm
Tuscan 4.5ltr - Performance Organic	1988-89	Road	N 240	60-2498	70-3380	8.40mm	40-3264	25.4 x 23T	SMF	436Nm
Tuscan 4.5ltr - Performance 4/5 Paddle	1988-89	Race/Rally	N 240	60-2501	76-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Tuscan 4.5ltr - Performance 6 Paddle	1988-89	Race/Rally	N 240	60-2501	77-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Tuscan 4.5ltr - Performance 4/5 Paddle Rigid	1988-89	Race/Rally	N 240	60-2501	78-3380	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Tuscan 4.5ltr - Performance 6 Paddle Rigid	1988-89	Race/Rally	N 240	60-2501	78-3380 - 6	8.40mm	40-3264	25.4 x 23T	SMF	590Nm
Tuscan V8 4.7ltr - Performance Organic	1989 →	Road	N 240	60-4694	70-4710	8.40mm	40-3265	25.4 x 23T	SMF	470Nm
Tuscan V8 4.7ltr - Performance 4/5 Paddle	1989 →	Race/Rally	N 240	60-4694	76-4710	8.40mm	40-3265	25.4 x 23T	SMF	630Nm
Tuscan V8 4.7ltr - Performance 6 Paddle	1989 →	Race/Rally	N 240	60-4694	77-4710	8.40mm	40-3265	25.4 x 23T	SMF	630Nm
Tuscan V8 4.7ltr - Performance 4/5 Paddle Rigid	1989 →	Race/Rally	N 240	60-4694	78-4710	8.40mm	40-3265	25.4 x 23T	SMF	630Nm
Tuscan V8 4.7ltr - Performance 6 Paddle Rigid (Ford T5 Gearbox)	1989 →	Race/Rally	N 240	60-4694	78-4710 - 6	8.40mm	40-3265	25.4 x 23T	SMF	630Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VAUXHALL										
Formula Vauxhall Junior - Performance Organic		Road	N 200	60-3838	70-3884	7.60mm	N/A	19 x 14T	SMF	210Nm
Formula Vauxhall Junior - Performance Organic Rigid		Road	N 200	60-3838	71-3884	7.60mm	N/A	19 x 14T	SMF	210Nm
Formula Vauxhall Junior - Performance 4/5 Paddle		Race/Rally	N 200	60-3838	76-3884	7.60mm	N/A	19 x 14T	SMF	255Nm
Formula Vauxhall Junior - Performance 4/5 Paddle Rigid		Race/Rally	N 200	60-3838	78-3884	7.60mm	N/A	19 x 14T	SMF	255Nm
Astra GTE 1.8ltr & 2.0ltr 8v - Performance Organic	1984-91	Road	N 215	60-4558	70-4554	7.60mm	40-3684	20.4 x 24T	SMF	270Nm
Astra GTE 1.8ltr & 2.0ltr 8v - Performance 4/5 Paddle	1984-91	Race/Rally	N 215	60-4558	76-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Astra GTE 1.8ltr & 2.0ltr 8v - Performance 4/5 Paddle Rigid	1984-91	Race/Rally	N 215	60-4558	78-4554	7.60mm	40-3684	20.4 x 24T	SMF	360Nm
Astra GTE 1.8ltr & 2.0ltr 8v - Performance Organic	1984-91	Road	N 215	60-4558	70-4555	7.60mm	40-3684	22.5 x 20T	SMF	270Nm
Astra GTE 1.8ltr & 2.0ltr 8v - Performance 4/5 Paddle	1984-91	Race/Rally	N 215	60-4558	76-4555	7.60mm	40-3684	22.5 x 20T	SMF	360Nm
Astra GTE 1.8ltr & 2.0ltr 8v - Performance 4/5 Paddle Rigid	1984-91	Race/Rally	N 215	60-4558	78-4555	7.60mm	40-3684	22.5 x 20T	SMF	360Nm
<i>Above Fitted Competition Gear Set To F16</i>										
Astra VVT 1.8ltr - Performance Organic	2005 →	Road	N 205	60-6009	70-3888	7.20mm	40-3688	19 x 14T	SMF	320Nm
Astra VVT 1.8ltr - Performance Organic Rigid	2005 →	Road	N 205	60-6009	71-3888	7.20mm	40-3688	19 x 14T	SMF	320Nm
Astra VVT 1.8ltr - Performance 4/5 Paddle Rigid	2005 →	Race/Rally	N 205	60-6009	78-3888	7.20mm	40-3688	19 x 14T	SMF	320Nm
<i>(Eng ; Z18XER)</i>										
Astra GSI 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4627	7.60mm	40-3684	20.4 x 24T	SMF	310Nm
Astra GSI 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Astra GSI 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Astra GSI 2.0ltr 16v - Performance 4/5 Paddle Rigid	1988-92	Race/Rally	N 228	60-4626	78-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
<i>(Eng ; C20XE → 14128448)</i>										
Astra GSI 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4625	7.60mm	40-3684	22.5 x 20T	SMF	310Nm
Astra GSI 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Astra GSI 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
Astra GSI 2.0ltr 16v - Performance 4/5 Paddle Rigid	1988-92	Race/Rally	N 228	60-4626	78-4625	7.60mm	40-3684	22.5 x 20T	SMF	410Nm
<i>(Eng ; C20XE → 14128448)</i>										
<i>Above Fitted Competition Gear Set To F20</i>										
Astra 2.0ltr 16v - Performance Organic	1992-98	Road	N 228	60-4990	70-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	300Nm
Astra 2.0ltr 16v - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4990	76-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm
Astra 2.0ltr 16v - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4990	77-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm
Astra 2.0ltr 16v - Performance 4/5 Paddle Rigid	1992-98	Race/Rally	N 228	60-4990	78-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm
<i>(Eng ; C20XE)</i>										
<i>(Chassis No ; 14128449 →)</i>										
Astra 2.0ltr 16v - Performance Organic	1992-98	Road	N 228	60-4990	70-4625	7.60mm	40-3684	22.5 x 20T	HF 9396	300Nm
Astra 2.0ltr 16v - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4990	76-4625	7.60mm	40-3684	22.5 x 20T	HF 9396	410Nm
Astra 2.0ltr 16v - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4990	77-4625	7.60mm	40-3684	22.5 x 20T	HF 9396	410Nm
Astra 2.0ltr 16v - Performance 4/5 Paddle Rigid	1992-98	Race/Rally	N 228	60-4990	78-4625	7.60mm	40-3684	22.5 x 20T	HF 9396	410Nm
<i>Above Fitted Competition Gear Set To F20</i>										
Astra 2.0ltr 16v - Performance Organic	1998 →	Road	N 215	60-4556	70-4554	7.60mm	41-3687	20.4 x 24T	SMF	270Nm
Astra 2.0ltr 16v - Performance 4/5 Paddle	1998 →	Race/Rally	N 215	60-4556	76-4554	7.60mm	41-3687	20.4 x 24T	SMF	360Nm
Astra 2.0ltr 16v - Performance 4/5 Paddle Rigid	1998 →	Race/Rally	N 215	60-4556	78-4554	7.60mm	41-3687	20.4 x 24T	SMF	360Nm
<i>(F18 gearbox)</i>										
Astra 2.0ltr 16v - Performance Organic	1998 →	Road	N 228	60-4990	70-4993	7.60mm	41-3685	25 x 14T	HF 9396	300Nm
Astra 2.0ltr 16v - Performance 4/5 Paddle	1998 →	Race/Rally	N 228	60-4990	76-4993	7.60mm	41-3685	25 x 14T	HF 9396	410Nm
Astra 2.0ltr 16v - Performance 6 Paddle	1998 →	Race/Rally	N 228	60-4990	77-4993	7.60mm	41-3685	25 x 14T	HF 9396	410Nm
Astra 2.0ltr 16v - Performance 4 Paddle Rigid	1998 →	Race/Rally	N 228	60-4990	78-4993	7.60mm	41-3685	25 x 14T	HF 9396	410Nm
Astra 2.0ltr 16v - Performance 6 Paddle Rigid	1998 →	Race/Rally	N 228	60-4990	78-4993 - 6	7.60mm	41-3685	25 x 14T	HF 9396	410Nm
<i>(F23 gearbox)</i>										
ADAM 1.4ltr 16V - Performance Organic	2013-19	Road	N 200	60-3838	70-3884	7.60mm	N/A	19 x 14T	SMF	210Nm
ADAM 1.4ltr 16V - Performance Organic Rigid	2013-19	Road	N 200	60-3838	71-3884	7.60mm	N/A	19 x 14T	SMF	210Nm
ADAM 1.4ltr 16V - Performance 4/5 Paddle	2013-19	Race/Rally	N 200	60-3838	76-3884	7.60mm	N/A	19 x 14T	SMF	255Nm
ADAM 1.4ltr 16V - Performance 4/5 Paddle Rigid	2013-19	Race/Rally	N 200	60-3838	78-3884	7.60mm	N/A	19 x 14T	SMF	255Nm
<i>(Eng ; A14 XER)</i>										
Astra Coupe 2.0ltr Turbo - Performance Organic	2000-04	Road	N 228	60-4996	70-4993	7.60mm	41-3685	25 x 14T	SMF	370Nm
Astra Coupe 2.0ltr Turbo - Performance 4/5 Paddle	2000-04	Road	N 228	60-4996	76-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra Coupe 2.0ltr Turbo - Performance 6 Paddle	2000-04	Race/Rally	N 228	60-4996	77-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra Coupe 2.0ltr Turbo - Performance 4 Paddle Rigid	2000-04	Race/Rally	N 228	60-4996	78-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra Coupe 2.0ltr Turbo - Performance 6 Paddle Rigid	2000-04	Race/Rally	N 228	60-4996	78-4993 - 6	7.60mm	41-3685	25 x 14T	SMF	490Nm
<i>(Eng ; Z20LET,Z20LER)</i>										
Astra SRI 2.0ltr Turbo - Performance Organic	2000-04	Road	N 228	60-4996	70-4993	7.60mm	41-3685	25 x 14T	SMF	370Nm
Astra SRI 2.0ltr Turbo - Performance 4/5 Paddle	2000-04	Road	N 228	60-4996	76-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra SRI 2.0ltr Turbo - Performance 6 Paddle	2000-04	Race/Rally	N 228	60-4996	77-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra SRI 2.0ltr Turbo - Performance 4 Paddle Rigid	2000-04	Race/Rally	N 228	60-4996	78-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
Astra SRI 2.0ltr Turbo - Performance 6 Paddle Rigid	2000-04	Race/Rally	N 228	60-4996	78-4993 - 6	7.60mm	41-3685	25 x 14T	SMF	490Nm
<i>(Eng ; Z20LET,Z20LER)</i>										
Astra VXR 2.0ltr Turbo - Performance Organic	2006-09	Road	N 240	60-4560	70-4559	8.00mm	41-3691	22.5 x 20T	HF 9457	400Nm
Astra VXR 2.0ltr Turbo - Performance Organic Rigid	2006-09	Road	N 240	60-4560	71-4559	8.00mm	41-3691	22.5 x 20T	HF 9457	400Nm
Astra VXR 2.0ltr Turbo - Performance 4/5 Paddle	2006-09	Race/Rally	N 240	60-4560	76-4559	8.00mm	41-3691	22.5 x 20T	HF 9457	530Nm
Astra VXR 2.0ltr Turbo - Performance 6 Paddle	2006-09	Race/Rally	N 240	60-4560	77-4559	8.00mm	41-3691	22.5 x 20T	HF 9457	530Nm
Astra VXR 2.0ltr Turbo - Performance 4/5 Paddle Rigid	2006-09	Race/Rally	N 240	60-4560	78-4559	8.00mm	41-3691	22.5 x 20T	HF 9457	530Nm
<i>(Eng ; Z20LEH)</i>										

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VAUXHALL (cont)										
Heavy Kit To Reduce Noise										
Astra VXR 2.0ltr Turbo - Performance Organic	2006-09	Road	N 240	60-4560	70-4559	8.00mm	41-3691	22.5 x 20T	HF 9457 W	400Nm
Astra VXR 2.0ltr Turbo - Performance Organic Rigid	2006-09	Road	N 240	60-4560	71-4559	8.00mm	41-3691	22.5 x 20T	HF 9457 W	400Nm
Astra VXR 2.0ltr Turbo - Performance 4/5 Paddle	2006-09	Race/Rally	N 240	60-4560	76-4559	8.00mm	41-3691	22.5 x 20T	HF 9457 W	530Nm
Astra VXR 2.0ltr Turbo - Performance 6 Paddle	2006-09	Race/Rally	N 240	60-4560	77-4559	8.00mm	41-3691	22.5 x 20T	HF 9457 W	530Nm
Astra VXR 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; Z20LEH)	2006-09	Race/Rally	N 240	60-4560	78-4559	8.00mm	41-3691	22.5 x 20T	HF 9457 W	530Nm
Astra J VXR 280 - Performance Organic	2009 →	Road	N 240	60-4562	70-4563	8.00mm	N/A	25.4 x 23T	HF 9538 L	500Nm
Astra J VXR 280 - Performance Organic Rigid	2009 →	Road	N 240	60-4562	71-4563	8.00mm	N/A	25.4 x 23T	HF 9538 L	500Nm
Astra J VXR 280 - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-4562	76-4563	8.00mm	N/A	25.4 x 23T	HF 9538 L	670Nm
Astra J VXR 280 - Performance 6 Paddle	2009 →	Race/Rally	N 240	60-4562	77-4563	8.00mm	N/A	25.4 x 23T	HF 9538 L	670Nm
Heavy Kit To Reduce Noise										
Astra J VXR 280 - Performance Organic	2009 →	Road	N 240	60-4562	70-4563	8.00mm	N/A	25.4 x 23T	HF 9538	500Nm
Astra J VXR 280 - Performance Organic Rigid	2009 →	Road	N 240	60-4562	71-4563	8.00mm	N/A	25.4 x 23T	HF 9538	500Nm
Astra J VXR 280 - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-4562	76-4563	8.00mm	N/A	25.4 x 23T	HF 9538	670Nm
Astra J VXR 280 - Performance 6 Paddle	2009 →	Race/Rally	N 240	60-4562	77-4563	8.00mm	N/A	25.4 x 23T	HF 9538	670Nm
Calibra 2.0ltr 16v - Performance Organic	1988-92	Road	N 228	60-4626	70-4627	7.60mm	40-3684	20.4 x 24T	SMF	310Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle	1988-92	Race/Rally	N 228	60-4626	76-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 6 Paddle	1988-92	Race/Rally	N 228	60-4626	77-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE → 14128448)	1988-92	Race/Rally	N 228	60-4626	78-4627	7.60mm	40-3684	20.4 x 24T	SMF	410Nm
Calibra 2.0ltr 16v - Performance Organic	1992-98	Road	N 228	60-4990	70-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	300Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4990	76-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm
Calibra 2.0ltr 16v - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4990	77-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm
Calibra 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; C20XE)(Chassis No ; 14128449 →)	1992-98	Race/Rally	N 228	60-4990	78-4627	7.60mm	40-3684	20.4 x 24T	HF 9396	410Nm
Calibra 2.0ltr Turbo - Performance Organic	1992-96	Road	N 228	60-4992	70-4993	7.60mm	40-3684	25 x 14T	HF 9396	370Nm
Calibra 2.0ltr Turbo - Performance 4/5 Paddle	1992-96	Race/Rally	N 228	60-4992	76-4993	7.60mm	40-3684	25 x 14T	HF 9396	490Nm
Calibra 2.0ltr Turbo - Performance 6 Paddle	1992-96	Race/Rally	N 228	60-4992	77-4993	7.60mm	40-3684	25 x 14T	HF 9396	490Nm
Calibra 2.0ltr Turbo - Performance 4 Paddle Rigid	1992-96	Race/Rally	N 228	60-4992	78-4993	7.60mm	40-3684	25 x 14T	HF 9396	490Nm
Calibra 2.0ltr Turbo - Performance 6 Paddle Rigid (Eng ; C20LET)	1992-96	Race/Rally	N 228	60-4992	78-4993 - 6	7.60mm	40-3684	25 x 14T	HF 9396	490Nm
Carlton 3.6ltr Turbo - Performance Organic	1990-94	Road	N 240	60-5201	70-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	530Nm
Carlton 3.6ltr Turbo - Performance Organic Rigid	1990-94	Road	N 240	60-5201	71-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	530Nm
Carlton 3.6ltr Turbo - Performance 4/5 Paddle	1990-94	Race/Rally	N 240	60-5201	76-5202	8.40mm	40-2980	28.6 x 26T	HF 9305	710Nm
Carlton 3.6ltr Turbo - Performance Organic Geared Hub (Road Twin Plate Clutch)	1990-94	Road	N 240	60-5214 80-3105A	50-5213 50-5215	7.20mm 7.20mm	40-2980	28.6 x 26T	HF 9242	772Nm
Carlton 3.6ltr Turbo - Performance 4/5 Paddle Geared Hub (Road Twin Plate Clutch)	1990-94	Race/Rally	N 240	60-5214 80-3105A	50-5213 A 50-5215 A	7.20mm 7.20mm	40-2980	28.6 x 26T	HF 9242	882Nm
Corsa 1.4ltr 8v - Performance Organic	1993-00	Road	N 190	60-3677	70-3676	7.60mm	40-3683	19 x 14T	SMF	180Nm
Corsa 1.4ltr 8v - Performance 4/5 Paddle	1993-00	Race/Rally	N 190	60-3677	76-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
Corsa 1.4ltr 8v - Performance 4/5 Paddle Rigid (F10,F13 gearbox)	1993-00	Race/Rally	N 190	60-3677	78-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
Corsa 1.4ltr 8v - Performance Organic	1993-00	Road	N 190	60-3677	70-2262	7.60mm	40-3683	22.5 x 20T	SMF	180Nm
Corsa 1.4ltr 8v - Performance 4/5 Paddle	1993-00	Race/Rally	N 190	60-3677	76-2262	7.60mm	40-3683	22.5 x 20T	SMF	240Nm
Corsa 1.4ltr 8v - Performance 4/5 Paddle Rigid Above Fitted Competition Gear Set	1993-00	Race/Rally	N 190	60-3677	78-2262	7.60mm	40-3683	22.5 x 20T	SMF	240Nm
Corsa 1.4ltr 8v - Performance Organic	1993-00	Road	N 190	60-3677	70-2263	8.00mm	40-3684	20.4 x 24T	SMF	180Nm
Corsa 1.4ltr 8v - Performance 4/5 Paddle	1993-00	Race/Rally	N 190	60-3677	76-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa 1.4ltr 8v - Performance 6 Paddle	1993-00	Race/Rally	N 190	60-3677	77-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa 1.4ltr 8v - Performance 4/5 Paddle Rigid (F10,F13 gearbox) (Above Fitted F16 Gearbox → STD Gears)	1993-00	Race/Rally	N 190	60-3677	78-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Corsa 1.4ltr 16v - Performance Organic	1995 →	Road	N 200	60-3838	70-3884	7.60mm	40-3683	19 x 14T	SMF	210Nm
Corsa 1.4ltr 16v - Performance 4/5 Paddle	1995 →	Road	N 200	60-3838	71-3884	7.60mm	40-3683	19 x 14T	SMF	210Nm
Corsa 1.4ltr 16v - Performance 6 Paddle	1995 →	Race/Rally	N 200	60-3838	76-3884	7.60mm	40-3683	19 x 14T	SMF	255Nm
Corsa 1.4ltr 16v - Performance 4/5 Paddle Rigid	1995 →	Race/Rally	N 200	60-3838	78-3884	7.60mm	40-3683	19 x 14T	SMF	255Nm
Corsa 1.4ltr 16v - Performance Organic	1995 →	Road	N 200	60-3838	70-3886	7.60mm	40-3683	22.5 x 20T	SMF	210Nm
Corsa 1.4ltr 16v - Performance 4/5 Paddle	1995 →	Race/Rally	N 200	60-3838	76-3886	7.60mm	40-3683	22.5 x 20T	SMF	255Nm
Corsa 1.4ltr 16v - Performance 4/5 Paddle Rigid Above Fitted Competition Gear Set	1995 →	Race/Rally	N 200	60-3838	78-3886	7.60mm	40-3683	22.5 x 20T	SMF	255Nm
Corsa 1.4ltr 16v - Performance Organic	1995 →	Road	N 200	60-3838	70-3879	7.60mm	40-3684	20.4 x 24T	SMF	210Nm
Corsa 1.4ltr 16v - Performance 4/5 Paddle	1995 →	Race/Rally	N 200	60-3838	76-3879	7.60mm	40-3684	20.4 x 24T	SMF	255Nm
Corsa 1.4ltr 16v - Performance 4/5 Paddle Rigid (Above Fitted F16 Gearbox → STD Gears)	1995 →	Race/Rally	N 200	60-3838	78-3879	7.60mm	40-3684	20.4 x 24T	SMF	255Nm
Corsa GSI 1.6ltr 16v - Performance Organic	1993-00	Road	N 200	60-6008	70-3884	7.60mm	40-3683	19 x 14T	SMF	230Nm
Corsa GSI 1.6ltr 16v - Performance Organic Rigid	1993-00	Race/Rally	N 200	60-6009	71-3884	7.60mm	40-3683	19 x 14T	SMF	230Nm
Corsa GSI 1.6ltr 16v - Performance 4/5 Paddle	1993-00	Race/Rally	N 200	60-6009	76-3884	7.60mm	40-3683	19 x 14T	SMF	320Nm
Corsa GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid	1993-00	Race/Rally	N 200	60-6009	78-3884	7.60mm	40-3683	19 x 14T	SMF	320Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VAUXHALL (cont)										
Corsa GSI 1.6ltr 16v - Performance Organic	1993-00	Road	N 200	60-6008	70-3886	7.60mm	40-3683	22.5 x 20T	SMF	230Nm
Corsa GSI 1.6ltr 16v - Performance 4/5 Paddle	1993-00	Race/Rally	N 200	60-6009	76-3886	7.60mm	40-3683	22.5 x 20T	SMF	320Nm
Corsa GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid	1993-00	Race/Rally	N 200	60-6009	78-3886	7.60mm	40-3683	22.5 x 20T	SMF	320Nm
<i>Above Fitted Competition Gear Set To F13</i>										
Corsa GSI 1.6ltr 16v - Performance Organic	1993-00	Road	N 200	60-6008	70-3879	7.60mm	40-3684	20.4 x 24T	SMF	230Nm
Corsa GSI 1.6ltr 16v - Performance 4/5 Paddle	1993-00	Race/Rally	N 200	60-6009	76-3879	7.60mm	40-3684	20.4 x 24T	SMF	320Nm
Corsa GSI 1.6ltr 16v - Performance 4/5 Paddle Rigid	1993-00	Race/Rally	N 200	60-6009	78-3879	7.60mm	40-3684	20.4 x 24T	SMF	320Nm
<i>(Above Fitted F16 Gearbox → STD Gears)</i>										
Corsa 1.7ltr CDTi - Performance Organic	2006-11	Road	N 240	60-4560	70-4559	8.00mm	41-3691	22.5 x 20T	HF 9570	400Nm
Corsa 1.7ltr CDTi - Performance Organic Rigid	2006-11	Race/Rally	N 240	60-4560	71-4559	8.00mm	41-3691	22.5 x 20T	HF 9570	400Nm
Corsa 1.7ltr CDTi - Performance 4/5 Paddle	2006-11	Race/Rally	N 240	60-4560	76-4559	8.00mm	41-3691	22.5 x 20T	HF 9570	530Nm
Corsa 1.7ltr CDTi - Performance 6 Paddle	2006-11	Race/Rally	N 240	60-4560	77-4559	8.00mm	41-3691	22.5 x 20T	HF 9570	530Nm
Corsa 1.7ltr CDTi - Performance 4/5 Paddle Rigid	2006-11	Race/Rally	N 240	60-4560	78-4559	8.00mm	41-3691	22.5 x 20T	HF 9570	530Nm
Corsa GSI 1.6ltr 16v - Performance 6 Paddle	1988 →	Race/Rally	A 200	68-110R	77-1102	7.20mm	40-4231	22.5 x 20T	SMF	350Nm
Nova GTE 1.6ltr 16v - Performance 6 Paddle	1988 →	Race/Rally	A 200	68-110R	77-1102	7.20mm	40-4231	22.5 x 20T	SMF	350Nm
Corsa D 1.6ltr Turbo - Performance Organic	2007 →	Road	N 228	60-4620	70-4623	7.60mm	41-3690	22.5 x 20T	HF 9258	320Nm
Corsa D 1.6ltr Turbo - Performance 4/5 Paddle	2007 →	Race/Rally	N 228	60-4620	76-4623	7.60mm	41-3690	22.5 x 20T	HF 9258	430Nm
Corsa D 1.6ltr Turbo - Performance 6 Paddle	2007 →	Race/Rally	N 228	60-4620	77-4623	7.60mm	41-3690	22.5 x 20T	HF 9258	430Nm
Corsa D 1.6ltr Turbo - Performance 4/5 Paddle Rigid	2007 →	Race/Rally	N 228	60-4620	78-4623	7.60mm	41-3690	22.5 x 20T	HF 9258	430Nm
<i>(Eng ; Z16LER)</i>										
Nova 1.3ltr - Performance Organic	1985-90	Road	N 190	60-3677	70-3676	7.60mm	40-3683	19 x 14T	SMF	180Nm
Nova 1.3ltr - Performance 4/5 Paddle	1985-90	Race/Rally	N 190	60-3677	76-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
Nova 1.3ltr - Performance 4/5 Paddle Rigid	1985-90	Race/Rally	N 190	60-3677	78-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
<i>(F10,F13 gearbox)</i>										
<i>(Eng ; 13NB,13SB,C13N)</i>										
Nova 1.3ltr - Performance Organic	1993-00	Road	N 190	60-3677	70-3676	7.60mm	40-3683	19 x 14T	SMF	180Nm
Nova 1.3ltr - Performance 4/5 Paddle	1993-00	Race/Rally	N 190	60-3677	76-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
Nova 1.3ltr - Performance 4/5 Paddle Rigid	1993-00	Race/Rally	N 190	60-3677	78-3676	7.60mm	40-3683	19 x 14T	SMF	240Nm
<i>(F10,F13 gearbox)</i>										
<i>(Eng ; 13NB,13SB,C13N)</i>										
Nova 1.3ltr - Performance Organic	1985-90	Road	N 190	60-3677	70-2262	7.60mm	40-3683	22.5 x 20T	SMF	180Nm
Nova 1.3ltr - Performance 4/5 Paddle	1985-90	Race/Rally	N 190	60-3677	76-2262	7.60mm	40-3683	22.5 x 20T	SMF	240Nm
Nova 1.3ltr - Performance 4/5 Paddle Rigid	1985-90	Race/Rally	N 190	60-3677	78-2262	7.60mm	40-3683	22.5 x 20T	SMF	240Nm
<i>(F10,F13 gearbox)</i>										
<i>(Eng ; 13NB,13SB,C13N)</i>										
<i>Above Fitted Competition Gear Set</i>										
Nova 1.3ltr - Performance Organic	1993-00	Road	N 190	60-3677	70-2262	7.60mm	40-3683	22.5 x 20T	SMF	180Nm
Nova 1.3ltr - Performance 4/5 Paddle	1993-00	Race/Rally	N 190	60-3677	76-2262	7.60mm	40-3683	22.5 x 20T	SMF	240Nm
Nova 1.3ltr - Performance 4/5 Paddle Rigid	1993-00	Race/Rally	N 190	60-3677	78-2262	7.60mm	40-3683	22.5 x 20T	SMF	240Nm
<i>(F10,F13 gearbox)</i>										
<i>(Eng ; 13NB,13SB,C13N)</i>										
<i>Above Fitted Competition Gear Set</i>										
Nova 1.3ltr - Performance Organic	1985-90	Road	N 190	60-3677	70-2263	8.00mm	40-3684	20.4 x 24T	SMF	180Nm
Nova 1.3ltr - Performance 4/5 Paddle	1985-90	Race/Rally	N 190	60-3677	76-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Nova 1.3ltr - Performance 6 Paddle	1985-90	Race/Rally	N 190	60-3677	77-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Nova 1.3ltr - Performance 4/5 Paddle Rigid	1985-90	Race/Rally	N 190	60-3677	78-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
<i>(Eng ; 13NB,13SB,C13N)</i>										
<i>(F10,F13 Gearbox)</i>										
<i>(Above Fitted F16 Gearbox → STD Gears)</i>										
Nova 1.3ltr - Performance Organic	1993-00	Road	N 190	60-3677	70-2263	8.00mm	40-3684	20.4 x 24T	SMF	180Nm
Nova 1.3ltr - Performance 4/5 Paddle	1993-00	Race/Rally	N 190	60-3677	76-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Nova 1.3ltr - Performance 6 Paddle	1993-00	Race/Rally	N 190	60-3677	77-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
Nova 1.3ltr - Performance 4/5 Paddle Rigid	1993-00	Race/Rally	N 190	60-3677	78-2263	8.00mm	40-3684	20.4 x 24T	SMF	240Nm
<i>(Eng ; 13NB,13SB,C13N)</i>										
<i>(F10,F13 Gearbox)</i>										
<i>(Above Fitted F16 Gearbox → STD Gears)</i>										
Nova GTE 1.6ltr 16v - Performance Organic	1988-93	Road	N 200	60-3838	70-3884	7.60mm	40-3683	19 x 14T	HF 9456	210Nm
Nova GTE 1.6ltr 16v - Performance Organic Rigid	1988-93	Road	N 200	60-3838	71-3884	7.60mm	40-3683	19 x 14T	HF 9456	210Nm
Nova GTE 1.6ltr 16v - Performance 4/5 Paddle	1988-93	Race/Rally	N 200	60-3838	76-3884	7.60mm	40-3683	19 x 14T	HF 9456	255Nm
Nova GTE 1.6ltr 16v - Performance 4/5 Paddle Rigid	1988-93	Race/Rally	N 200	60-3838	78-3884	7.60mm	40-3683	19 x 14T	HF 9456	255Nm
<i>(Eng ; C16SE,C16SEI,E16SE)</i>										
Nova GTE 1.6ltr 16v - Performance Organic	1988-93	Road	N 200	60-3838	70-3886	7.60mm	40-3683	22.5 x 20T	HF 9456	210Nm
Nova GTE 1.6ltr 16v - Performance 4/5 Paddle	1988-93	Race/Rally	N 200	60-3838	76-3886	7.60mm	40-3683	22.5 x 20T	HF 9456	255Nm
Nova GTE 1.6ltr 16v - Performance 4/5 Paddle Rigid	1988-93	Race/Rally	N 200	60-3838	78-3886	7.60mm	40-3683	22.5 x 20T	HF 9456	255Nm
<i>(Eng ; C16SE,C16SEI,E16SE)</i>										
<i>Above Fitted Competition gear Set</i>										
Nova GTE 1.6ltr 16v - Performance Organic	1988-93	Road	N 200	60-3838	70-3879	7.60mm	40-3684	20.4 x 24T	HF 9456	210Nm
Nova GTE 1.6ltr 16v - Performance 4/5 Paddle	1988-93	Race/Rally	N 200	60-3838	76-3879	7.60mm	40-3684	20.4 x 24T	HF 9456	255Nm
Nova GTE 1.6ltr 16v - Performance 4/5 Paddle Rigid	1988-93	Race/Rally	N 200	60-3838	78-3879	7.60mm	40-3684	20.4 x 24T	HF 9456	255Nm
<i>(Above Fitted F16 Gearbox → STD Gears)</i>										

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VAUXHALL (cont)										
Vectra DI & DTI 2.0ltr 16v - Performance Organic	1996-00	Road	N 228	60-4988	70-4989	8.40mm	41-3687	20.4 x 24T	SMF	340Nm
Vectra DI & DTI 2.0ltr 16v - Performance 4/5 Paddle (Fitted F16 Gearbox)	1996-00	Race/Rally	N 228	60-4988	76-4989	8.40mm	41-3687	20.4 x 24T	SMF	450Nm
Vectra DI & DTI 2.0ltr 16v - Performance Organic	1996-00	Road	N 228	60-4988	70-4991	8.40mm	41-3688	25 x 14T	SMF	340Nm
Vectra DI & DTI 2.0ltr 16v - Performance 4/5 Paddle (Fitted F23 gearbox)	1996-00	Race/Rally	N 228	60-4988	76-4991	8.40mm	41-3688	25 x 14T	SMF	450Nm
Vectra SRI 2.5ltr V6 - Performance Organic	1995-00	Road	N 228	60-4997	70-4994	8.40mm	41-3686	24 x 14T	SMF	310Nm
Vectra SRI 2.5ltr V6 - Performance 4/5 Paddle (Eng ; X25XE)	1995-00	Race/Rally	N 228	60-4997	76-4994	8.40mm	41-3686	24 x 14T	SMF	410Nm
Vectra SRI 2.5ltr V6 Challenge - Performance 4/5 Paddle	1998 →	Race/Rally	N 228	60-4997	76-4998	7.60mm	41-3686	22.5 x 20T	SMF	410Nm
VX 220 2.0ltr Turbo - Performance Organic	2002-06	Road	N 228	60-4996	70-4993	7.60mm	41-3685	25 x 14T	SMF	370Nm
VX 220 2.0ltr Turbo - Performance 4/5 Paddle	2002-06	Race/Rally	N 228	60-4996	76-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
VX 220 2.0ltr Turbo - Performance 6 Paddle	2002-06	Race/Rally	N 228	60-4996	77-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
VX 220 2.0ltr Turbo - Performance 4 Paddle Rigid	2002-06	Race/Rally	N 228	60-4996	78-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
VX 220 2.0ltr Turbo - Performance 6 Paddle Rigid (Eng ; Z20LET)	2002-06	Race/Rally	N 228	60-4996	78-4993 - 6	7.60mm	41-3685	25 x 14T	SMF	490Nm
VX 220 I 2.2ltr - Performance Organic	2000-04	Road	N 228	60-4996	70-4993	7.60mm	41-3685	25 x 14T	SMF	370Nm
VX 220 I 2.2ltr - Performance 4/5 Paddle	2000-04	Race/Rally	N 228	60-4996	76-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
VX 220 I 2.2ltr - Performance 6 Paddle	2000-04	Race/Rally	N 228	60-4996	77-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
VX 220 I 2.2ltr - Performance 4 Paddle Rigid	2000-04	Race/Rally	N 228	60-4996	78-4993	7.60mm	41-3685	25 x 14T	SMF	490Nm
VX 220 I 2.2ltr - Performance 6 Paddle Rigid (Eng ; Z225E)	2000-04	Race/Rally	N 228	60-4996	78-4993 - 6	7.60mm	41-3685	25 x 14T	SMF	490Nm
Chevette 2.3ltr HS - Performance Organic		Road	N 215	60-5132	70-3791	7.20mm	40-2465	28 x 25T	SMF	280nm
Chevette 2.3ltr HS - Performance 4/5 Paddle		Race/Rally	N 215	60-5132	76-3791	7.20mm	40-2465	28 x 25T	SMF	380Nm
Chevette 2.3ltr HS - Performance Organic		Road	N 215	60-5132	70-2619	7.20mm	N/A	25.4 x 23T	SMF	280nm
Chevette 2.3ltr HS - Performance Organic Rigid		Race/Rally	N 215	60-5132	71-2619	7.20mm	N/A	25.4 x 23T	SMF	280nm
Chevette 2.3ltr HS - Performance 4/5 Paddle		Race/Rally	N 215	60-5132	76-2619	7.20mm	N/A	25.4 x 23T	SMF	380Nm
Chevette 2.3ltr HS - Performance 6 Paddle		Race/Rally	N 215	60-5132	77-2619	7.20mm	N/A	25.4 x 23T	SMF	380Nm
Chevette 2.3ltr HS - Performance 4/5 Paddle Rigid (Fitted ZF 5 Speed Gearbox)		Race/Rally	N 215	60-5132	78-2619	7.20mm	N/A	25.4 x 23T	SMF	380Nm
Firenza 2.3ltr - Performance Organic	1972-73	Road	N 215	60-5132	70-3552	7.20mm	40-3267	1" x 10T	SMF	280nm
Firenza 2.3ltr - Performance 4/5 Paddle	1972-73	Race/Rally	N 215	60-5132	76-3552	7.20mm	40-3267	1" x 10T	SMF	380Nm
Firenza 2.3ltr - Performance 6 Paddle	1972-73	Race/Rally	N 215	60-5132	77-3552	7.20mm	40-3267	1" x 10T	SMF	380Nm
Firenza 2.3ltr - Performance 4/5 Paddle Rigid	1972-73	Race/Rally	N 215	60-5132	78-3552	7.20mm	40-3267	1" x 10T	SMF	380Nm
Firenza 2.3ltr - Performance Organic	1973-75	Road	N 240	60-2858	70-1363	8.40mm	40-3267	1" x 10T	SMF	446Nm
Firenza 2.3ltr - Performance 6 Paddle	1973-75	Race/Rally	N 240	60-2858	77-1363	8.40mm	40-3267	1" x 10T	SMF	580Nm
VENTURI										
Venturi 400 - Performance Organic	1993-95	Road	N 240	N/A	70-4811	7.60mm	40-4330	24 x 21T	SMF	N/A
Venturi 400 - Performance 4/5 Paddle	1993-95	Race/Rally	N 240	N/A	76-4811	7.60mm	40-4330	24 x 21T	SMF	N/A
Venturi 400 - Performance 6 Paddle	1993-95	Race/Rally	N 240	N/A	77-4811	7.60mm	40-4330	24 x 21T	SMF	N/A



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VOLKSWAGEN										
Beetle RSI 3.2ltr - Performance Organic	2000 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	475Nm
Beetle RSI 3.2ltr - Performance 4/5 Paddle	2000 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Beetle RSI 3.2ltr - Performance 6 Paddle	2000 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Beetle RSI 3.2ltr - Performance 4/5 Paddle Rigid (Eng ; AXJ)	2000 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Corrado 2.0ltr 16v - Performance Organic	1992-98	Road	N 228	60-4856	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	245Nm
Corrado 2.0ltr 16v - Performance Organic Rigid	1992-98	Race/Rally	N 228	60-4856	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	245Nm
Corrado 2.0ltr 16v - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4856	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Corrado 2.0ltr 16v - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4856	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Corrado 2.0ltr 16v - Performance 4 Paddle Rigid	1992-98	Race/Rally	N 228	60-4856	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Corrado 2.0ltr 16v - Performance 6 Paddle Rigid (Eng ; ABF,9A)	1992-98	Race/Rally	N 228	60-4856	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Corrado VR6 2.9ltr - Performance Organic	1992-98	Road	N 228	60-4603	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	422Nm
Corrado VR6 2.9ltr - Performance Organic Rigid	1992-98	Race/Rally	N 228	60-4603	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	422Nm
Corrado VR6 2.9ltr - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4603	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	560Nm
Corrado VR6 2.9ltr - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4603	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	560Nm
Corrado VR6 2.9ltr - Performance 4 Paddle Rigid	1992-98	Race/Rally	N 228	60-4603	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	560Nm
Corrado VR6 2.9ltr - Performance 6 Paddle Rigid (Eng ; AAA,ABV)	1992-98	Race/Rally	N 228	60-4603	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9249	560Nm
Golf I 1.6ltr GTI - Performance Organic	1974-82	Road	N 200	N/A	70-3936	7.60mm	40-4567	20.4 x 24T	SMF	N/A
Golf I 1.6ltr GTI - Performance 4/5 Paddle	1974-82	Race/Rally	N 200	N/A	76-3936	7.60mm	40-4567	20.4 x 24T	SMF	N/A
Golf II GTI 1.8ltr 8v - Performance Organic	1984-91	Road	N 210	60-4574	70-4569	7.60mm	40-4567	20.4 x 24T	SMF	250Nm
Golf II GTI 1.8ltr 8v - Performance 4/5 Paddle	1984-91	Race/Rally	N 210	60-4574	76-4569	7.60mm	40-4567	20.4 x 24T	SMF	311Nm
Golf II GTI 1.8ltr 8v - Performance 6 Paddle	1984-91	Race/Rally	N 210	60-4574	77-4569	7.60mm	40-4567	20.4 x 24T	SMF	311Nm
Golf II GTI 1.8ltr 8v - Performance 4 Paddle Rigid	1984-91	Race/Rally	N 210	60-4574	78-4569	7.60mm	40-4567	20.4 x 24T	SMF	311Nm
Golf II GTI 1.8ltr 8v - Performance 6 Paddle Rigid (Eng ; RD,RP,HV) (Eng ; 1P,EV,GU,GX,GZ,PB,PF)	1984-91	Race/Rally	N 210	60-4574	78-4569 - 6	7.60mm	40-4567	20.4 x 24T	SMF	311Nm
Golf II GTI 1.8ltr 16v - Performance Organic	1985-91	Road	N 210	60-4574	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	250Nm
Golf II GTI 1.8ltr 16v - Performance 4/5 Paddle	1985-91	Race/Rally	N 210	60-4574	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Golf II GTI 1.8ltr 16v - Performance 6 Paddle	1985-91	Race/Rally	N 210	60-4574	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Golf II GTI 1.8ltr 16v - Performance 4/5 Paddle Rigid (Eng ; KR,PL)	1985-91	Race/Rally	N 210	60-4574	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Golf II Rallye G60 1.8ltr - Performance Organic	1988-91	Road	N 228	60-4856	70-4606	8.40mm	40-4717	22.1 x 28T	SMF	245Nm
Golf II Rallye G60 1.8ltr - Performance Organic Rigid	1988-91	Race/Rally	N 228	60-4856	71-4606	8.40mm	40-4717	22.1 x 28T	DMF	245Nm
Golf II Rallye G60 1.8ltr - Performance 4/5 Paddle	1988-91	Race/Rally	N 228	60-4856	76-4606	8.40mm	40-4717	22.1 x 28T	SMF	299Nm
Golf II Rallye G60 1.8ltr - Performance 6 Paddle	1988-91	Race/Rally	N 228	60-4856	77-4606	8.40mm	40-4717	22.1 x 28T	SMF	299Nm
Golf II Rallye G60 1.8ltr - Performance 4 Paddle Rigid	1988-91	Race/Rally	N 228	60-4856	78-4606	8.40mm	40-4717	22.1 x 28T	DMF	299Nm
Golf II Rallye G60 1.8ltr - Performance 6 Paddle Rigid (Eng ; PG,1H)	1988-91	Race/Rally	N 228	60-4856	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	DMF	299Nm
Golf IV 1.8ltr 20v - Performance Organic	1997-00	Road	N 215	60-4730	70-4731	7.60mm	40-4717	22.1 x 28T	SMF	245Nm
Golf IV 1.8ltr 20v - Performance 4/5 Paddle	1997-00	Race/Rally	N 215	60-4730	76-4731	7.60mm	40-4717	22.1 x 28T	SMF	320Nm
Golf IV 1.8ltr 20v - Performance 4/5 Paddle Rigid (Eng ; AGN)	1997-00	Race/Rally	N 215	60-4730	78-4731	7.60mm	40-4717	22.1 x 28T	SMF	320Nm
Golf IV 1.8ltr - Performance Organic	1998-04	Road	N 216	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	DMF	277Nm
Golf IV 1.8ltr - Performance 4/5 Paddle (Eng ; AGU,ARZ) (150 BHP/110kw) (Chassis No → 1J-1B075000) (Chassis No → 1J-1D300000) (Chassis No → 1J-1P040000) (Chassis No → 1J-1W300000) (Chassis No → 1J-1U050000)	1998-04	Race/Rally	N 216	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	DMF	329Nm
Golf IV 1.8ltr Turbo - Performance Organic	1998-04	Road	N 228	60-3224	71-3217	8.40mm	40-4717	22.1 x 28T	DMF	324Nm
Golf IV 1.8ltr Turbo - Performance 4/5 Paddle (Eng ; AGU,ARZ) (150 BHP/110kw) (Chassis No ; 1J-1B075001 →) (Chassis No ; 1J-1D300001 →) (Chassis No ; 1J-1P040001 →) (Chassis No ; 1J-1W300001 →) (Chassis No ; 1J-1U050001 →)	1998-04	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	DMF	384Nm
Golf IV 1.8ltr Turbo - Performance Organic	1998 →	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Golf IV 1.8ltr Turbo - Performance Organic Rigid	1998 →	Race/Rally	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Golf IV 1.8ltr Turbo - Performance 4/5 Paddle	1998 →	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Golf IV 1.8ltr Turbo - Performance 6 Paddle	1998 →	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Golf IV 1.8ltr Turbo - Performance 4 Paddle Rigid	1998 →	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Golf IV 1.8ltr Turbo - Performance 6 Paddle Rigid (Eng ; AGU,ARZ,AUM) (150 BHP/110kw)	1998 →	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Golf IV GTI 1.8ltr Turbo - Performance Organic Rigid	2001-05	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Golf IV GTI 1.8ltr Turbo - Performance 4/5 Paddle	2001-05	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Golf IV GTI 1.8ltr Turbo - Performance 6 Paddle	2001-05	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Golf IV GTI 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AUQ) (180 BHP/132kw) (02M gearbox)	2001-05	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VOLKSWAGEN (cont)										
Golf IV GTI 1.8ltr Turbo - Performance Organic	2001 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Golf IV GTI 1.8ltr Turbo - Performance 4/5 Paddle	2001 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf IV GTI 1.8ltr Turbo - Performance 6 Paddle	2001 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf IV GTI 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AUQ) (180 BHP/ 132kw) (02M gearbox)	2001 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf III 2.0ltr - Performance Organic	1991-99	Road	N 210	60-4574	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	250Nm
Golf III 2.0ltr - Performance 4/5 Paddle	1991-99	Race/Rally	N 210	60-4574	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Golf III 2.0ltr - Performance 6 Paddle	1991-99	Race/Rally	N 210	60-4574	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Golf III 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; 2E) (Chassis No ; → 306243)	1991-99	Race/Rally	N 210	60-4574	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	311Nm
Golf III 2.0ltr - Performance Organic	1991-99	Road	N 210	60-4575	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	298Nm
Golf III 2.0ltr - Performance 4/5 Paddle	1991-99	Race/Rally	N 210	60-4575	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Golf III 2.0ltr - Performance 6 Paddle	1991-99	Race/Rally	N 210	60-4575	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Golf III 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; 2E) (Chassis No ; 306244 →) (Eng ; ADY,AEP,AGG,AKR)	1991-99	Race/Rally	N 210	60-4575	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Golf III GTI 2.0ltr 16v - Performance Organic	1992-98	Road	N 228	60-4856	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	245Nm
Golf III GTI 2.0ltr 16v - Performance Organic Rigid	1992-98	Road	N 228	60-4856	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	245Nm
Golf III GTI 2.0ltr 16v - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4856	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Golf III GTI 2.0ltr 16v - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4856	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Golf III GTI 2.0ltr 16v - Performance 4 Paddle Rigid	1992-98	Race/Rally	N 228	60-4856	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Golf III GTI 2.0ltr 16v - Performance 6 Paddle Rigid (Eng ; ABF,9A)	1992-98	Race/Rally	N 228	60-4856	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9227	299Nm
Golf IV 2.0ltr - Performance Organic	1998-04	Road	N 210	60-4575	70-4578	7.60mm	40-4567	22.1 x 28T	SMF	298Nm
Golf IV 2.0ltr - Performance 4/5 Paddle	1998-04	Race/Rally	N 210	60-4575	76-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Golf IV 2.0ltr - Performance 6 Paddle	1998-04	Race/Rally	N 210	60-4575	77-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Golf IV 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AGG,AKR,ATU,AWF)	1998-04	Race/Rally	N 210	60-4575	78-4578	7.60mm	40-4567	22.1 x 28T	SMF	375Nm
Golf IV GTI 2.0ltr - Performance Organic	1999-04	Road	N 215	60-4730	70-4731	7.60mm	40-4717	22.1 x 28T	SMF	245Nm
Golf IV GTI 2.0ltr - Performance 4/5 Paddle	1999-04	Race/Rally	N 215	60-4730	76-4731	7.60mm	40-4717	22.1 x 28T	SMF	320Nm
Golf IV GTI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; APK,AQY,AZG,AZH) (Eng ; AZI)	1999-04	Race/Rally	N 215	60-4730	78-4731	7.60mm	40-4717	22.1 x 28T	SMF	320Nm
Golf V GTI 2.0ltr Turbo - Performance Organic	2004 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf V GTI 2.0ltr Turbo - Performance Organic Rigid	2004 →	Road	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AXX,BPY,BWA) (Eng ; CAWB,CBFA,CCTA)	2004 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Golf V GTI 2.0ltr Turbo - Performance Organic	2004 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf V GTI 2.0ltr Turbo - Performance Organic Rigid	2004 →	Road	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AXX,BPY,BWA) (Eng ; CAWB,CBFA,CCTA)	2004 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Golf V GTI 2.0ltr Turbo - Performance Organic	2004 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	475Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Golf V GTI 2.0ltr Turbo - Performance 6 Paddle	2004 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AXX,BPY,BWA) (Eng ; CAWB,CBFA,CCTA)	2004 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Golf V GTI 2.0ltr Turbo - Performance Organic	2004 →	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	498Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle	2004 →	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Golf V GTI 2.0ltr Turbo - Performance 6 Paddle	2004 →	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; AXX,BPY,BWA) (Eng ; CAWB,CBFA,CCTA)	2004 →	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Golf V GTI 2.0ltr Turbo - Performance Organic	2006 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf V GTI 2.0ltr Turbo - Performance Organic Rigid	2006 →	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; BYD) (230 BHP/169kw)	2006 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
Golf V GTI 2.0ltr Turbo - Performance Organic	2006 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	475Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle	2006 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Golf V GTI 2.0ltr Turbo - Performance 6 Paddle	2006 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Golf V GTI 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; BYD) (230 BHP/169kw)	2006 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9289	635Nm
Golf V GTI 2.0ltr Turbo - Performance Twin Organic Rigid	2006 →	Race/Rally	A 184	63-220YC	55-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	498Nm
Golf V GTI 2.0ltr Turbo - Performance Twin 3 Paddle Rigid	2006 →	Race/Rally	A 184	63-220YC	51-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Golf V GTI 2.0ltr Turbo - Performance Twin 5 Paddle Rigid	2006 →	Race/Rally	A 184	63-220YC	52-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Golf V GTI 2.0ltr Turbo - Performance Twin 6 Paddle Rigid (Eng ; BYD) (230 BHP/169kw)	2006 →	Race/Rally	A 184	63-220YC	49-2015 A&B	7.20mm	41-4621	24.2 x 23T	HF 9526	688Nm
Golf III GTI 2.0ltr 16v - Performance Organic	1992-98	Road	N 184	63-210GC	57-1043	7.20mm	N/A	25.4 x 23T	HF 9253	324Nm
Golf III GTI 2.0ltr 16v - Performance 3 Paddle	1992-98	Race/Rally	N 184	63-210GC	56-1043	7.20mm	N/A	25.4 x 23T	HF 9253	445Nm
Golf III GTI 2.0ltr 16v - Performance 4 Paddle (Eng ; ABF,9A) (Gearbox - Sadev)	1992-98	Race/Rally	N 184	63-210GC	56-2043	7.20mm	N/A	25.4 x 23T	HF 9253	445Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VOLKSWAGEN (cont)										
Golf VI GTI 2.0ltr Turbo - Performance Organic	2009-12	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf VI GTI 2.0ltr Turbo - Performance Organic Rigid	2009-12	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Golf VI GTI 2.0ltr Turbo - Performance 4/5 Paddle	2009-12	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf VI GTI 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; CCZB)	2009-12	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
Golf VI GTI 2.0ltr Turbo - Performance Organic	2011-12	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf VI GTI 2.0ltr Turbo - Performance Organic Rigid	2011-12	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Golf VI GTI 2.0ltr Turbo - Performance 4/5 Paddle	2011-12	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf VI GTI 2.0ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; CDLG)	2011-12	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
Golf III VR6 2.8ltr & 2.9ltr - Performance Organic	1992-98	Road	N 228	60-4603	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	422Nm
Golf III VR6 2.8ltr & 2.9ltr - Performance Organic Rigid	1992-98	Race/Rally	N 228	60-4603	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	422Nm
Golf III VR6 2.8ltr & 2.9ltr - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4603	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	560Nm
Golf III VR6 2.8ltr & 2.9ltr - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4603	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	560Nm
Golf III VR6 2.8ltr & 2.9ltr - Performance 4 Paddle Rigid	1992-98	Race/Rally	N 228	60-4603	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9249	560Nm
Golf III VR6 2.8ltr & 2.9ltr - Performance 6 Paddle Rigid (Eng ; AAA,ABV)	1992-98	Race/Rally	N 228	60-4603	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9249	560Nm
Golf IV V6 4 Motion 2.8ltr - Performance Organic	1999-02	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	475Nm
Golf IV V6 4 Motion 2.8ltr - Performance 4/5 Paddle	1999-02	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Golf IV V6 4 Motion 2.8ltr - Performance 6 Paddle	1999-02	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Golf IV V6 4 Motion 2.8ltr - Performance 4/5 Paddle Rigid (Eng ; AQN,AQP,AUE,BDE)	1999-02	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Golf IV V6 R32 3.2ltr - Performance Organic Rigid	2002 →	Road	N 240	60-3320	71-3321	8.40mm	41-4621	24.2 x 23T	DMF	481Nm
Golf IV V6 R32 3.2ltr - Performance 4/5 Paddle Rigid (Eng ; BFH,BML)	2002 →	Race/Rally	N 240	60-3320	78-3321	8.40mm	41-4621	24.2 x 23T	DMF	572Nm
Golf IV V6 R32 3.2ltr - Performance Organic	2002 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	475Nm
Golf IV V6 R32 3.2ltr - Performance 4/5 Paddle	2002 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Golf IV V6 R32 3.2ltr - Performance 6 Paddle	2002 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Golf IV V6 R32 3.2ltr - Performance 4/5 Paddle Rigid (Eng ; BFH,BML)	2002 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9284	635Nm
Golf V V6 R32 3.2ltr 4wd - Performance Organic	11/05 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf V V6 R32 3.2ltr 4wd - Performance Organic Rigid	11/05 →	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Golf V V6 R32 3.2ltr 4wd - Performance 4/5 Paddle	11/05 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf V V6 R32 3.2ltr 4wd - Performance 4/5 Paddle Rigid (Eng ; BUB,CBRA)	11/05 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
Golf V V6 R32 3.2ltr 4wd - Performance Organic	11/05 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9290	475Nm
Golf V V6 R32 3.2ltr 4wd - Performance 4/5 Paddle	11/05 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9290	635Nm
Golf V V6 R32 3.2ltr 4wd - Performance 6 Paddle	11/05 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9290	635Nm
Golf V V6 R32 3.2ltr 4wd - Performance 4/5 Paddle Rigid (Eng ; BUB,CBRA)	11/05 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9290	635Nm
Golf VI 2.0ltr - Performance Organic	2010 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf VI 2.0ltr - Performance Organic Rigid	2010 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Golf VI 2.0ltr - Performance 4/5 Paddle	2010 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf VI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; CBAA,CFFB,CFFA) (Eng ; CBAB,CBBB)	2010 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Golf VI 2.0ltr - Performance Organic	2010 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf VI 2.0ltr - Performance Organic Rigid	2010 →	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Golf VI 2.0ltr - Performance 4/5 Paddle	2010 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf VI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; CBAA,CFFB,CFFA) (Eng ; CBAB,CBBB)	2010 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	8/95-04	Road	N 228	60-3310	71-3323	8.00mm	40-4717	22.1 x 28T	DMF	326Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AHF,ASV) (110 BHP/81kw)	8/95-04	Race/Rally	N 228	60-3310	78-3323	8.00mm	40-4717	22.1 x 28T	DMF	385Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	1997-01	Road	N 216	60-3322	71-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	277Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR,ALH) (Chassis No → 1J-1B075000) (Chassis No → 1J-1D300000) (Chassis No → 1J-1P040000) (Chassis No → 1J-1W300000) (Chassis No → 1J-1U050000)	1997-01	Race/Rally	N 216	60-3322	78-3323	8.00mm	40-4717	22.1 x 28T	LUK DMF	329Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	1997-01	Road	N 228	60-3224	71-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	324Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR) (Chassis No ; 1J-1B075000 →) (Chassis No ; 1J-1D300001 →) (Chassis No ; 1J-1P040001 →) (Chassis No ; 1J-1W300001 →) (Chassis No ; 1J-1U050001 →)	1997-01	Race/Rally	N 228	60-3224	78-3217	8.40mm	40-4717	22.1 x 28T	LUK DMF	384Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VOLKSWAGEN (cont)										
Golf IV TDI 1.9ltr - Performance Organic Rigid	1997-01	Road	N 228	60-3310	71-3319	8.00mm	40-4717	22.1 x 28T	LUK DMF	326Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ALH) (Chassis No ; 1J-1B075001 →) (Chassis No ; 1J-1D300001 →) (Chassis No ; 1J-1P040001 →) (Chassis No ; 1J-1W300001 →) (Chassis No ; 1J-1U050001 →)	1997-01	Race/Rally	N 228	60-3310	78-3319	8.00mm	40-4717	22.1 x 28T	LUK DMF	385Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	1997-01	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	326Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AGR,ALH)	1997-01	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	SACHS DMF	385Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	2000-04	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	DMF	326Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ATD,AXR)	2000-04	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	DMF	385Nm
Golf IV TDI 1.9ltr - Performance Organic	8/95-04	Road	N 228	60-4604	70-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	8/95-04	Race/Rally	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	422Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle	8/95-04	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Golf IV TDI 1.9ltr - Performance 6 Paddle	8/95-04	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Golf IV TDI 1.9ltr - Performance 4 Paddle Rigid	8/95-04	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Golf IV TDI 1.9ltr - Performance 6 Paddle Rigid (Eng ; AGR,ALH → 90 BHP/66kw) (Eng ; ATD,AXR → 100 BHP/74kw) (Eng ; AHF,ASV → 110 BHP/81kw) (Eng ; AFN,AVG → 110 BHP/81kw)	8/95-04	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9281	560Nm
Golf IV TDI 1.9ltr - Performance Organic	1998-04	Road	N 228	60-4603	70-4606	8.40mm	40-4717	22.1 x 28T	SMF	422Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	1998-04	Race/Rally	N 228	60-4603	71-4606	8.40mm	40-4717	22.1 x 28T	DMF	422Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle	1998-04	Race/Rally	N 228	60-4603	76-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Golf IV TDI 1.9ltr - Performance 6 Paddle	1998-04	Race/Rally	N 228	60-4603	77-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Golf IV TDI 1.9ltr - Performance 4 Paddle Rigid	1998-04	Race/Rally	N 228	60-4603	78-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Golf IV TDI 1.9ltr - Performance 6 Paddle Rigid (Eng ; AHU,ALE)	1998-04	Race/Rally	N 228	60-4603	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	1998-04	Road	N 240	60-3314	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle	1998-04	Race/Rally	N 240	60-3314	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Golf IV TDI 1.9ltr - Performance 6 Paddle	1998-04	Race/Rally	N 240	60-3314	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AJM) (115 BHP/85kw)	1998-04	Race/Rally	N 240	60-3314	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Golf IV TDI 1.9ltr - Performance Organic Rigid	1998-04	Road	N 240	60-3312	71-3313	7.80mm	41-4621	22.1 x 28T	DMF	415Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle	1998-04	Race/Rally	N 240	60-3312	76-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Golf IV TDI 1.9ltr - Performance 6 Paddle	1998-04	Race/Rally	N 240	60-3312	77-3313	7.80mm	41-4621	22.1 x 28T	SMF	486Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; ASZ) (130 BHP/96kw) (Eng ; ARL) (150 BHP/110kw)	1998-04	Race/Rally	N 240	60-3312	78-3313	7.80mm	41-4621	22.1 x 28T	DMF	486Nm
Golf IV TDI 1.9ltr - Performance Organic	1998-04	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle	1998-04	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf IV TDI 1.9ltr - Performance 6 Paddle	1998-04	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf IV TDI 1.9ltr - Performance 4/5 Paddle Rigid (Eng ; AJM → 115 BHP/85kw) (Eng ; AUY → 115 BHP/85kw) (Eng ; ASZ → 130 BHP/96kw) (Eng ; ARL → 150BHP/110kw)	1998-04	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf V TDI 1.9ltr - Performance Organic Rigid	2004 →	Race/Rally	N 228	60-4604	71-4606	8.40mm	40-4717	22.1 x 28T	HF 9290	422Nm
Golf V TDI 1.9ltr - Performance 4/5 Paddle	2004 →	Race/Rally	N 228	60-4604	76-4606	8.40mm	40-4717	22.1 x 28T	HF 9290	560Nm
Golf V TDI 1.9ltr - Performance 6 Paddle	2004 →	Race/Rally	N 228	60-4604	77-4606	8.40mm	40-4717	22.1 x 28T	HF 9290	560Nm
Golf V TDI 1.9ltr - Performance 4 Paddle Rigid	2004 →	Race/Rally	N 228	60-4604	78-4606	8.40mm	40-4717	22.1 x 28T	HF 9290	560Nm
Golf V TDI 1.9ltr - Performance 6 Paddle Rigid (Eng ; BRU,BXF) (90 BHP/66kw) (Eng ; BKC,BLS,BXE) (105 BHP/77kw)	2004 →	Race/Rally	N 228	60-4604	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	HF 9290	560Nm
Golf V TDI 1.9ltr 4wd - Performance Organic	2004 →	Road	N 240	60-3320	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	481Nm
Golf V TDI 1.9ltr 4wd - Performance Organic Rigid	2004 →	Race/Rally	N 240	60-3320	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	481Nm
Golf V TDI 1.9ltr 4wd - Performance 4/5 Paddle	2004 →	Race/Rally	N 240	60-3320	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	572Nm
Golf V TDI 1.9ltr 4wd - Performance 4/5 Paddle Rigid (Eng ; BKC,BLS,BXE) (140 BHP/103kw)	2004 →	Race/Rally	N 240	60-3320	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	572Nm
Golf V SDI 2.0ltr - Performance Organic	2004 →	Road	N 220	60-4726	70-4725	7.20mm	40-4724	22.1 x 28T	SMF	230Nm
Golf V SDI 2.0ltr - Performance 4/5 Paddle (Eng ; BDK) (75 BHP/55kw)	2004 →	Race/Rally	N 220	60-4726	76-4725	7.20mm	40-4724	22.1 x 28T	SMF	310Nm

Helix Torque Capacity is Static Torque, Please Add On An Average Of 20% If Using A Dyno Reading
Helix Do Offer A Heavy Duty Range On All Of Our Products, Please Contact Us If You Require More Torque



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VOLKSWAGEN (cont)										
Golf V GT TDI 2.0ltr - Performance Organic	2005 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf V GT TDI 2.0ltr - Performance Organic Rigid	2005 →	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	476Nm
Golf V GT TDI 2.0ltr - Performance 4/5 Paddle	2005 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf V GT TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD,BM) (Eng ; BMM,BEE,BVB)	2005 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	LUK DMF	635Nm
Golf V GT TDI 2.0ltr - Performance Organic	2005 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Golf V GT TDI 2.0ltr - Performance Organic Rigid	2005 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	476Nm
Golf V GT TDI 2.0ltr - Performance 4/5 Paddle	2005 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Golf V GT TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD,BM) (Eng ; BMM,BEE,BVB)	2005 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	SACHS DMF	635Nm
Golf V GT TDI 2.0ltr - Performance Organic	2005 →	Road	N 240	60-4610	70-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	475Nm
Golf V GT TDI 2.0ltr - Performance 4/5 Paddle	2005 →	Race/Rally	N 240	60-4610	76-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf V GT TDI 2.0ltr - Performance 6 Paddle	2005 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf V GT TDI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; AZV,BKD,BM) (Eng ; BMM,BEE,BVB)	2005 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4621	24.2 x 23T	HF 9282	635Nm
Golf III TDI 1.9ltr - Performance 6 Paddle (Eng ; 1Z,AHU) (Gemini 6 speed gearbox)	1996-04	Race/Rally	A 200	68-110G	77-1105	7.20mm	N/A	25.6 x 24T	SMF	462Nm
Golf III GTI 2.0ltr - Performance Twin 6 Paddle (Fitted VW Motorsport 6 speed gearbox)	1992-98	Race/Rally	A 200	68-120G	77-1105 78-1105	7.20mm 7.20mm	N/A	25.6 x 24T	SMF	578Nm
Golf VII 2.0ltr - Performance Organic	2013 →	Road	N 240	60-3328	70-3317	9.30mm	41-4504	24.2 x 23T	SMF	480Nm
Golf VII 2.0ltr - Performance Organic Rigid	2013 →	Road	N 240	60-3328	71-3317	9.30mm	41-4504	24.2 x 23T	DMF	480Nm
Golf VII 2.0ltr - Performance 4/5 Paddle	2013 →	Race/Rally	N 240	60-3328	76-3317	9.30mm	41-4504	24.2 x 23T	SMF	635Nm
Golf VII 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; C1X)	2013 →	Race/Rally	N 240	60-3328	78-3317	9.30mm	41-4504	24.2 x 23T	DMF	635Nm
Golf VII 2.0ltr - Performance Organic	2013 →	Road	N 240	60-4610	70-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	475Nm
Golf VII 2.0ltr - Performance Organic Rigid	2013 →	Road	N 240	60-4610	76-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Golf VII 2.0ltr - Performance 4/5 Paddle	2013 →	Race/Rally	N 240	60-4610	77-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Golf VII 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; C1X)	2013 →	Race/Rally	N 240	60-4610	78-4611	7.60mm	41-4504	24.2 x 23T	HF 9468	635Nm
Lupo GTI 1.6ltr - Performance Organic	2000 →	Road	N 220	60-4726	70-4725	7.20mm	40-4724	22.1 x 28T	SMF	230Nm
Lupo GTI 1.6ltr - Performance 4/5 Paddle (Eng ; AVY)	2000 →	Race/Rally	N 220	60-4726	76-4725	7.20mm	40-4724	22.1 x 28T	SMF	310Nm
Polo G40 1.3ltr - Performance Organic	1987-94	Road	N 200	60-4715	70-4719	7.60mm	40-5002	20.4 x 24T	SMF	220Nm
Polo G40 1.3ltr - Performance 4/5 Paddle	1987-94	Race/Rally	N 200	60-4716	76-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo G40 1.3ltr - Performance 6 Paddle	1987-94	Race/Rally	N 200	60-4716	77-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo G40 1.3ltr - Performance 4/5 Paddle Rigid	1987-94	Race/Rally	N 200	60-4716	78-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo 1.4ltr 16v - Performance Organic	1996-01	Road	N 200	60-4715	70-4719	7.60mm	40-5002	20.4 x 24T	SMF	220Nm
Polo 1.4ltr 16v - Performance 4/5 Paddle	1996-01	Race/Rally	N 200	60-4716	76-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo 1.4ltr 16v - Performance 6 Paddle	1996-01	Race/Rally	N 200	60-4716	77-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo 1.4ltr 16v - Performance 4/5 Paddle Rigid (Eng ; AFK,AHW,APE,AUA,AUB)	1996-01	Race/Rally	N 200	60-4716	78-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo 1.4ltr 16v - Performance Organic	2001 →	Road	N 200	60-4715	70-4721	7.00mm	40-4722	22.1 x 28T	SMF	220Nm
Polo 1.4ltr 16v - Performance 4/5 Paddle	2001 →	Race/Rally	N 200	60-4716	76-4721	7.00mm	40-4722	22.1 x 28T	SMF	300Nm
Polo 1.4ltr 16v - Performance 4/5 Paddle Rigid (Eng ; BBZ,BKY) (Eng ; AFK,AUA,AUB,AXU,BBY)	2001 →	Race/Rally	N 200	60-4716	78-4721	7.00mm	40-4722	22.1 x 28T	SMF	300Nm
Polo GTI 1.6ltr - Performance Organic	1998-01	Road	N 200	60-4715	70-4719	7.60mm	40-5002	20.4 x 24T	SMF	220Nm
Polo GTI 1.6ltr - Performance 4/5 Paddle	1998-01	Race/Rally	N 200	60-4716	76-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo GTI 1.6ltr - Performance 6 Paddle	1998-01	Race/Rally	N 200	60-4716	77-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo GTI 1.6ltr - Performance 4/5 Paddle Rigid (Eng ; AVJ,ARC,AVY)	1998-01	Race/Rally	N 200	60-4716	78-4719	7.60mm	40-5002	20.4 x 24T	SMF	300Nm
Polo GTI 1.8ltr Turbo - Performance Organic Rigid	2005-10	Road	N 228	60-3310	71-3311	7.20mm	40-4717	22.1 x 28T	SMF	326Nm
Polo GTI 1.8ltr Turbo - Performance 4/5 Paddle Rigid (Eng ; BBU)	2005-10	Race/Rally	N 228	60-3310	78-3311	7.20mm	40-4717	22.1 x 28T	SMF	385Nm
Scirocco TSI 2.0ltr 16v - Performance Organic	2008 →	Road	N 240	60-3318	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Scirocco TSI 2.0ltr 16v - Performance Organic Rigid	2008 →	Race/Rally	N 240	60-3318	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Scirocco TSI 2.0ltr 16v - Performance 4/5 Paddle	2008 →	Race/Rally	N 240	60-3318	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Scirocco TSI 2.0ltr 16v - Performance 4/5 Paddle Rigid (Eng ; CAWB,CCZB)	2008 →	Race/Rally	N 240	60-3318	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
Scirocco 265 R TSI 2.0ltr - Performance Organic	2009 →	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Scirocco 265 R TSI 2.0ltr - Performance Organic Rigid	2009 →	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Scirocco 265 R TSI 2.0ltr - Performance 4/5 Paddle	2009 →	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Scirocco 265 R TSI 2.0ltr - Performance 4/5 Paddle Rigid (Eng ; CDLA,CDLC)	2009 →	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm



Vehicle	Year	Application	Ø	Cover	Plate	Thickness	Bearing	Spline	Flywheel Option	Torque Nm
VOLKSWAGEN (cont)										
Vento VR6 2.8ltr - Performance Organic	1992-98	Road	N 228	60-4603	70-4606	8.40mm	40-4717	22.1 x 28T	SMF	422Nm
Vento VR6 2.8ltr - Performance Organic Rigid	1992-98	Race/Rally	N 228	60-4603	71-4606	8.40mm	40-4717	22.1 x 28T	DMF	422Nm
Vento VR6 2.8ltr - Performance 4/5 Paddle	1992-98	Race/Rally	N 228	60-4603	76-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Vento VR6 2.8ltr - Performance 6 Paddle	1992-98	Race/Rally	N 228	60-4603	77-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Vento VR6 2.8ltr - Performance 4 Paddle Rigid	1992-98	Race/Rally	N 228	60-4603	78-4606	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Vento VR6 2.8ltr - Performance 6 Paddle Rigid (Eng ; AAA)	1992-98	Race/Rally	N 228	60-4603	78-4606 - 6	8.40mm	40-4717	22.1 x 28T	SMF	560Nm
Passat - Performance 4/5 Paddle	1985	Race/Rally	N 200	60-3226	76-3227	7.60mm	40-3224	20.40 x 24T	SMF	390Nm
Passat - Performance 4/5 Paddle Rigid	1985	Race/Rally	N 200	60-3226	78-3227	7.60mm	40-3224	20.40 x 24T	SMF	390Nm
Polo GTI 1.8ltr - Performance Organic	2015	Road	N 240	60-3316	70-3317	9.30mm	41-4621	24.2 x 23T	SMF	476Nm
Polo GTI 1.8ltr - Performance Organic Rigid	2015	Race/Rally	N 240	60-3316	71-3317	9.30mm	41-4621	24.2 x 23T	DMF	476Nm
Polo GTI 1.8ltr - Performance 4/5 Paddle	2015	Race/Rally	N 240	60-3316	76-3317	9.30mm	41-4621	24.2 x 23T	SMF	635Nm
Polo GTI 1.8ltr - Performance 4/5 Paddle Rigid	2015	Race/Rally	N 240	60-3316	78-3317	9.30mm	41-4621	24.2 x 23T	DMF	635Nm
VOLVO										
Model 242,244,245 1.9,2.0ltr - Performance Organic	1978-90	Road	N 215	60-1027	70-3859	7.20mm	40-2112	25 x 22T	SMF	231Nm
Model 242,244,245 1.9,2.0ltr - Performance 4/5 Paddle	1978-90	Race/Rally	N 215	60-1027	76-3859	7.20mm	40-2112	25 x 22T	SMF	283Nm
Model 242,244,245 1.9,2.0ltr - Performance 4/5 Paddle Rigid	1978-90	Race/Rally	N 215	60-1027	78-3859	7.20mm	40-2112	25 x 22T	SMF	283Nm
850 T5 2.3ltr - Performance Organic	1993-96	Road	N 240	60-4836	70-4837	8.00mm	40-3700	21.8 x 20T	SMF	420Nm
850 T5 2.3ltr - Performance 4/5 Paddle	1993-96	Race/Rally	N 240	60-4836	76-4837	8.00mm	40-3700	21.8 x 20T	SMF	556Nm
850 T5 2.3ltr - Performance 6 Paddle	1993-96	Race/Rally	N 240	60-4836	77-4837	8.00mm	40-3700	21.8 x 20T	SMF	556Nm
850 T5-R 2.3ltr - Performance Organic	1994-96	Road	N 240	60-4836	70-4837	8.00mm	40-3700	21.8 x 20T	SMF	420Nm
850 T5-R 2.3ltr - Performance 4/5 Paddle	1994-96	Race/Rally	N 240	60-4836	76-4837	8.00mm	40-3700	21.8 x 20T	SMF	556Nm
850 T5-R 2.3ltr - Performance 6 Paddle	1994-96	Race/Rally	N 240	60-4836	77-4837	8.00mm	40-3700	21.8 x 20T	SMF	556Nm
C70 T5 2.3ltr - Performance Organic Rigid	1997-05	Road	N 240	60-4838	71-4839	8.00mm	41-3701	21.8 x 20T	SMF	420Nm
C70 T5 2.3ltr - Performance 4/5 Paddle Rigid	1997-05	Race/Rally	N 240	60-4838	78-4839	8.00mm	41-3701	21.8 x 20T	SMF	556Nm
S70 T5 2.3ltr - Performance Organic Rigid	1996-99	Road	N 240	60-4838	71-4839	8.00mm	41-3701	21.8 x 20T	SMF	420Nm
S70 T5 2.3ltr - Performance 4/5 Paddle Rigid	1996-99	Race/Rally	N 240	60-4838	78-4839	8.00mm	41-3701	21.8 x 20T	SMF	556Nm
V70 T5 2.3ltr - Performance Organic Rigid	1996-02	Road	N 240	60-4835	71-4839	8.00mm	40-7115	21.8 x 20T	SMF	446Nm
V70 T5 2.3ltr - Performance 4/5 Paddle Rigid (Eng ; B5234T3) (Chassis No → 395001)	1996-02	Race/Rally	N 240	60-4835	78-4839	8.00mm	40-7115	21.8 x 20T	SMF	590Nm
V70 T5 2.3ltr - Performance Organic Rigid	1996-02	Road	N 240	60-4838	71-4839	8.00mm	41-3701	21.8 x 20T	SMF	420Nm
V70 T5 2.3ltr - Performance 4/5 Paddle Rigid (Eng ; B5234T3) (Chassis No ; 395002 →)	1996-02	Race/Rally	N 240	60-4838	78-4839	8.00mm	41-3701	21.8 x 20T	SMF	556Nm
440/460/480 - Performance Organic	1992-95	Road	N 215	60-2085	70-2086	7.60mm	40-3702	22 x 26T	HF 9451	340Nm
440/460/480 - Performance 4/5 Paddle	1992-95	Race/Rally	N 215	60-2085	76-2086	7.60mm	40-3702	22 x 26T	HF 9451	450Nm
440/460/480 - Performance 6 Paddle	1992-95	Race/Rally	N 215	60-2085	77-2086	7.60mm	40-3702	22 x 26T	HF 9451	450Nm
340/360 - Performance Organic	1985-91	Road	N 200	60-4331	70-4333/02	7.60mm	40-4338	22.5 x 20T	HF 9428	260Nm
340/360 - Performance 4/5 Paddle	1985-91	Race/Rally	N 200	60-4332	76-4333/02	7.60mm	40-4338	22.5 x 20T	HF 9428	332Nm
120M,140,220 - Performance Organic	1966-74	Road	N 215	60-4787	70-1511	7.20mm	40-1219	1" x 10T	SMF	273Nm
120M,140,220 - Performance 4/5 Paddle	1966-74	Race/Rally	N 215	60-4787	76-1511	7.20mm	40-1219	1" x 10T	SMF	360Nm
P1800 - Performance Organic	1965-73	Road	N 215	60-4787	70-1511	7.20mm	40-1219	1" x 10T	SMF	273Nm
P1800 - Performance 4/5 Paddle	1965-73	Race/Rally	N 215	60-4787	76-1511	7.20mm	40-1219	1" x 10T	SMF	360Nm
Amazon 1778cc - Performance Organic	1956-69	Road	N 215	60-4787	70-1511	7.20mm	40-1219	1" x 10T	SMF	273Nm
Amazon 1778cc - Performance 4/5 Paddle	1956-69	Race/Rally	N 215	60-4787	76-1511	7.20mm	40-1219	1" x 10T	SMF	360Nm
Amazon 2000cc - Performance Organic	1968-71	Road	N 215	60-4787	70-1511	7.20mm	40-2112	1" x 10T	SMF	231Nm
Amazon 2000cc - Performance 4/5 Paddle	1968-71	Race/Rally	N 215	60-4787	76-1511	7.20mm	40-2112	1" x 10T	SMF	283Nm
WESTFIELD										
Vauxhall 1.6tr Turbo - Performance Organic Rigid	2010 →	Road	N 228	12-3938	71-3937	7.60mm	40-3293	25.4 x 23T	SMF	310Nm
Vauxhall 1.6tr Turbo - Performance 4/5 Paddle Rigid	2010 →	Race/Rally	N 228	60-3938	78-3937	7.60mm	40-3293	25.4 x 23T	SMF	410Nm
Vauxhall 2.0ltr 16v - Performance Organic		Road	N 228	60-4626	70-4628	7.60mm	40-2482	25.4 x 23T	SMF	310Nm
Vauxhall 2.0ltr 16v - Performance Organic Rigid		Road	N 228	60-4626	71-4628	7.60mm	40-2482	25.4 x 23T	SMF	310Nm
Vauxhall 2.0ltr 16v - Performance 4/5 Paddle		Race/Rally	N 228	60-4626	76-4628	7.60mm	40-2482	25.4 x 23T	SMF	410Nm
Vauxhall 2.0ltr 16v - Performance 6 Paddle		Race/Rally	N 228	60-4626	77-4628	7.60mm	40-2482	25.4 x 23T	SMF	410Nm
Vauxhall 2.0ltr 16v - Performance 4/5 Paddle Rigid		Race/Rally	N 228	60-4626	78-4628	7.60mm	40-2482	25.4 x 23T	SMF	410Nm
Vauxhall 2.0ltr 16v - Performance Organic Heavy Duty		Road	N 228	60-3438	70-3439	8.00mm	40-2482	25.4 x 23T	SMF	334Nm
Vauxhall 2.0ltr 16v - Performance 4/5 Paddle Heavy Duty		Race/Rally	N 228	60-3438	76-3439	8.00mm	40-2482	25.4 x 23T	SMF	445Nm



**HELIX AUTOSPORT LTD.,
UNIT 23, VANTAGE BUSINESS PARK, BLOXHAM ROAD, BANBURY,
OXON. OX16 9UX
Tel: +44 (0)1295 701076
Fax: +44 (0)1295 709617
Email: sales@helix-autosport.com
Web: www.helix-autosport.com**